

## Citations and Reference Literature: 5-Hydroxytryptophan

### Citations

1. Marz R. Medical Nutrition from Marz. 2nd ed. Portland, Ore; 1997.
2. The effect of vitamin E and beta carotene on the incidence of lung cancer and other cancers in male smokers. Alpha-Tocopherol, Beta Carotene Cancer Prevention Study Group. *N Engl J Med* 1994;330:1029-1035.
3. Omenn GS, Goodman G, Thornquist M et al. The Beta-Carotene and Retinol Efficacy Trial (CARET) for chemoprevention of lung cancer in high risk populations: smokers and asbestos-exposed workers. *Cancer Res* 1994;54:2038s-2043s.
4. McKee DL. A Scientific Review of Natural Products that Support Healthy Antioxidant Function. Batesville Ark: GP Publications; 2001.
5. Ben-Amotz A, Mokady S, Edelstein S, Avron M. Bioavailability of a natural isomer mixture as compared with synthetic all-trans-beta-carotene in rats and chicks. *J Nutr* 1989;119:1013-1019.
6. Yeum KJ, Azhu S, Xiao S, et al. Beta-carotene intervention trial in premalignant gastric lesions. *J Am Coll Nutr* 1995;14:536 (abstract 548).
7. Albanes D, Heinonen OP, Taylor PR et al. Alpha-tocopherol and beta-carotene supplements and lung cancer incidence in the alpha-tocopherol, beta-carotene cancer prevention study: effects of base-line characteristics and study compliance. *J Natl Cancer Inst* 1996;88:1560-1570.
8. Leo MA, Lieber CS. Alcohol, vitamin A, and beta-carotene: adverse interactions, including hepatotoxicity and carcinogenicity. *Am J Clin Nutr* 1999;69:1071-1085.
9. Ziegler RG. A review of epidemiologic evidence that carotenoids reduce the risk of cancer. *J Nutr* 1989;119:116-122.
10. Vena JE, Graham S, Freudenheim J et al. Diet in the epidemiology of bladder cancer in western New York. *Nutr Cancer* 1992;18:255-264.
11. Flagg EW, Coates RJ, Greenberg RS. Epidemiologic studies of antioxidants and cancer in humans. *J Am Coll Nutr* 1995;14:419-427.
12. Kohlmeier L, Hastings SB. Epidemiologic evidence of a role of carotenoids in cardiovascular disease prevention. *Am J Clin Nutr* 1995;62:1370S-1376S.
13. Zheng W, Sellers TA, Doyle TJ et al. Retinol, antioxidant vitamins, and cancers of the upper digestive tract in a prospective cohort study of postmenopausal women. *Am J Epidemiol* 1995;142:955-960.
14. Steinmetz KA, Potter JD. Vegetables, fruit, and cancer prevention: a review. *J Am Diet Assoc* 1996;96:1027-1039.
15. Rock CL, Saxe GA, Ruffin MT et al. Carotenoids, vitamin A, and estrogen receptor status in breast cancer. *Nutr Cancer* 1996;25:281-296.
16. White WS, Stacewicz-Sapuntzakis M, Erdman JW Jr, Bowen PE. Pharmacokinetics of beta-carotene and canthaxanthin after ingestion of individual and combined doses by human subjects. *J Am Coll Nutr* 1994;13:665-671.
17. Rapola JM, Virtamo J, Haukka JK et al. Effect of vitamin E and beta carotene on the incidence of angina pectoris: a randomized, double-blind, controlled trial. *JAMA* 1996;275:693-698.
18. Omenn GS, Goodman GE, Thornquist MD et al. Effects of a combination of beta carotene and vitamin A on lung cancer and cardiovascular disease. *N Engl J Med* 1996;334:1150-1155.
19. Rapola JM, Virtamo J, Ripatti S et al. Randomised trial of alpha-tocopherol and beta-carotene supplements on incidence of major coronary events in men with previous myocardial infarction. *Lancet* 1997;349:1715-1720.
20. Persson V, Ahmed F, Gebre-Medhin M, Greiner T. Relationships between vitamin A, iron status and helminthiasis in Bangladeshi school children. *Public Health Nutr* 2000;3:83-89.
21. Rai SK, Nakanishi M, Upadhyay MP et al. Effect of intestinal helminth infection on retinol and beta-carotene status among rural Nepalese. *Nutr Res* 2000;20:15-23.
22. Jalal F, Nesheim MC, Agus Z et al. Serum retinol concentrations in children are affected by food sources of beta-carotene, fat intake, and anthelmintic drug treatment. *Am J Clin Nutr* 1998;68:623-629.
23. Mwaniki D, Omondi B, Muniu E et al. Effects on serum retinol of multi-micronutrient supplementation and multi-helminth chemotherapy: a randomised, controlled trial in Kenyan school children. *Eur J Clin Nutr* 2002;56:666-673.
24. Kennedy DD, Tucker KL, Ladas ED et al. Low antioxidant vitamin intakes are associated with increases in adverse effects of chemotherapy in children with acute lymphoblastic leukemia. *Am J Clin Nutr* 2004;79:1029-1036.
25. Mills EE. The modifying effect of beta-carotene on radiation and chemotherapy induced oral mucositis. *Br J Cancer* 1988;57:416-417.
26. Teicher BA, Schwartz JL, Holden SA et al. In vivo modulation of several anticancer agents by beta-carotene. *Cancer Chemother Pharmacol* 1994;34:235-241.
27. Block KI, Koch AC, Mead MN et al. Impact of antioxidant supplementation on chemotherapeutic efficacy: a systematic review of the evidence from randomized controlled trials. *Cancer Treat Rev* 2007 Mar 14; [Epub ahead of print] (Meta-analysis)

## Citations and Reference Literature: 5-Hydroxytryptophan

28. Longnecker JB, Basu SG. Effects of cholestyramine on absorption of amino acids and vitamin A in man. *Fed Proc* 1965;24:375.
29. West RJ, Lloyd JK. The effect of cholestyramine on intestinal absorption. *Gut* 1975;16:93-98.
30. Roe DA. Drug-Induced Nutritional Deficiencies. 2nd ed. Westport, Conn: Avi Publishing; 1985.
31. Watkins JB. Lipid digestion and absorption. *Pediatrics* 1985;75:151-156.
32. Hathcock JN. Metabolic mechanisms of drug-nutrient interactions. *Fed Proc* 1985;44:124-129.
33. Knodel LC, Talbert RL. Adverse effects of hypolipidaemic drugs. *Med Toxicol* 1987;2:10-32.
34. Elinder LS, Hadell K, Johansson J et al. Probucon treatment decreases serum concentrations of diet-derived antioxidants. *Arterioscler Thromb Vasc Biol* 1995;15:1057-1063.
35. Probstfield JL, Lin TL, Peters J, Hunninghake DB. Carotenoids and vitamin A: the effect of hypocholesterolemic agents on serum levels. *Metabolism* 1985;34:88-91.
36. Tonstad S, Sivertsen M, Aksnes L, Ose L. Low dose colestipol in adolescents with familial hypercholesterolaemia. *Arch Dis Child* 1996;74:157-160.
37. Race TF, Paes IC, Faloon WW. Intestinal malabsorption induced by oral colchicine: comparison with neomycin and cathartic agents. *Am J Med Sci* 1970;259:32-41.
38. Robinson C, Weigly E. Basic Nutrition and Diet Therapy. New York: Macmillan; 1984.
39. Amatayakul K, Sivasomboon B, Thanangkul O. Vitamin and trace mineral metabolism in medroxyprogesterone acetate users. *Contraception* 1978;18:253-269.
40. Joshi UM, Virkar KD, Amatayakul K et al. Impact of hormonal contraceptives vis-a-vis non-hormonal factors on the vitamin status of malnourished women in India and Thailand. World Health Organization: Special Programme of Research, Development and Research Training in Human Reproduction. Task Force on Oral Contraceptives. *Hum Nutr Clin Nutr* 1986;40:205-220.
41. Amatayakul K, Underwood BA, Ruckphaopunt S et al. Oral contraceptives: effect of long-term use on liver vitamin A storage assessed by the relative dose response test. *Am J Clin Nutr* 1989;49:845-848.
42. Downton S, Joel S, Allbright A et al. A double blind placebo controlled trial of medroxyprogesterone acetate (MPA) in cancer cachexia. *Br J Cancer* 1993;67:1102-1105.
43. Meram I, Balat O, Tamer L, Ugur MG. Trace elements and vitamin levels in menopausal women receiving hormone replacement therapy. *Clin Exp Obstet Gynecol* 2003;30:32-34.
44. Wien EM, Ojo OA. Serum vitamin A, carotene and cholesterol levels in Nigerian women using various types of contraceptives. *Nutr Rep Int* 1982;25:687-696.
45. Nisbett SB, Parker JA, Habal F. Methyltestosterone-induced night blindness. *Can J Ophthalmol* 1985;20:254-256.
46. Clark JH, Russell GJ, Fitzgerald JF, Nagamori KE. Serum beta-carotene, retinol, and alpha-tocopherol levels during mineral oil therapy for constipation. *Am J Dis Child* 1987;141:1210-1212.
47. Faloon WW, Jacobson ED. Malabsorption during neomycin administration. *Gastroenterology* 1961;40:447-448.
48. Jacobson ED, Faloon WW. Malabsorptive effects of neomycin in commonly used doses. *JAMA* 1961;175:187-190.
49. Barrowman JA, Broomhall J, Cannon AM et al. Impairment of vitamin A absorption by neomycin. *Clin Sci* 1972;42:17P.
50. Favaro RM, Silva HC, Vannucchi H. Bioavailability of vitamin A in the rat following ingestion of neomycin sulfate or aluminum hydroxide. *Int J Vitam Nutr Res* 1994;64:98-103.
51. Tang G, Serfaty-Lacroix C, Camilo ME, Russell RM. Gastric acidity influences the blood response to a beta-carotene dose in humans. *Am J Clin Nutr* 1996;64:622-626.
52. Zhi J, Melia AT, Koss-Twardy SG et al. The effect of orlistat, an inhibitor of dietary fat absorption, on the pharmacokinetics of beta-carotene in healthy volunteers. *J Clin Pharmacol* 1996;36:152-159.
53. Melia AT, Koss-Twardy SG, Zhi J. The effect of orlistat, an inhibitor of dietary fat absorption, on the absorption of vitamins A and E in healthy volunteers. *J Clin Pharmacol* 1996;36:647-653.
54. Van Gaal LF, Broom JI, Enzi G, Toplak H. Efficacy and tolerability of orlistat in the treatment of obesity: a 6-month dose-ranging study. Orlistat Dose-Ranging Study Group. *Eur J Clin Pharmacol* 1998;54:125-132.
55. Finer N, James WP, Kopelman PG et al. One-year treatment of obesity: a randomized, double-blind, placebo-controlled, multicentre study of orlistat, a gastrointestinal lipase inhibitor. *Int J Obes Relat Metab Disord* 2000;24:306-313.
56. Muggeo M, Zenti MG, Travia D et al. Serum retinol levels throughout 2 years of cholesterol-lowering therapy. *Metabolism* 1995;44:398-403.
57. Fisher DA. Quinidine photosensitivity. *Arch Dermatol* 1984;120:298.

## Citations and Reference Literature: 5-Hydroxytryptophan

### Reference Literature

- [No authors listed.] MRC/BHF Heart Protection Study of cholesterol-lowering therapy and of antioxidant vitamin supplementation in a wide range of patients at increased risk of coronary heart disease death: early safety and efficacy experience. *Eur Heart J* 1999;20(10):725-741.
- [No authors listed.] Leads from the MMWR: use of supplements containing high-dose vitamin A: New York State, 1983-1984. *JAMA* 1987;257(10):1292, 1297.
- [No authors listed.] The effect of vitamin E and beta carotene on the incidence of lung cancer and other cancers in male smokers: the Alpha-Tocopherol, Beta Carotene Cancer Prevention Study Group. *N Engl J Med* 1994;330(15):1029-1035.
- [No authors listed.] Use of supplements containing high-dose vitamin A: New York State, 1983-1984. *MMWR Morb Mortal Wkly Rep* 1987;36(6):80-82.
- Abahusain MA, Wright J, Dickerson JWT, et al. Retinol, alpha-tocopherol and carotenoids in diabetes. *Eur J Clin Nutr* 1999;53:630-635.
- Agarwal S, Rao AV. Tomato lycopene and low density lipoprotein oxidation: a human dietary intervention study. *Lipids* 1998;33:981-984.
- Ahmed F, Bamji MS. Vitamin supplements to women using oral contraceptives (studies of vitamins B1, B2, B6 and A). *Contraception* 1976;14(3):309-318.
- Aktuna D, Buchinger W, Langsteiger W, et al. [Beta-carotene, vitamin A and carrier proteins in thyroid diseases.] *Acta Med Austriaca* 1993;20:17-20. [German]
- Albanes D, Heinonen OP, Taylor PR. Alpha-Tocopherol and beta-carotene supplements and lung cancer incidence in the alpha-tocopherol, beta-carotene cancer prevention study: effects of base-line characteristics and study compliance. *J Natl Cancer Inst* 1996;88(21):1560-1570.
- Alexander M, Newmark H, Miller RG. Oral beta-carotene can increase the number of OKT4+ cells in human blood. *Immunol Lett* 1985;9(4):221-224. (Letter)
- Alija AJ, Bresgen N, Sommerburg O, et al. Cytotoxic and genotoxic effects of beta-carotene breakdown products on primary rat hepatocytes. *Carcinogenesis* 2004;25(5):827-831.
- Ambring A, Johansson M, Axelsen M, et al. Mediterranean-inspired diet lowers the ratio of serum phospholipid n-6 to n-3 fatty acids, the number of leukocytes and platelets, and vascular endothelial growth factor in healthy subjects. *Am J Clin Nutr* 2006;83:575-581.
- Ames BN. An enthusiasm for metabolism. *J Biol Chem* 2003;278(7):4369-4380. (Review)
- Ames BN. Delaying the mitochondrial decay of aging. *Ann N Y Acad Sci* 2004;1019:406-411. (Review)
- Ames BN. DNA damage from micronutrient deficiencies is likely to be a major cause of cancer. *Mutat Res* 2001;475(1-2):7-20. (Review)
- Ames BN. Increasing longevity by tuning up metabolism: to maximize human health and lifespan, scientists must abandon outdated models of micronutrients. *EMBO Rep* 2005;6(Suppl 1):S20-24.
- Ames BN. Low micronutrient intake may accelerate the degenerative diseases of aging through allocation of scarce micronutrients by triage. *Proc Natl Acad Sci U S A* 2006;103:17589-17594.
- Ames BN. The metabolic tune-up: metabolic harmony and disease prevention. *J Nutr* 2003;133(5):1544S-1548S.
- Ames BN, Atamna H, Killilea DW. Mineral and vitamin deficiencies can accelerate the mitochondrial decay of aging. *Mol Aspects Med* 2005;26(4-5):363-378. (Review)
- Arora A, Willhite CA, Liebler DC. Interactions of beta-carotene and cigarette smoke in human bronchial epithelial cells. *Carcinogenesis* 2001;22(8):1173-1178.
- Ascherio A, Rimm E, Hernan MA, et al. Relation of consumption of vitamin E, vitamin C and carotenoids to risk for stroke among men in the United States. *Ann Intern Med* 1999;130:963-970.
- Ayello EA, Thomas DR, Litchford MA. Nutritional aspects of wound healing. *Home Healthc Nurse* 1999;17(11):719-729.
- Azais-Braesco V, Pascal G. Vitamin A in pregnancy: requirements and safety limits. *Am J Clin Nutr* 2000;71(5 Suppl):1325S-1333S. (Review)
- Bardia A, Tleyjeh IJ, Cerhan JR, et al. Does antioxidant supplementation reduce primary cancer incidence and mortality? Systematic review and meta analysis. Abstract A159. American Association for Cancer Research, Frontiers in Cancer Prevention Research meeting. Boston, MA, Nov 13, 2006.
- Bays HE, Dujoyne CA. Drug interactions of lipid-altering drugs. *Drug Safety* 1998;19(5):355-371. (Review)
- Ben-Amotz A, Levy Y. Bioavailability of a natural isomer mixture compared with synthetic all-trans beta-carotene in human serum. *Am J Clin Nutr* 1996;63(5):729-734.
- Bendich A, Langseth L. Safety of vitamin A. *Am J Clin Nutr* 1989;49:358-371.

## Citations and Reference Literature: 5-Hydroxytryptophan

- Berger M, Spertini F, Shenkin A, et al. Trace element supplementation modulates pulmonary infection rates after major burns: a double-blind, placebo-controlled trial. *Am J Clin Nutr* 1998;68:365-371.
- Birdsall TC, Alschuler LN, Martin J, et al. Effect of concomitant naturopathic therapies on clinical tumor response to external beam radiation therapy for prostate cancer. Society of Integrative Oncology's Third International Conference. Boston, MA, Nov 11, 2006.
- Bitterman N, Melamed Y, Ben-Amotz A. Beta-carotene and CNS oxygen toxicity in rats. *J Appl Physiol* 1994;76:1073-1076.
- Bohlke K, Spiegelman D, Trichopoulou A, et al. Vitamins A, C and E and the risk of breast cancer: results from a case control study in Greece. *Br J Cancer* 1999;79:23-29.
- Booth SL, Tucker KL, McKeown NM, et al. Relationships between dietary intakes and fasting plasma concentrations of fat-soluble vitamins in humans. *J Nutr* 1997;127(4):587-592.
- Bravi F, Bosetti C, Dal Maso L, et al. Food groups and risk of benign prostatic hyperplasia. *Urology* 2006;67:73-79.
- Brevard PB. beta-Carotene increases monocyte numbers in peripheral rat blood. *Int J Vitam Nutr Res* 1994;64(1):21-25.
- Brevik A, Andersen LF, Karlsen A, et al. Six carotenoids in plasma used to assess recommended intake of fruits and vegetables in a controlled feeding study. *Eur J Clin Nutr* 2004;58(8):1166-1173.
- Brignall M, Lamson D.  $\beta$ -carotene: a miss for epidemiology. *J Natl Cancer Inst* 2000;92(12):1014A. (Letter)
- Brown BG, Zhao XQ, Chait A, et al. Simvastatin and niacin, antioxidant vitamins, or the combination for the prevention of coronary disease. *N Engl J Med* 2001;345(22):1583-1592.
- Carson C, Lee S, De Paola C, et al. Antioxidant intake and cataract in the Melbourne Visual Impairment Project. *Am J Epidemiol* 1994;139:S18.
- Chasan-Taber L, Willett WC, Seddon JM, et al. A prospective study of carotenoid and vitamin A intakes and risk of cataract extraction in US women. *Am J Clin Nutr* 1999;70:509-516.
- Ching S, Ingram D, Hahnel R, et al. Serum levels of micronutrients, antioxidants and total antioxidant status predict risk of breast cancer in a case control study. *J Nutr* 2002;132(2):303-306.
- Cohen V, Khuri FR. Progress in lung cancer chemoprevention. *Cancer Control* 2003;10(4):315-324. (Review)
- Comstock GW, Helzlsouer KJ. Preventive nutrition and lung cancer. In: Bendich A, Decklebaum RJ, eds. Preventive nutrition: the comprehensive guide for health professionals. 2nd ed. Totowa, NJ: Humana Press Inc; 2001:97-129.
- Cooper DA, Eldridge AL, Peters JC. Dietary carotenoids and lung cancer: a review of recent research. *Nutr Rev* 1999;57:133-145. (Review)
- Corbett MF, Hawk JL, Herxheimer A, et al. Controlled therapeutic trials in polymorphic light eruption. *Br J Dermatol* 1982;107:571-581.
- Corbett MF, Herxheimer A, Magnus IA, et al. The long term treatment with beta-carotene in erythropoietic protoporphyria: a controlled trial. *Br J Dermatol* 1977;97:655-662.
- Cramer DW, Kuper H, Harlow BL, et al. Carotenoids, antioxidants and ovarian cancer risk in pre- and postmenopausal women. *Int J Cancer* 2001;94(1):128-134.
- Darmon N, Darmon M, Maillot M, et al. A nutrient density standard for vegetables and fruits: nutrients per calorie and nutrients per unit cost. *J Am Diet Assoc* 2005;105(12):1881-1887.
- Dobreau M, Mody E. Influence of natural antioxidants on in vitro lipoprotein oxidation. *Rom J Intern Med* 1997;35(1-4):55-62.
- Dorgan JF, Sowell A, Swanson CA, et al. Relationships of serum carotenoids, retinol, alpha-tocopherol, and selenium with breast cancer risk: results from a prospective study in Columbia, Missouri (United States). *Cancer Causes Control* 1998;9(1):89-97.
- Doroshow JH. Redox modulation of chemotherapy-induced tumor cell killing and normal tissue toxicity. *J Natl Cancer Inst* 2006;98(4):223-225.
- Elliott P, Stamler J, Dyer AR, et al. Association between protein intake and blood pressure: the INTERMAP study. *Arch Intern Med* 2006;166:79-87.
- Faloon WW. Metabolic effects of nonabsorbable antibacterial agents. *Am J Clin Nutr* 1970;23(5):645-651.
- Faloon WW, Paes IC, Woolfolk D, et al. Effect of neomycin and kanamycin upon intestinal absorption. *Ann N Y Acad Sci* 1966;132(2):879-887.
- Farmer JA, Gotto AM Jr. Choosing the right lipid-regulating agent: a guide to selection. *Drugs* 1996;52(5):649-661.
- Farmer JA, Gotto AM Jr. Antihyperlipidaemic agents: drug interactions of clinical significance. *Drug Safety* 1994;11(5):301-309.
- Faure H, Fayol V, Galabert C, et al. [Carotenoids: 1. metabolism and physiology.] *Ann Biol Clin (Paris)* 1999;57(2):169-183. (Review) [French]
- Faure H, Fayol V, Galabert C, et al. [Carotenoids: 2. diseases and supplementation studies.] *Ann Biol Clin (Paris)* 1999;57(3):273-282. (Review) [French]
- Flagg EW, Coates RJ, Greenberg RS. Epidemiologic studies of antioxidants and cancer. *J Am Coll Nutr* 1995;14:419-427.
- Flood A, Schatzkin A. Colorectal cancer: does it matter if you eat your fruits and vegetables? *J Natl Cancer Inst* 2000;92(21):1706-1707.

## Citations and Reference Literature: 5-Hydroxytryptophan

- Food and Nutrition Board, Institute of Medicine. Vitamin A: dietary reference intakes for vitamin A, vitamin K, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc. Washington, DC: National Academy Press; 2001:65-126.
- Franceschi S. Micronutrients and breast cancer. *Eur J Cancer Prev* 1997;6(6):535-539.
- Frieling UM, Schaumberg DA, Kupper TS, et al. A randomized, 12-year primary-prevention trial of beta carotene supplementation for nonmelanoma skin cancer in the Physicians' Health Study. *Arch Dermatol* 2000;136(2):179-184.
- Gabriele S, Alberto P, Sergio G, et al. Emerging potentials for an antioxidant therapy as a new approach to the treatment of systemic sclerosis. *Toxicology* 2000;155(1-3):1-15.
- Gaby SK, Singh VN. Betacarotene. In: Gaby SK, Bendich A, Singh VN, et al, eds. Vitamin intake and health: a scientific review. New York: Marcel Dekker, 1991: 89-106.
- Gaziano JM, Manson JE, Ridker PM, et al. Betacarotene supplementation for chronic stable angina. *Circulation* 1990;82(Suppl.III): 201. (Abstract 0796)
- Gerster H. Anticarcinogenic effect of common carotenoids. *Int J Vitam Nutr Res* 1993;63:93-121.
- Goldberg J, Flowerdew G, Smith E, et al. Factors associated with age-related macular degeneration: an analysis of data from the first National Health and Nutrition Examination Survey. *Am J Epidemiol* 1988;128(4):700-710.
- Gossage CP, Deyhim M, Yamini S, et al. Carotenoid composition of human milk during the first month postpartum and the response to beta-carotene supplementation. *Am J Clin Nutr* 2002;76(1):193-197.
- Green A, Williams G, Neale R, et al. Daily sunscreen application and betacarotene supplementation in prevention of basal cell and squamous cell carcinomas of the skin. *Lancet* 1999;354:723-729.
- Greenberg ER, Baron JA, Tosteson TD, et al. A clinical trial of antioxidant vitamins to prevent colorectal adenoma: Polyp Prevention Study Group. *N Engl J Med* 1994;331(3):141-147.
- Gueguen S, Pirollet P, Leroy P, et al. Changes in serum retinol, alpha-tocopherol, vitamin C, carotenoids, zinc and selenium after micronutrient supplementation during alcohol rehabilitation. *J Am Coll Nutr* 2003;22(4):303-310.
- Guénégou A, Leynaert B, Pin I, et al. Serum carotenoids, vitamins A and E, and 8 year lung function decline in a general population. *Thorax* 2006;61:320-326.
- Hak AE, Ma J, Powell CB, et al. Prospective study of plasma carotenoids and tocopherols in relation to risk of ischemic stroke. *Stroke* 2004;35(7):1584-1588.
- Halvorsen BL, Carlsen MH, Phillips KM, et al. Content of redox-active compounds (ie, antioxidants) in foods consumed in the United States. *Am J Clin Nutr* 2006;84:95-135.
- Hammond BR Jr, Wooten BR, Curran-Celentano J. Carotenoids in the retina and lens: possible acute and chronic effects on human visual performance. *Arch Biochem Biophys* 2001;385(1):41-46.
- Hanson JA, Gillespie JW, Grover A, et al. Gene promoter methylation in prostate tumor-associated stromal cells. *J Natl Cancer Inst* 2006;98(4):255-261.
- Harrell CC, Kline SS. Vitamin K-supplemented snacks containing olestra: implication for patients taking warfarin. *JAMA* 1999;282(12): 1133-1134. (Letter)
- Harris JE. Interaction of dietary factors with oral anticoagulants: review and applications. *Perspect Pract* 1995;95(5):580-584. (Review)
- Hathcock JN. Metabolic mechanisms of drug-nutrient interactions. *Fed Proc* 1985;44(1 Pt 1):124-129. (Review)
- Hardison WG, Rosenberg IH. The effect of neomycin on bile salt metabolism and fat digestion in man. *J Lab Clin Med* 1969;74(4): 564-573.
- He FJ, Nowson CA, MacGregor GA. Fruit and vegetable consumption and stroke. *Lancet* 2006;367:320-326.
- Hemila H, Virtamo J, Albanes D, et al. Vitamin E and beta-carotene supplementation and hospital-treated pneumonia incidence in male smokers. *Chest* 2004;125(2):557-565.
- Hendler SS, Rorvik DR, eds. *PDR for nutritional supplements*. Montvale, NJ: Medical Economics Company, Inc; 2001.
- Hennekens CH, Buring JE, Manson JE, et al. Lack of effect of long-term supplementation with betacarotene on the incidence of malignant neoplasms and cardiovascular disease. *N Engl J Med* 1996;334:1145-1149.
- Henquin N, Havivi E, Reshef A, et al. Nutritional monitoring and counselling for cancer patients during chemotherapy. *Oncology* 1989;46(3):173-177.
- Hercberg S, Galan P, Preziosi P. Antioxidant vitamins and cardiovascular disease: Dr Jekyll or Mr Hyde? *Am J Public Health* 1999;89(3):289-291.
- Hercberg S, Preziosi P, Galan P, et al. "The SU.VI.MAX Study": a primary prevention trial using nutritional doses of antioxidant vitamins and minerals in cardiovascular diseases and cancers: SUpplementation on VItamines et Mineraux AntioXydants. *Food Chem Toxicol* 1999;37(9-10):925-930.

## Citations and Reference Literature: 5-Hydroxytryptophan

- Hercberg S, Galan P, Preziosi P, et al. The SU.VI.MAX Study: a randomized, placebo-controlled trial of the health effects of antioxidant vitamins and minerals. *Arch Intern Med* 2004;164:2335-2342.
- Herrick AL, Hollis S, Schofield D, et al. A double-blind placebo-controlled trial of antioxidant therapy in limited cutaneous systemic sclerosis. *Clin Exp Rheumatol* 2000;18(3):349-356.
- Hill FW. An investigation of the effects of oral neomycin on intestinal absorption and serum cholesterol levels in the dog. *Br Vet J* 1973;129(4):337-344.
- Hodis HN, Mack WJ, LaBree L, et al. Serial coronary angiographic evidence that antioxidant vitamin intake reduces progression of coronary artery atherosclerosis. *JAMA* 1995;273(23):1849-1854.
- Horwitt MK, Harvey CC, Dahm CH Jr. Relationship between levels of blood lipids, vitamins C, A, and E, serum copper compounds, and urinary excretions of tryptophan metabolites in women taking oral contraceptive therapy. *Am J Clin Nutr* 1975;28(4):403-412.
- Hozumi M, Murata T, Morinobu T, et al. Plasma beta-carotene, retinol, and alpha-tocopherol levels in relation to glycemic control of children with insulin-dependent diabetes mellitus. *J Nutr Sci Vitaminol (Tokyo)* 1998;44(1):1-9.
- Hu P, Bretsky P, Crimmins EM, et al. Association between serum beta-carotene levels and decline of cognitive function in high-functioning older persons with or without apolipoprotein E 4 alleles: MacArthur studies of successful aging. *J Gerontol A Biol Sci Med Sci* 2006;61(6):616-620.
- Hu G, Cassano PA. Antioxidant nutrients and pulmonary function: the Third National Health and Nutrition Examination Survey (NHANES III). *Am J Epidemiol* 2000;151(10):975-981.
- Hughes DA, Wright AJA, Finglas PM, et al. The effect of beta-carotene supplementation on the immune function of blood monocytes from healthy male non-smokers. *J Lab Clin Med* 1997;129:309-317.
- Hulten K, Van Kappel AL, Winkvist A, et al. Carotenoids, alpha-tocopherols, and retinol in plasma and breast cancer risk in northern Sweden. *Cancer Causes Control* 2001;12(6):529-537.
- Hunter DJ, Manson JE, Colditz GA, et al. A prospective study of the intakes of vitamins C, E, and A and the risk of breast cancer. *N Engl J Med* 1993;329:234-240.
- Jaakkola K, Lahteenmaki P, Laakso J, et al. Treatment with antioxidant and other nutrients in combination with chemotherapy and irradiation in patients with small-cell lung cancer. *Anticancer Res* 1992;12(3):599-606.
- Jacques PF. The potential preventive effects of vitamins for cataract and age-related macular degeneration. *Int J Vitam Nutr Res* 1999;69(3):198-205.
- Jacques PE, Hartz SC, Chylack LT, et al. Nutritional status in persons with and without senile cataract: blood vitamin and mineral levels. *Am J Clin Nutr* 1988;48:152-158.
- Janne PA, Mayer RJ. Chemoprevention of colorectal cancer. *N Engl J Med* 2000;342(26):1960-1968. (Review)
- Jalal F, Nesheim MC, Agus Z, et al. Serum retinol concentrations in children are affected by food sources of beta-carotene, fat intake, and antihelmintic drug treatment. *Am J Clin Nutr* 1998;68(3):623-629.
- Jimenez-Jimenez FJ, Molina JA, de Bustos F, et al. Serum levels of beta-carotene, alpha-carotene and vitamin A in patients with Alzheimer's disease. *Eur J Neurol* 1999;6:495-497.
- Jonasson L, Wikby A, Olsson AG. Low serum beta-carotene reflects immune activation in patients with coronary artery disease. *Nutr Metab Cardiovasc Dis* 2003;13(3):120-125.
- Kelemen LE, Cerhan JR, Lim U, et al. Vegetables, fruit, and antioxidant-related nutrients and risk of non-Hodgkin lymphoma: a National Cancer Institute-Surveillance, Epidemiology, and End Results population-based case-control study. *Am J Clin Nutr* 2006;83(6):1401-1410.
- Kiokias S, Gordon MH. Dietary supplementation with a natural carotenoid mixture decreases oxidative stress. *Eur J Clin Nutr* 2003;57(9):1135-1140.
- Kirsh VA, Hayes RB, Mayne ST, et al. Supplemental and dietary vitamin E, beta-carotene, and vitamin C intakes and prostate cancer risk. *J Natl Cancer Inst* 2006;98(4):245-524.
- Knek P, Jarvinen R, Tempo A, et al. Role of various carotenoids in lung cancer prevention. *J Natl Cancer Inst* 1999;91:182-184.
- Kohlmeyer L, Hastings SB. Epidemiologic evidence of a role of carotenoids in cardiovascular disease prevention. *Am J Clin Nutr* 1995;62(Suppl.):1370S-1376S.
- Kong Q, Lillehei KO. Antioxidant inhibitors for cancer therapy. *Med Hypotheses* 1998;51(5):405-409.
- Krook G, Haeger-Aronsen B. Beta-carotene in the treatment of erythropoietic protoporphyria: a short review. *Acta Derm Venereol Suppl (Stockh)* 1982;100:125-129.
- Kummet T, Moon TE, Meyskens FL Jr. Vitamin A: evidence for its preventive role in human cancer. *Nutr Cancer* 1983;5(2):96-106. (Review)
- Kune GA, Bannerman S, Field B, et al. Diet, alcohol, smoking, serum beta-carotene, and vitamin A in male nonmelanocytic skin cancer patients and controls. *Nutr Cancer* 1992;18:237-244.

## Citations and Reference Literature: 5-Hydroxytryptophan

- Labriola D, Livingston R. Possible interactions between dietary antioxidants and chemotherapy. *Oncology (Huntingt)* 1999;13(7): 1003-1008, 1011-1012.
- Lakshman MR. Alpha and omega of carotenoid cleavage. *J Nutr* 2004;134(1):241S-245S. (Review)
- Landrum JT, Bone RA, Kilburn MD. The macular pigment: a possible role in protection from age-related macular degeneration. *Adv Pharmacol* 1997;38:537-356.
- Leonard JP, Desager JP, Beckers C, et al. In vitro binding of various biological substances by two hypocholesterolaemic resins: cholestyramine and colestipol. *Arzneimittelforschung* 1979;29(7):979-981.
- Levin G, Yeshurun M, Mokady S. In vivo antiperoxidative effect of 9-cis beta-carotene compared with that of the all-trans isomer. *Nutr Cancer* 1997;27(3):293-297.
- Levy AP, Friedenberg P, Lotan R, et al. The effect of vitamin therapy on the progression of coronary artery atherosclerosis varies by haptoglobin type in postmenopausal women. *Diabetes Care* 2004;27(4):925-930.
- Liede KE, Alfthan G, Hietanen JH, et al. Beta-carotene concentration in buccal mucosal cells with and without dysplastic oral leukoplakia after long-term beta-carotene supplementation in male smokers. *Eur J Clin Nutr* 1998;52(12):872-876.
- Liu S, Ajani U, Chae C, et al. Long-term beta-carotene supplementation and risk of type 2 diabetes mellitus: a randomized controlled trial. *JAMA* 1999;282(11):1073-1075.
- Liu T, Soong SJ, Wilson NP, et al. A case control study of nutritional factors and cervical dysplasia. *Cancer Epidemiol Biomarkers Prev* 1993;2(6):525-530.
- Longnecker MP, Newcomb PA, Mittendorf R, et al. Intake of carrots, spinach, and supplements containing vitamin A in relation to risk of breast cancer. *Cancer Epidemiol Biomarkers Prev* 1997;6(11):887-892.
- Lyle BJ, Mares-Perlman JA, Klein BE, et al. Antioxidant intake and risk of incident age-related nuclear cataracts in the Beaver Dam Eye Study. *Am J Epidemiol* 1999;149:801-809.
- Mackerras D, Irwig L, Simpson JM, et al. Randomized double-blind trial of beta-carotene and vitamin C in women with minor cervical abnormalities. *Br J Cancer* 1999;79(9/10):1448-1453.
- Malila N, Virtamo J, Virtanen M, et al. The effect of alpha-tocopherol and beta-carotene supplementation on colorectal adenomas in middle-aged male smokers. *Cancer Epidemiol Biomarkers Prev* 1999;8(6):489-493.
- Malvy DJ, Favier A, Faure H, et al. Effect of two years' supplementation with natural antioxidants on vitamin and trace element status biomarkers: preliminary data of the SU.VI.MAX study. *Cancer Detect Prev* 2001;25(5):479-485.
- Mares-Perlman JA, Brady WE, Kleain R, et al. Serum antioxidants and age-related macular degeneration in a population-based case-control study. *Arch Ophthalmol* 1995;113:1518-1523.
- Marz R. Medical nutrition from Marz. 2nd ed. Portland, OR: Omni Press; 1997.
- Mathews-Roth MM. Photoprotection by carotenoids. *Fed Proc* 1987;46(5):1890-1893.
- Mathews-Roth MM, Pathak MA, Fitzpatrick TB, et al. Beta carotene therapy for erythropoietic protoporphyrin and other photosensitivity diseases. *Arch Dermatol* 1977;113(9):1229-1232.
- McAlindon TE, Jacques P, Zhang Y, et al. Do antioxidant micronutrients protect against the development and progression of knee osteoarthritis? *Arthritis Rheum* 1996;39(4):648-656.
- McDuffie JR, Calis KA, Booth SL, et al. Effects of orlistat on fat-soluble vitamins in obese adolescents. *Pharmacotherapy* 2002;22(7): 814-822.
- McKee DL. A scientific review of natural products that support healthy antioxidant function. Batesville, AR: GP Publications; 2001. (Review)
- Michaud DS, Feskanich D, Rimm EB, et al. Intake of specific carotenoids and risk of lung cancer in 2 prospective US cohorts. *Am J Clin Nutr* 2000;72(4):990-997.
- Michels KB, Giovannucci E, Joshipura KJ, et al. Prospective study of fruit and vegetable consumption and incidence of colon and rectal cancers. *J Natl Cancer Inst* 2000;92:1740-1752.
- Michels KB, Holmberg L, Bergkvist L, et al. Dietary antioxidant vitamins, retinol, and breast cancer incidence in a cohort of Swedish women. *Int J Cancer* 2001;91(4):563-567.
- Molldrem KL, Li J, Simon PW, et al. Lutein and beta-carotene from lutein-containing yellow carrots are bioavailable in humans. *Am J Clin Nutr* 2004;80(1):131-136.
- Morris MC, Evans DA, Tangney CC, et al. Associations of vegetable and fruit consumption with age-related cognitive change. *Neurology* 2006;67:1370-1376.
- Moss RW. Antioxidants against cancer. Brooklyn, NY: Equinox Press Inc; 2000:33.
- Murtaugh MA, Ma KN, Benson J, et al. Antioxidants, carotenoids, and risk of rectal cancer. *Am J Epidemiol* 2004;159(1):32-41.

## Citations and Reference Literature: 5-Hydroxytryptophan

- Muto Y, Fujii J, Shidoji Y, et al. Growth retardation in human cervical dysplasia-derived cell lines by beta-carotene through down-regulation of epidermal growth factor receptor. *Am Clin Nutr* 1995;62(6 Suppl):1535S-1540S.
- Nagao A, Olson JA. Enzymatic formation of 9-cis, 13-cis, and all-trans retinals from isomers of beta-carotene. *FASEB J* 1994;8(12):968-973. Erratum in *FASEB J* 1995;9(8):691.
- Narisawa T, Fukaura Y, Hasebe M, et al. Inhibitory effects of natural carotenoids, -carotene,  $\beta$ -carotene, lycopene, and lutein, on colonic aberrant crypt foci formation in rats. *Cancer Lett* 1996;107:137-142.
- Neuman I, Nahum H, Ben-Amotz A. Prevention of exercise-induced asthma by a natural isomer mixture of beta-carotene. *Ann Allergy Asthma Immunol* 1999;82(6):549-553.
- Nierenberg DW, Dain BJ, Mott LA, et al. Effects of 4 y of oral supplementation with beta-carotene on serum concentrations of retinol, tocopherol, and five carotenoids. *Am J Clin Nutr* 1997;66(2):315-319.
- Nishimura Y, Ishii N, Sugita Y. A case of carotenoderma caused by a diet of the dried seaweed called Nori. *J Dermatol* 1998;25(10):685-687.
- Olson JA. Bioavailability of carotenoids. *Arch Latinoam Nutr* 1999;49(3 Suppl 1):21S-25S.
- Olson JA. Carotenoids and human health. *Arch Latinoam Nutr* 1999;49(3 Suppl 1):7S-11S. (Review)
- Olson JA. Provitamin A function of carotenoids: the conversion of beta-carotene into vitamin A. *J Nutr* 1989;119(1):105-108. (Review)
- Olson JA. The conversion of carotene to vitamin A (Thomas Moore, 1930). *J Nutr* 1997;127(5 Suppl):1036S-1038S.
- Olson JA. Vitamin A. In: Ziegler EE, Filer LJ, eds. *Present knowledge in nutrition*. 7th ed. Washington, DC: ILSI Press; 1996:109-118.
- Olson JA. Vitamin A and carotenoids as antioxidants in a physiological context. *J Nutr Sci Vitaminol (Tokyo)* 1993;39(Suppl):S57-S65. (Review)
- Omenn GS, Goodman GE, Thornquist MD, et al. Effects of a combination of beta carotene and vitamin A on lung cancer and cardiovascular disease. *N Engl J Med* 1996;334(18):1150-1155.
- Omenn GS, Goodman GE, Thornquist MD, et al. Risk factors for lung cancer and for intervention effects in CARET, the Beta-Carotene and Retinol Efficacy Trial. *J Natl Cancer Inst* 1996;88(21):1550-1559. (Abstract)
- Omenn GS, Goodman G, Thornquist M, et al. The beta-carotene and retinol efficacy trial (CARET) for chemoprevention of lung cancer in high risk populations: smokers and asbestos exposed workers. *Cancer Res* 1994;54:2038S-2043S.
- Palan PR, Chang CJ, Mikhail MS, et al. Plasma concentrations of micronutrients during a nine-month clinical trial of beta-carotene in women with precursor cervical cancer lesions. *Nutr Cancer* 1998;30(1):46-52.
- Palan PR, Magneser AT, Castillo M, et al. Effects of menstrual cycle and oral contraceptive use on serum levels of lipid-soluble antioxidants. *Am J Obstet Gynecol* 2006;194(5):e35-e38.
- Palozza P, Serini S, Currò D, et al. beta-Carotene and cigarette smoke condensate regulate heme oxygenase-1 and its repressor factor bach1: relationship with cell growth. *Antioxid Redox Signal* 2006;8(5-6):1069-1080.
- Patrick L. Beta-carotene: the controversy continues. *Altern Med Rev* 2000;5(6):530-545.
- Patrick L. Nutrients and HIV: part 2 - vitamins A and E, zinc, B-vitamins, and magnesium. *Altern Med Rev* 2000;5(1):39-51.
- Pizzorno JE, Murray MT, eds. *Textbook of natural medicine*, vol 1. 2nd ed. Edinburgh, UK: Churchill Livingstone; 1999.
- Polidori MC, Mecocci P, Stahl W, et al. Plasma levels of lipophilic antioxidants in very old patients with type 2 diabetes. *Diabetes Metab Res Rev* 2000;16:15-19.
- Prakash P, Krinsky NI, Russell RM. Retinoids, carotenoids, and human breast cancer cell cultures: a review of differential effects. *Nutr Rev* 2000;58(6):170-176. (Review)
- Prasad AS, Oberleas D, Moghissi KS, et al. Effect of oral contraceptive agents on nutrients: II: vitamins. *Am J Clin Nutr* 1975;28(4):385-391.
- Pratt S. Dietary prevention of age-related macular degeneration. *J Am Optom Assoc* 1999;70:39-47.
- Pryor WA, Stahl W, Rock CL. Beta carotene: from biochemistry to clinical trials. *Nutr Rev* 2000;58(2 Pt 1):39-53. (Review)
- Ramakrishna BS, Varghese R, Jayakumar S, et al. Circulating antioxidants in ulcerative colitis and their relationship to disease severity and activity. *J Gastroenterol Hepatol* 1997;12:490-494.
- Rapola JM, Virtamo J, Haukka JK, et al. Effect of vitamin E and betacarotene on the incidence of angina pectoris: a randomized, double-blind, controlled trial. *JAMA* 1996;275:693-698.
- Rapola JM, Virtamo J, Ripatti S, et al. Randomized trial of alpha-tocopherol and beta-carotene supplements on incidence of major coronary events in men with previous myocardial infarction. *Lancet* 1997;349:1715-1720.
- Rautalahti MT, Virtamo JRK, Taylor PR, et al. The effects of supplementation with alpha-tocopherol and beta-carotene on the incidence and mortality of carcinoma of the pancreas in a randomised, controlled trial. *Cancer* 1999;86:37-42.
- Reboul E, Richelle M, Perrot E, et al. Bioaccessibility of carotenoids and vitamin E from their main dietary sources. *J Agric Food Chem* 2006;54(23):8749-8755.

## Citations and Reference Literature: 5-Hydroxytryptophan

- Redlich CA, Chung JS, Cullen MR, et al. Effect of long-term beta-carotene and vitamin A on serum cholesterol and triglyceride levels among participants in the Carotene and Retinol Efficacy Trial (CARET). *Atherosclerosis* 1999;143:427-434.
- Renner S, Rath R, Rust P, et al. Effects of beta-carotene supplementation for six months on clinical and laboratory parameters in patients with cystic fibrosis. *Thorax* 2001;56(1):48-52.
- Robinson C, Weigl E. Basic nutrition and diet therapy. New York: MacMillan; 1984. (Review)
- Rock CL, Dechert RE, Khilnani R, et al. Carotenoids and antioxidant vitamins in patients after burn injury. *J Burn Care Rehabil* 1997;18(3):269-278.
- Rock CL, Michael CW, Reynolds RK, et al. Prevention of cervix cancer. *Crit Rev Oncol Hematol* 2000;33(3):169-185.
- Roe DA. Diet and drug interactions. New York: Van Nostrand Reinhold; 1989. (Review)
- Roe DA. Drug-induced nutritional deficiencies. 2nd ed. Westport, CT: Avi Publishing; 1985. (Review)
- Roe DA. Risk factors in drug-induced nutritional deficiencies. In: Roe DA, Campbell T, eds. Drugs and nutrients: the interactive effects. New York: Marcel Decker; 1984:505-523. (Review)
- Rojas AI, Phillips TJ. Patients with chronic leg ulcers show diminished levels of vitamins A and E, carotenes, and zinc. *Dermatol Surg* 1999;25(8):601-604.
- Romney SL, Ho GYF, Palan PR, et al. Effects of betacarotene and other factors on outcome of cervical dysplasia and human papillomavirus infection. *Gynecol Oncol* 1997;65:483-492.
- Roncucci L, Di Donato P, Carati L, et al. Antioxidant vitamins or lactulose for the prevention of the recurrence of colorectal adenomas. *Dis Colon Rectum* 1993;36(3):227-234.
- Roodenburg AJ, Leenen R, van het Hof KH, et al. Amount of fat in the diet affects bioavailability of lutein esters but not of alpha-carotene, beta-carotene, and vitamin E in humans. *Am J Clin Nutr* 2000;71(5):1187-1193.
- Ross AC. Vitamin A and retinoids. In: Shils M, ed. Nutrition in health and disease. 9th ed. Baltimore: Williams and Wilkins; 1999:305-327.
- Russell RM. The enigma of beta-carotene in carcinogenesis: what can be learned from animal studies. *J Nutr* 2004;134:262S-268S.
- Santos MS, Leka LS, Ribaya-Mercado D, et al. Short and long-term beta-carotene supplementation do not influence T cell-mediated immunity in healthy elderly persons. *Am J Clin Nutr* 1997;66:917-924.
- Santos MS, Gaziano JM, Leka LS, et al. Beta-carotene-induced enhancement of natural killer cell activity in elderly men: an investigation of the role of cytokines. *Am J Clin Nutr* 1998;68(1):164-170.
- Sato R, Helzlsouer KJ, Alberg AJ, et al. Prospective study of carotenoids, tocopherols, and retinoid concentrations and the risk of breast cancer. *Cancer Epidemiol Biomarkers Prev* 2002;11(5):451-457. (Review)
- Scarmeas N, Stern Y, Mayeux R, et al. Mediterranean diet, Alzheimer disease, and vascular mediation. *Arch Neurol* 2006;63(12):1709-1717.
- Scarmeas N, Stern Y, Tang MX, et al. Mediterranean diet and risk for Alzheimer's disease. *Ann Neurol* 2006;59(6):912-921.
- Schlagheck TG, Riccardi KA, Zorich NL, et al. Olestra dose response on fat-soluble and water-soluble nutrients in humans. *J Nutr* 1997;127(8 Suppl):1646S-1665S.
- Schroder H, Elosua R, Marrugat J. REGICOR Investigators: the relationship of physical activity with dietary cancer-protective nutrients and cancer-related biological and lifestyle factors. *Eur J Cancer Prev* 2003;12(4):339-346.
- Seddon JM, Ajani UA, Sperduto RD, et al. Dietary carotenoids, vitamins A, C, and E, and advanced age-related macular degeneration. *JAMA* 1994;272:1413-1420.
- Segarothy M, Phillips PA. Vegetarian diet: panacea for modern lifestyle diseases? *QJM* 1999;92(9):531-544.
- Semba RD. Vitamin A, immunity and infection. *Clin Infect Dis* 1994;19:489-499.
- Shekelle RB, Lepper M, Liu S, et al. Dietary vitamin A and risk of cancer in the Western Electric Study. *Lancet* 1981;2(8257):1185-1190.
- Simsek M, Naziroglu M, Simsek H, et al. Blood plasma levels of lipoperoxides, glutathione peroxidase, beta carotene, vitamin A and E in women with habitual abortion. *Cell Biochem Funct* 1998;16(4):227-231.
- Smith JE, Deen DD Jr, Sklan D, et al. Colchicine inhibition of retinol-binding protein secretion by rat liver. *J Lipid Res* 1980;21(2):229-237.
- Smith W, Mitchell P, Webb K, et al. Dietary antioxidants and age-related maculopathy: the Blue Mountains Eye Study. *Ophthalmology* 1999;106(4):761-767.
- Smolle J, Wawschinek O, Hayn H, et al. [Vitamin A and carotene in thyroid disease.] *Acta Med Austriaca* 1983;10:71-73. [German]
- Stahl W, Schwartz W, Sundquist AR, et al. cis-Trans isomers of lycopene and beta-carotene in human serum and tissues. *Arch Biochem Biophys* 1992;294:173-177.
- Steffen LM. Eat your fruit and vegetables. *Lancet* 2006; 367:278-279. (Editorial)

## Citations and Reference Literature: 5-Hydroxytryptophan

- Steffen LM, Folsom AR, Cushman M, et al. Greater fish, fruit, and vegetable intakes are related to lower incidence of venous thromboembolism: the Longitudinal Investigation of Thromboembolism Etiology. *Circulation* 2007;115(2):188-195.
- Steffen LM, Kroenke CH, Yu X, et al. Associations of plant food, dairy product, and meat intakes with 15-y incidence of elevated blood pressure in young black and white adults: the Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Am J Clin Nutr* 2005;82:1169-1177.
- Steinmetz KA, Potter JD. Vegetables, fruit, and cancer prevention: a review. *J Am Diet Assoc* 1996;96:1027-1039. (Review)
- Stich HF, Mathew B, Sankaranarayanan R, et al. Remission of precancerous lesions in the oral cavity of tobacco chewers and maintenance of the protective effect of beta-carotene or vitamin A. *Am J Clin Nutr* 1991;53(1 Suppl):298S-304S. (Review)
- Sturniolo GC, Mestriner C, Lecis PE, et al. Altered plasma and mucosal concentrations of trace elements and antioxidants in active ulcerative colitis. *Scand J Gastroenterol* 1998;33(6):644-649.
- Tamai H, Morinobu T, Murata T, et al. 9-cis beta-carotene in human plasma and blood cells after ingestion of beta-carotene. *Lipids* 1995;30(6):493-498.
- Tang G, Serfaty-Lacroix C, Camilo ME, et al. Gastric acidity influences the blood response to a beta-carotene dose in humans. *Am J Clin Nutr* 1996;64(4):622-626.
- Teikari JM, Rautalahti M, Haukka J, et al. Incidence of cataract operations in Finnish male smokers unaffected by alpha-tocopherol or beta-carotene supplements. *J Epidemiol Community Health* 1998;52:468-472.
- Thornquist MD, Kristal AR, Patterson RE, et al. Olestra consumption does not predict serum concentrations of carotenoids and fat-soluble vitamins in free-living humans: early results from the sentinel site of the olestra post-marketing surveillance study. *J Nutr* 2000;130(7):1711-1718.
- Threlkeld DS, ed. Diuretics and cardiovasculars, antihyperlipidemic agents, bile acid sequestrants. In: Facts and comparisons drug information. St Louis: Facts and Comparisons; 1997:171i-1.
- Thurnham DI, Northrop-Clewes CA. Optimal nutrition: vitamin A and the carotenoids. *Proc Nutr Soc* 1999;58(2):449-457.
- Toba T, Shidoji Y, Fujii J, et al. Growth suppression and induction of heat-shock protein-70 by 9-cis-β-carotene in cervical dysplasia-derived cells. *Life Sci* 1997;61:839-845.
- Tomita Y. Immunological role of vitamin A and its related substances in prevention of cancer. *Nutr Cancer* 1983;5(3-4):187-194.
- Tornwall ME, Virtamo J, Haukka JK, et al. The effect of alpha-tocopherol and beta-carotene supplementation on symptoms and progression of intermittent claudication in a controlled trial. *Atherosclerosis* 1999;147(1):193-197.
- Trovato A, Nuhlicek DN, Midtling JE. Drug-nutrient interactions. *Am Fam Physician* 1991;44(5):1651-1658. (Review)
- Tyson JE, Wright LL, Oh W, et al. Vitamin A supplementation for extremely-low-birth-weight infants. *N Engl J Med* 1999;340:1962-1968.
- USDA: Composition of foods: USDA handbook #8. Washington, DC: ARS, USDA; 1976-1986.
- van Dam RM, Huang Z, Giovannucci E, et al. Diet and basal cell carcinoma of the skin in a prospective cohort of men. *Am J Clin Nutr* 2000;71(1):135-141.
- VanEenwyk J, Davis FG, Bowen PE. Dietary and serum carotenoids and cervical intraepithelial neoplasia. *Int J Cancer* 1991;48(1):34-38.
- Verkerk R, Downing D, Plaskett L, et al. Response by the Expert Committee of the Alliance for Natural Health regarding the Draft Report of the Expert Group on Vitamins and Minerals (EVM). Surrey, UK: Alliance for Natural Health; 2002.
- Vincent-Baudry S, Defoort C, Gerber M, et al. The Medi-RIVAGE study: reduction of cardiovascular disease risk factors after a 3-mo intervention with a Mediterranean-type diet or a low-fat diet. *Am J Clin Nutr* 2005;82(5):964-971.
- Virtamo J, Pietinen P, Huttunen JK, et al. Incidence of cancer and mortality following alpha-tocopherol and beta-carotene supplementation: a postintervention follow-up. *JAMA* 2003;290(4):476-485.
- Vitale S, West S, Hallfrish H, et al. Plasma antioxidants and risk of cortical and nuclear cataract. *Epidemiology* 1993;4:195-203.
- Vivekananthan DP, Penn MS, Sapp SK, et al. Use of antioxidant vitamins for the prevention of cardiovascular disease: meta-analysis of randomised trials. *Lancet* 2003;361(9374):2017-2023. (Meta-analysis) Erratum in *Lancet* 2004;363(9409):662.
- Voutilainen S, Nurmi T, Mursu J, et al. Carotenoids and cardiovascular health. *Am J Clin Nutr* 2006;83:1265-1271. (Review)
- Wannamethee SG, Lowe GDO, Rumley A, et al. Associations of vitamin C status, fruit and vegetable intakes, and markers of inflammation and hemostasis. *Am J Clin Nutr* 2006;83:567-574.
- Watkins DW, Khalafi R, Cassidy MM, et al. Alterations in calcium, magnesium, iron, and zinc metabolism by dietary cholestyramine. *Dig Dis Sci* 1985;30(5):477-482.
- Weijl NI, Hopman GD, Wipkink-Bakker A, et al. Cisplatin combination chemotherapy induces a fall in plasma antioxidants of cancer patients. *Ann Oncol* 1998;9(12):1331-1337.
- Werbach MR. Foundations of nutritional medicine. Tarzana, CA: Third Line Press; 1997:221-222. (Review)

## Citations and Reference Literature: 5-Hydroxytryptophan

- West KP, Katz J, Khatry SK, et al. Double blind cluster randomised trial of low-dose supplementation with vitamin A or beta carotene on mortality related to pregnancy in Nepal: the NNIPS-2 Study Group. *BMJ* 1999;318(7183):570-575.
- Whitworth A. Micronutrients: to supplement, or not to supplement? *J Natl Cancer Inst* 2006;98(4):230-232.
- Wiegand UW, Hartmann S, Hummler H. Safety of vitamin A: recent results. *Int J Vitam Nutr Res* 1998;68:411-416. (Review)
- Woodson K, Albanes D, Tangrea JA, et al. Association between alcohol and lung cancer in the alpha-tocopherol, beta-carotene cancer prevention study in Finland. *Cancer Causes Control* 1999;10(3):219-226.
- Woutersen RA, Wolterbeek AP, Appel MJ, et al. Safety evaluation of synthetic beta-carotene. *Crit Rev Toxicol* 1999;29(6):515-542. (Review)
- Xu MJ, Plezia PM, Alberts DS, et al. Reduction in plasma or skin alpha-tocopherol concentration with long-term oral administration of beta-carotene in humans and mice. *J Natl Cancer Inst* 1992;84:1559-1565.
- Xue KX, Wu JZ, Ma GJ, et al. Comparative studies on genotoxicity and antigenotoxicity of natural and synthetic beta-carotene stereoisomers. *Mutat Res* 1998;418(2-3):73-78.
- Yeum KJ, Aldini G, Chung HY, et al. The activities of antioxidant nutrients in human plasma depend on the localization of attacking radical species. *J Nutr* 2003;133(8):2688-2691.
- Yeum K-J, Azhu S, Xiao S, et al. Beta-carotene intervention trial in premalignant gastric lesions. *J Am Coll Nutr* 1995;14:536. (Abstract)
- Yeum KJ, Booth SL, Sadowski JA, et al. Human plasma carotenoid response to the ingestion of controlled diets high in fruits and vegetables. *Am J Clin Nutr* 1996;64(4):594-602.
- Yeum KJ, dos Anjos Ferreira AL, Smith D, et al. The effect of alpha-tocopherol on the oxidative cleavage of beta-carotene. *Free Radic Biol Med* 2000;29(2):105-114.
- Yeum KJ, Ferland G, Patry J, et al. Relationship of plasma carotenoids, retinol and tocopherols in mothers and newborn infants. *J Am Coll Nutr* 1998;17(5):442-447.
- Yeum KJ, Russell RM. Carotenoid bioavailability and bioconversion. *Annu Rev Nutr* 2002;22:483-504. (Review)
- Yeum KJ, Taylor A, Tang G, et al. Measurement of carotenoids, retinoids, and tocopherols in human lenses. *Ophthalmol Vis Sci* 1995;36:2756-2761.
- You C-S, Parker RS, Goodman KJ, et al. Evidence of cis-trans isomerization of 9-cis-beta-carotene during absorption in humans. *Am J Clin Nutr* 1996;64:177-183.
- Zhang S, Hunter DJ, Forman MR, et al. Dietary carotenoids and vitamins A, C, and E and risk of breast cancer. *J Natl Cancer Inst* 1999;91(6):547-556.
- Zhao X, Aldini G, Johnson EJ, et al. Modification of lymphocyte DNA damage by carotenoid supplementation in postmenopausal women. *Am J Clin Nutr* 2006;83(1):163-169.
- Ziegler RG. A review of epidemiologic evidence that carotenoids reduce the risk of cancer. *J Nutr* 1989;119:116-122. (Review)