

Citations and Reference Literature: Ginger

Citations

1. Blumenthal M, Busse W, Goldberg A et al. The Complete German Commission E Monographs. Austin, Texas: American Botanical Council: Integrative Medicine Communications; 1998.
2. ESCOP. *Zingiberis Rhizoma*. ESCOP Monographs: the Scientific Foundation for Herbal Medicinal Products. 2nd ed. Exeter, UK: European Scientific Cooperative on Phytotherapy and Thieme; 2003:547-553.
3. Mills S, Bone K. Principles and Practice of Phytotherapy. Edinburgh: Churchill Livingstone; 2000.
4. McKenna D, Jones K, Hughes K, Humphrey S. Ginger. Botanical Medicines. 2nd ed. Binghamton, NY: Haworth Press; 2002:223-254.
5. Aggarwal BB, Shishodia S. Molecular targets of dietary agents for prevention and therapy of cancer. *Biochem Pharmacol* 2006;71:1397-1421.
6. Aggarwal BB, Takada Y, Oommen OV. From chemoprevention to chemotherapy: common targets and common goals. *Expert Opin Invest Drugs* 2004;13:1327-1338.
7. Chen J, Chen T. Chinese Medical Herbology and Pharmacology. City of Industry, Calif: Art of Medicine Press Inc; 2004.
8. WHO. *Rhizoma Gingeris*. WHO Monographs on Selected Medicinal Plants. 1 vol. Geneva: World Health Organization; 1999:277-287.
9. Backon J. Ginger: inhibition of thromboxane synthetase and stimulation of prostacyclin: relevance for medicine and psychiatry. *Med Hypotheses* 1986;20:271-278.
10. Srivastava KC. Effect of onion and ginger consumption on platelet thromboxane production in humans. *Prostaglandins Leukot Essent Fatty Acids* 1989;35:183-185.
11. Bordia A, Verma SK, Srivastava KC. Effect of ginger (*Zingiber officinale* Rosc.) and fenugreek (*Trigonella foenumgraecum* L.) on blood lipids, blood sugar and platelet aggregation in patients with coronary artery disease. *Prostaglandins Leukot Essent Fatty Acids* 1997;56:379-384.
12. Lumb AB. Effect of dried ginger on human platelet function. *Thromb Haemost* 1994;71:110-111.
13. Janssen PL, Meyboom S, van Staveren WA et al. Consumption of ginger (*Zingiber officinale* roscoe) does not affect ex vivo platelet thromboxane production in humans. *Eur J Clin Nutr* 1996;50:772-774.
14. Srivastava KC. Aqueous extracts of onion, garlic and ginger inhibit platelet aggregation and alter arachidonic acid metabolism. *Biomed Biochim Acta* 1984;43:S335-346.
15. Guh JH, Ko FN, Jong TT, Teng CM. Antiplatelet effect of gingerol isolated from *Zingiber officinale*. *J Pharm Pharmacol* 1995;47:329-332.
16. Dorso CR, Levin RI, Eldor A et al. Chinese food and platelets. *N Engl J Med* 1980;303:756-757.
17. Krüth P, Brosi E, Fux R et al. Ginger-associated overanticoagulation by phenprocoumon. *Ann Pharmacother* 2004;38:257-260.
18. Srivastava KC, Mustafa T. Ginger (*Zingiber officinale*) in rheumatism and musculoskeletal disorders. *Med Hypotheses* 1992;39:342-348.
19. Bliddal H, Rosetzky A, Schlichting P et al. A randomized, placebo-controlled, cross-over study of ginger extracts and ibuprofen in osteoarthritis. *Osteoarthritis Cartilage* 2000;8:9-12.
20. Altman RD, Marcussen KC. Effects of a ginger extract on knee pain in patients with osteoarthritis. *Arthritis Rheum* 2001;44:2531-2538.
21. Surh YJ, Chun KS, Cha HH et al. Molecular mechanisms underlying chemopreventive activities of anti-inflammatory phytochemicals: down-regulation of COX-2 and iNOS through suppression of NF-kappa B activation. *Mutat Res* 2001;480-481:243-268.
22. Schechter JO. Treatment of disequilibrium and nausea in the SRI discontinuation syndrome. *J Clin Psychiatry* 1998;59:431-432.
23. Sakai K, Oshima N, Kutsuna T et al. [Pharmaceutical studies on crude drugs. I. Effect of the Zingiberaceae crude drug extracts on sulfaguanidine absorption from rat small intestine]. *Yakugaku Zasshi* 1986;106:947-950.
24. Platel K, Rao A, Saraswathi G, Srinivasan K. Digestive stimulant action of three Indian spice mixes in experimental rats. *Nahrung* 2002;46:394-398.
25. Monge P, Scheline R, Solheim E. The metabolism of zingerone, a pungent principle of ginger. *Xenobiotica* 1976;6:411-423.
26. Naora K, Ding G, Hayashibara M et al. Pharmacokinetics of [6]-gingerol after intravenous administration in rats with acute renal or hepatic failure. *Chem Pharm Bull (Tokyo)* 1992;40:1295-1298.
27. Atal CK, Zutshi U, Rao PG. Scientific evidence on the role of Ayurvedic herbals on bioavailability of drugs. *J Ethnopharmacol* 1981;4:229-232.
28. Lala LG, D'Mello PM, Naik SR. Pharmacokinetic and pharmacodynamic studies on interaction of "Trikatu" with diclofenac sodium. *J Ethnopharmacol* 2004;91:277-280.
29. Zhou S, Gao Y, Jiang W et al. Interactions of herbs with cytochrome P450. *Drug Metab Rev* 2003;35:35-98.

Citations and Reference Literature: Ginger

30. Nabekura T, Kamiyama S, Kitagawa S. Effects of dietary chemopreventive phytochemicals on P-glycoprotein function. *Biochem Biophys Res Commun* 2005;327:866-870.
31. Bone ME, Wilkinson DJ, Young JR et al. Ginger root—a new antiemetic: the effect of ginger root on postoperative nausea and vomiting after major gynaecological surgery. *Anaesthesia* 1990;45:669-671.
32. Arfeen Z, Owen H, Plummer JL et al. A double-blind randomized controlled trial of ginger for the prevention of postoperative nausea and vomiting. *Anaesth Intensive Care* 1995;23:449-452.
33. Eberhart LH, Mayer R, Betz O et al. Ginger does not prevent postoperative nausea and vomiting after laparoscopic surgery. *Anesth Analg* 2003;96:995-998, table of contents.
34. Pongrojapaw D, Chiamchanya C. The efficacy of ginger in prevention of post-operative nausea and vomiting after outpatient gynecological laparoscopy. *J Med Assoc Thai* 2003;86:244-250.
35. Visalyaputra S, Petchpaisit N, Somcharoen K, Choavaratana R. The efficacy of ginger root in the prevention of postoperative nausea and vomiting after outpatient gynaecological laparoscopy. *Anaesthesia* 1998;53:506-510.
36. Phillips S, Ruggier R, Hutchinson SE. *Zingiber officinale* (ginger): an antiemetic for day case surgery. *Anaesthesia* 1993;48:715-717.
37. Ernst E, Pittler MH. Efficacy of ginger for nausea and vomiting: a systematic review of randomized clinical trials. *Br J Anaesth* 2000;84:367-371.
38. Morin AM, Betz O, Kranke P et al. [Is ginger a relevant antiemetic for postoperative nausea and vomiting?]. *Anesthesiol Intensivmed Notfallmed Schmerzther* 2004;39:281-285.
39. Chaiyakunapruk N, Kitikannakorn N, Nathisuwan S et al. The efficacy of ginger for the prevention of postoperative nausea and vomiting: a meta-analysis. *Am J Obstet Gynecol* 2006;194:95-99.
40. Suekawa M, Ishige A, Yuasa K et al. Pharmacological studies on ginger. I. Pharmacological actions of pungent constituents, (6)-gingerol and (6)-shogaol. *J Pharmacobiodyn* 1984;7:836-848.
41. Flynn DL, Rafferty MF, Boctor AM. Inhibition of human neutrophil 5-lipoxygenase activity by gingerdione, shogaol, capsaicin and related pungent compounds. *Prostaglandins Leukot Med* 1986;24:195-198.
42. Tjendraputra E, Tran VH, Liu-Brennan D et al. Effect of ginger constituents and synthetic analogues on cyclooxygenase-2 enzyme in intact cells. *Bioorg Chem* 2001;29:156-163.
43. Nurtjahja-Tjendraputra E, Ammit AJ, Roufogalis BD et al. Effective anti-platelet and COX-1 enzyme inhibitors from pungent constituents of ginger. *Thromb Res* 2003;111:259-265.
44. Kim SO, Kundu JK, Shin YK et al. [6]-Gingerol inhibits COX-2 expression by blocking the activation of p38 MAP kinase and NF- κ B in phorbol ester-stimulated mouse skin. *Oncogene* 2005;24:2558-2567.
45. Verma SK, Singh J, Khamesra R, Bordia A. Effect of ginger on platelet aggregation in man. *Indian J Med Res* 1993;98:240-242.
46. Jiang X, Williams KM, Liauw WS et al. Effect of ginkgo and ginger on the pharmacokinetics and pharmacodynamics of warfarin in healthy subjects. *Br J Clin Pharmacol* 2005;59:425-432.
47. Morrow GR. Susceptibility to motion sickness and chemotherapy-induced side-effects. *Lancet* 1984;1:390-391.
48. Sharma SS, Gupta YK. Reversal of cisplatin-induced delay in gastric emptying in rats by ginger (*Zingiber officinale*). *J Ethnopharmacol* 1998;62:49-55.
49. Sharma SS, Kochupillai V, Gupta SK et al. Antiemetic efficacy of ginger (*Zingiber officinale*) against cisplatin-induced emesis in dogs. *J Ethnopharmacol* 1997;57:93-96.
50. Yamahara J, Rong HQ, Naitoh Y et al. Inhibition of cytotoxic drug-induced vomiting in suncus by a ginger constituent. *J Ethnopharmacol* 1989;27:353-355.
51. Abdel-Aziz H, Windeck T, Ploch M, Verspohl EJ. Mode of action of gingerols and shogaols on 5-HT₃ receptors: binding studies, cation uptake by the receptor channel and contraction of isolated guinea-pig ileum. *Eur J Pharmacol* 2006;530:136-143.
52. Sharma A, Haksar A, Chawla R et al. *Zingiber officinale* Rosc. modulates gamma radiation-induced conditioned taste aversion. *Pharmacol Biochem Behav* 2005;81:864-870.
53. Hesketh PJ, Van Belle S, Aapro M et al. Differential involvement of neurotransmitters through the time course of cisplatin-induced emesis as revealed by therapy with specific receptor antagonists. *Eur J Cancer* 2003;39:1074-1080.
54. Mahesh R, Perumal RV, Pandi PV. Cancer chemotherapy-induced nausea and vomiting: role of mediators, development of drugs and treatment methods. *Pharmazie* 2005;60:83-96.
55. Al-Yahya MA, Rafatullah S, Mossa JS et al. Gastroprotective activity of ginger, *Zingiber officinale* rosc., in albino rats. *Am J Chin Med* 1989;17:51-56.
56. Yamahara J, Mochizuki M, Rong HQ et al. The anti-ulcer effect in rats of ginger constituents. *J Ethnopharmacol* 1988;23:299-304.
57. Yamahara J, Hatakeyama S, Taniguchi K et al. [Stomachic principles in ginger. II. Pungent and anti-ulcer effects of low polar constituents isolated from ginger, the dried rhizoma of *Zingiber officinale* Roscoe, cultivated in Taiwan. The absolute stereostructure of a new diarylheptanoid]. *Yakugaku Zasshi* 1992;112:645-655.

Citations and Reference Literature: Ginger

58. Yoshikawa M, Yamaguchi S, Kunimi K et al. Stomachic principles in ginger. III. An anti-ulcer principle, 6-gingesulfonic acid, and three monoacyldigalactosylglycerols, gingerglycolipids A, B, and C, from *Zingiberis Rhizoma* originating in Taiwan. *Chem Pharm Bull (Tokyo)* 1994;42:1226-1230.
59. Srivastava KC, Mustafa T. Ginger (*Zingiber officinale*) and rheumatic disorders. *Med Hypotheses* 1989;29:25-28.
60. Weidener MS, Sigwart K. The safety of a ginger extract in the rat. *J Ethnopharmacol* 2000;73:513-520.
61. Nagoshi C, Shiota S, Kuroda T et al. Synergistic effect of [10]-gingerol and aminoglycosides against vancomycin-resistant enterococci (VRE). *Biol Pharm Bull* 2006;29:443-447.
62. Corrigan D. *Zingiber officinale*. In: Smet PD, ed. *Adverse Effects of Herbal Drugs*. 3 vol. Berlin: Springer; 1997:215-228.