

Citations and Reference Literature: Glucosamine Sulfate

Citations

1. Hoffer LJ, Kaplan LN, Hamadeh MJ et al. Sulfate could mediate the therapeutic effect of glucosamine sulfate. *Metabolism* 2001;50:767-770.
2. Blakeley JA, Ribeiro V. A survey of self-medication practices and perceived effectiveness of glucosamine products among older adults. *Complement Ther Med* 2002;10:154-160.
3. Lopes Vaz A. Double-blind clinical evaluation of the relative efficacy of ibuprofen and glucosamine sulphate in the management of osteoarthritis of the knee in out-patients. *Curr Med Res Opin* 1982;8:145-149.
4. Muller-Fassbender H, Bach GL, Haase W et al. Glucosamine sulfate compared to ibuprofen in osteoarthritis of the knee. *Osteoarthritis Cartilage* 1994;2:61-69.
5. Noack W, Fischer M, Forster KK et al. Glucosamine sulfate in osteoarthritis of the knee. *Osteoarthritis Cartilage* 1994;2:51-59.
6. Deal CL, Moskowitz RW. Nutraceuticals as therapeutic agents in osteoarthritis: the role of glucosamine, chondroitin sulfate, and collagen hydrolysate. *Rheum Dis Clin North Am* 1999;25:379-395.
7. Delafuente JC. Glucosamine in the treatment of osteoarthritis. *Rheum Dis Clin North Am* 2000;26:1-11, vii.
8. Towheed TE, Anastassiades TP, Shea B et al. Glucosamine therapy for treating osteoarthritis. *Cochrane Database Syst Rev* 2001:CD002946.
9. Reginster JY, Deroisy R, Rovati LC et al. Long-term effects of glucosamine sulphate on osteoarthritis progression: a randomised, placebo-controlled clinical trial. *Lancet* 2001;357:251-256.
10. Pavelka K, Gatterova J, Olejarova M et al. Glucosamine sulfate use and delay of progression of knee osteoarthritis: a 3-year, randomized, placebo-controlled, double-blind study. *Arch Intern Med* 2002;162:2113-2123.
11. Bruyere O, Honore A, Ethgen O et al. Correlation between radiographic severity of knee osteoarthritis and future disease progression: results from a 3-year prospective, placebo-controlled study evaluating the effect of glucosamine sulfate. *Osteoarthritis Cartilage* 2003;11:1-5.
12. Richy F, Bruyere O, Ethgen O et al. Structural and symptomatic efficacy of glucosamine and chondroitin in knee osteoarthritis: a comprehensive meta-analysis. *Arch Intern Med* 2003;163:1514-1522.
13. Hughes R, Carr A. A randomized, double-blind, placebo-controlled trial of glucosamine sulphate as an analgesic in osteoarthritis of the knee. *Rheumatology (Oxford)* 2002;41:279-284.
14. Sparringa RA, Owens JD. Glucosamine content of tempe mould, *Rhizopus oligosporus*. *Int J Food Microbiol* 1999;47:153-157.
15. Drovanti A, Bignamini AA, Rovati AL. Therapeutic activity of oral glucosamine sulfate in osteoarthritis: a placebo-controlled double-blind investigation. *Clin Ther* 1980;3:260-272.
16. Houpt JB, McMillan R, Wein C, Paget-Dellio SD. Effect of glucosamine hydrochloride in the treatment of pain of osteoarthritis of the knee. *J Rheumatol* 1999;26:2423-2430.
17. Ebube NK, Mark W, Hahm H. Preformulation studies and characterization of proposed chondroprotective agents: glucosamine HCl and chondroitin sulfate. *Pharm Dev Technol* 2002;7:457-469.
18. Vidal y Plana RR, Bizzarri D, Rovati AL. Articular cartilage pharmacology: I. In vitro studies on glucosamine and non steroidal antiinflammatory drugs. *Pharmacol Res Commun* 1978;10:557-569.
19. Murray MT. *Encyclopedia of Nutritional Supplements*. Rocklin, Calif: Prima Publishing; 1996.
20. Tapadinhas MJ, Rivera IC, Bignamini AA. Oral glucosamine sulphate in the management of arthrosis: report on a multi-centre open investigation in Portugal. *Pharmatherapeutica* 1982;3:157-168.
21. Reginster JY, Henrotin Y, Pavelka K et al. Glucosamine sulfate (GS) is a specific osteoarthritis modifying drug: the results of two independent 3-year, randomized, controlled clinical trials. North American Menopause Society 12th Annual Meeting. New Orleans; 2001.
22. Towheed TE. Published meta-analyses of pharmacological therapies for osteoarthritis. *Osteoarthritis Cartilage* 2002;10:836-837.
23. Matheu V, Gracia Bara MT, Pelta R et al. Immediate-hypersensitivity reaction to glucosamine sulfate. *Allergy* 1999;54:643.
24. Guillaume MP, Peretz A. Possible association between glucosamine treatment and renal toxicity: comment on the letter by Danao-Camara. *Arthritis Rheum* 2001;44:2943-2944.
25. Gottlieb MS. Conservative management of spinal osteoarthritis with glucosamine sulfate and chiropractic treatment. *J Manipulative Physiol Ther* 1997;20:400-414.
26. Palmoski MJ, Brandt KD. Effects of some nonsteroidal antiinflammatory drugs on proteoglycan metabolism and organization in canine articular cartilage. *Arthritis Rheum* 1980;23:1010-1020.
27. Brooks PM, Potter SR, Buchanan WW. NSAID and osteoarthritis—help or hindrance? *J Rheumatol* 1982;9:3-5.
28. Brandt KD. Effects of nonsteroidal anti-inflammatory drugs on chondrocyte metabolism in vitro and in vivo. *Am J Med* 1987;83:29-34.

Citations and Reference Literature: Glucosamine Sulfate

29. Rashad S, Revell P, Hemingway A et al. Effect of non-steroidal anti-inflammatory drugs on the course of osteoarthritis. *Lancet* 1989;2:519-522.
30. Shield MJ. Anti-inflammatory drugs and their effects on cartilage synthesis and renal function. *Eur J Rheumatol Inflamm* 1993;13:7-16.
31. Cohen DB, Kawamura S, Ehteshami JR, Rodeo S. Traditional non-steroidal anti-inflammatory medications and cyclooxygenase-2 inhibitors impair rotator cuff tendon-to-bone healing. Annual Meeting of American Orthopaedic Society for Sports Medicine. Quebec City, Canada; 2004.
32. Cohen DB, Kawamura S, Ehteshami JR, Rodeo SA. Indomethacin and celecoxib impair rotator cuff tendon-to-bone healing. *Am J Sports Med* 2006;34:362-369.
33. Zupanets IA, Drogovoz SM, Bezdetko NV et al. [The influence of glucosamine on the antiexudative effect of nonsteroidal anti-inflammatory agents]. *Farmakol Toksikol* 1991;54:61-63.
34. Shikhman AR, Kuhn K, Alaaeddine N, Lotz M. N-acetylglucosamine prevents IL-1 β -mediated activation of human chondrocytes. *J Immunol* 2001;166:5155-5160.
35. Tallarida RJ, Cowan A, Raffa RB. Antinociceptive synergy, additivity, and subadditivity with combinations of oral glucosamine plus nonopioid analgesics in mice. *J Pharmacol Exp Ther* 2003;307:699-704.
36. Balkan B, Dunning BE. Glucosamine inhibits glucokinase in vitro and produces a glucose-specific impairment of in vivo insulin secretion in rats. *Diabetes* 1994;43:1173-1179.
37. Rossetti L, Hawkins M, Chen W et al. In vivo glucosamine infusion induces insulin resistance in normoglycemic but not in hyperglycemic conscious rats. *J Clin Invest* 1995;96:132-140.
38. Giaccari A, Morviducci L, Zorretta D et al. In vivo effects of glucosamine on insulin secretion and insulin sensitivity in the rat: possible relevance to the maladaptive responses to chronic hyperglycaemia. *Diabetologia* 1995;38:518-524.
39. Barzilai N, Hawkins M, Angelov I et al. Glucosamine-induced inhibition of liver glucokinase impairs the ability of hyperglycemia to suppress endogenous glucose production. *Diabetes* 1996;45:1329-1335.
40. Virkamaki A, Daniels MC, Hamalainen S et al. Activation of the hexosamine pathway by glucosamine in vivo induces insulin resistance in multiple insulin sensitive tissues. *Endocrinology* 1997;138:2501-2507.
41. Shankar RR, Zhu JS, Baron AD. Glucosamine infusion in rats mimics the beta-cell dysfunction of non-insulin-dependent diabetes mellitus. *Metabolism* 1998;47:573-577.
42. Patti ME, Virkamaki A, Landaker EJ et al. Activation of the hexosamine pathway by glucosamine in vivo induces insulin resistance of early postreceptor insulin signaling events in skeletal muscle. *Diabetes* 1999;48:1562-1571.
43. Virkamaki A, Yki-Jarvinen H. Allosteric regulation of glycogen synthase and hexokinase by glucosamine-6-phosphate during glucosamine-induced insulin resistance in skeletal muscle and heart. *Diabetes* 1999;48:1101-1107.
44. Almada AL, Harvey PW, Platt KJ. Effect of chronic oral glucosamine sulfate upon fasting insulin resistance index (FIRI) in nondiabetic individuals. Program number 521.15. Experimental Biology 2000. San Diego; 2000.
45. Uldry M, Ibberson M, Hosokawa M, Thorens B. GLUT2 is a high affinity glucosamine transporter. *FEBS Lett* 2002;524:199-203.
46. Rovati LC, Anfeld M, Giacomelli G et al. Glucosamine in osteoarthritis. *Lancet* 1999;354:1640; author reply 1641-1642.
47. Scroggie DA, Albright A, Harris MD. The effect of glucosamine-chondroitin supplementation on glycosylated hemoglobin levels in patients with type 2 diabetes mellitus: a placebo-controlled, double-blinded, randomized clinical trial. *Arch Intern Med* 2003;163:1587-1590.
48. Reginster JY et al. Glucosamine sulfate significantly reduces progression of knee osteoarthritis over 3 years: a large, randomized, double-blind placebo-controlled prospective trial. American College of Rheumatology, Association of Rheumatology Health Professionals, 1999 Annual Scientific Meeting. Boston; 1999.
49. Pouwels MJ, Jacobs JR, Span PN et al. Short-term glucosamine infusion does not affect insulin sensitivity in humans. *J Clin Endocrinol Metab* 2001;86:2099-2103.
50. Tannis AJ, Barban J, Conquer JA. Effect of glucosamine supplementation on fasting and non-fasting plasma glucose and serum insulin concentrations in healthy individuals. *Osteoarthritis Cartilage* 2004;12:506-511.
51. McKee DL. Personal communication, 2003.
52. Shankland WE 2nd. The effects of glucosamine and chondroitin sulfate on osteoarthritis of the TMJ: a preliminary report of 50 patients. *Cranio* 1998;16:230-235.
53. Leffler CT, Philippi AF, Leffler SG et al. Glucosamine, chondroitin, and manganese ascorbate for degenerative joint disease of the knee or low back: a randomized, double-blind, placebo-controlled pilot study. *Mil Med* 1999;164:85-91.
54. Lippiello L, Woodward J, Karpman R, Hammad TA. In vivo chondroprotection and metabolic synergy of glucosamine and chondroitin sulfate. *Clin Orthop* 2000;229-240.

Citations and Reference Literature: Glucosamine Sulfate

55. Das A Jr, Hammad TA. Efficacy of a combination of FCHG49 glucosamine hydrochloride, TRH122 low molecular weight sodium chondroitin sulfate and manganese ascorbate in the management of knee osteoarthritis. *Osteoarthritis Cartilage* 2000;8:343-350.
56. Denham AC, Newton WP. Are glucosamine and chondroitin effective in treating osteoarthritis? *J Fam Pract* 2000;49:571-572.
57. Reginster JY, Bruyere O, Lecart MP, Henrotin Y. Naturocetic (glucosamine and chondroitin sulfate) compounds as structure-modifying drugs in the treatment of osteoarthritis. *Curr Opin Rheumatol* 2003;15:651-655.
58. Cohen M, Wolfe R, Mai T, Lewis D. A randomized, double blind, placebo controlled trial of a topical cream containing glucosamine sulfate, chondroitin sulfate, and camphor for osteoarthritis of the knee. *J Rheumatol* 2003;30:523-528.
59. Clegg DO, Reda DJ, Harris CL et al. The efficacy of glucosamine and chondroitin sulfate in patients with painful knee osteoarthritis (OA): the Glucosamine/chondroitin Arthritis Intervention Trial (GAIT). American College of Rheumatology Meeting. San Diego; 2005.
60. Clegg DO, Reda DJ, Harris CL et al. Glucosamine, chondroitin sulfate, and the two in combination for painful knee osteoarthritis. *N Engl J Med* 2006;354:795-808.
61. Barnhill JG, Fye CL, Williams DW et al. Chondroitin product selection for the glucosamine/chondroitin arthritis intervention trial. *J Am Pharm Assoc (Wash DC)* 2006;46:14-24.
62. Hunter DJ, Zhang YQ, Niu JB et al. The association of meniscal pathologic changes with cartilage loss in symptomatic knee osteoarthritis. *Arthritis Rheum* 2006;54:795-801.
63. Usha PR, Naidu MUR. Randomised, double-blind, parallel, placebo-controlled study of oral glucosamine, methylsulfonylmethane and their combination in osteoarthritis. *Clin Drug Invest* 2004;24:353-363.
64. Kuttan R, Donnelly PV, Di Ferrante N. Collagen treated with (+)-catechin becomes resistant to the action of mammalian collagenase. *Experientia* 1981;37:221-223.
65. Vinciguerra G, Belcaro G, Cesarone MR et al. Cramps and muscular pain: prevention with Pycnogenol in normal subjects, venous patients, athletes, claudicants and in diabetic microangiopathy. *Angiology* 2006;57:331-339.
66. McCarty MF. Glucosamine for psoriasis? *Med Hypotheses* 1997;48:437-441.

Reference Literature

- Adebowale AO, Cox DS, Liang Z, et al. Analysis of glucosamine and chondroitin sulfate content in marketed products and the caco-2 permeability of chondroitin sulfate raw materials. *J Am Nutraceutical Assoc* 2000;3:37-44.
- Adams ME. Target tissue models: cartilage changes in experimental osteoarthritis in the dog. *J Rheumatol Suppl* 1983;11:111-113.
- Ajiboye R, Harding JJ. The non-enzymic glycosylation of bovine lens proteins by glucosamine and its inhibition by aspirin, ibuprofen and glutathione. *Exp Eye Res* 1989;49(1):31-41.
- Baggio B, Gambaro G, Marzaro G, et al. Effects of the oral administration of glycosaminoglycans on cellular abnormalities associated with idiopathic calcium oxalate nephrolithiasis. *Eur J Clin Pharmacol* 1991;40(3):237-240.
- Barclay TS, Tsourounis C, McCart GM. Glucosamine. *Ann Pharmacother* 1998;32(5):574-579.
- Biggee BA, McAlindon T. Glucosamine for osteoarthritis: part I, review of the clinical evidence. *Med Health R I* 2004;87(6):176-179. (Review)
- Biggee BA, McAlindon T. Glucosamine for osteoarthritis: part II, biologic and metabolic controversies. *Med Health R I* 2004;87(6):180-181. (Review)
- Brandt KD. Non-surgical treatment of osteoarthritis: a half century of "advances." *Ann Rheum Dis* 2004;63(2):117-122. (Review)
- Brief AA, Maurer SG, Di Cesare PE. Use of glucosamine and chondroitin sulfate in the management of osteoarthritis. *J Am Acad Orthop Surg* 2001;9(2):71-78. (Review)
- Bruyere O, Pavelka K, Rovati LC, et al. Glucosamine sulfate reduces osteoarthritis progression in postmenopausal women with knee osteoarthritis: evidence from two 3-year studies. *Menopause* 2004;11(2):138-143.
- Chalmers R. Managing osteoarthritis of the knee: glucosamine-chondroitin should be prescribed by doctors. *BMJ* 2005;330(7492):673. (Letter)
- Christgau S, Henrotin Y, Tanko LB, et al. Osteoarthritic patients with high cartilage turnover show increased responsiveness to the cartilage protecting effects of glucosamine sulphate. *Clin Exp Rheumatol* 2004;22(1):36-42.
- Cibere J, Kopec JA, Thorne A, et al. Randomized, double-blind, placebo-controlled glucosamine discontinuation trial in knee osteoarthritis. *Arthritis Rheum* 2004;51(5):738-745.
- Clegg DO, Reda DJ, Harris CL, et al, for the GAIT Investigators. The efficacy of glucosamine and chondroitin sulfate in patients with painful knee osteoarthritis (OA): the Glucosamine/chondroitin Arthritis Intervention Trial (GAIT). Plenary session, American College of Rheumatology (ACR) Meeting. San Diego, Nov 14, 2005.

Citations and Reference Literature: Glucosamine Sulfate

- Clegg DO, Reda DJ, Harris CL, et al. Glucosamine, chondroitin sulfate, and the two in combination for painful knee osteoarthritis. *N Engl J Med* 2006;354:795-808.
- Cohen M, Wolfe R, Mai T, et al. A randomised, double-blind, placebo-controlled trial of a topical cream containing glucosamine sulfate, chondroitin sulfate and camphor for osteoarthritis of the knee. *J Rheumatol* 2003;30:523-528.
- Creamer P. Osteoarthritis pain and its treatment. *Curr Opin Rheumatol* 2000;12(5):450-455. (Review)
- Crolle G, D'Este E. Glucosamine sulphate for the management of arthrosis: a controlled clinical investigation. *Curr Med Res Opin* 1980;7(2):104-109.
- Curtis CL, Harwood JL, Dent CM, et al. Biological basis for the benefit of nutraceutical supplementation in arthritis. *Drug Discov Today* 2004;9(4):165-172. Erratum in *Drug Discov Today* 2004;9(7):336. (Review)
- da Camara CC, Dowless GV. Glucosamine sulfate for osteoarthritis. *Ann Pharmacother* 1998;32(5):580-587. (Review)
- D'Ambrosio E, Casa B, Bompani R, et al. Glucosamine sulphate: a controlled clinical investigation in arthrosis. *Pharmatherapeutica* 1981;2(8):504-508.
- Danao-Camara T. Potential side effects of treatment with glucosamine and chondroitin. *Arthritis Rheum* 2000;43(12):2853.
- Das A Jr, Hammad TA. Efficacy of a combination of FCHG49 glucosamine hydrochloride, TRH122 low molecular weight sodium chondroitin sulfate and manganese ascorbate in the management of knee osteoarthritis. *Osteoarthritis Cartilage* 2000;8(5):343-350.
- Denham AC, Newton WP. Are glucosamine and chondroitin effective in treating osteoarthritis? *J Fam Pract* 2000;49(6):571-572.
- Einhorn TA. If it feels good, do it: use of glucosamine sulfate to prevent the progression of osteoarthritis in postmenopausal women. *Menopause* 2004;11(2):134-135. (Editorial)
- Felson DT. Osteoarthritis of the knee. *N Engl J Med* 2006;354:841-848.
- Forster KK, Schmid K, Rovati LC, et al. Longer-term treatment of mild-to-moderate osteoarthritis of the knee with glucosamine sulfate: a randomized, controlled, double-blind clinical study. *Eur J Clin Pharmacol* 1996;50(6):542. (Abstract)
- Franci B, Campagna S, Battisti E, et al. The efficacy and safety of glucosamine sulfate in the treatment of gonarthrosis. *Clin Ter* 1996;147(3):99-105.
- Giordano N, Nardi P, Senesi M, et al. [The efficacy and safety of glucosamine sulfate in the treatment of gonarthrosis.] *Clin Ter* 1996;147(3):99-105. [Italian]
- Gottlieb MS. Conservative management of spinal osteoarthritis with glucosamine sulfate and chiropractic treatment. *J Manipulative Physiol Ther* 1997;20(6):400-414.
- Gaby AR. Natural treatments for osteoarthritis. *Altern Med Rev* 1999;4(5):330-341. (Review)
- Grainger R, Cicuttini FM. Medical management of osteoarthritis of the knee and hip joints. *Med J Aust* 2004;180(5):232-236. (Review)
- Heart E, Sung CK. Glucose transport by osmotic shock and vanadate is impaired by glucosamine. *Biochem Biophys Res Commun* 2002;292(2):308-311.
- Hellio MP, et al. The effects of glucosamine on human chondrocyte gene expression. Madrid: The Ninth Euler Symposium; 1996:11-12.
- Herrero-Beaumont G. Glucosamine Unum In Die [Once A Day] Efficacy (GUIDE) Trial: glucosamine sulfate in patients with knee osteoarthritis. American College of Rheumatology (ACR) Meeting. San Diego, Nov 15, 2005.
- Hochberg MC. Nutritional supplements for knee osteoarthritis: still no resolution. *N Engl J Med* 2006;354:858-860. (Editorial)
- Hochberg MC. What a difference a year makes: reflections on the ACR recommendations for the medical management of osteoarthritis. *Curr Rheumatol Rep* 2001;3(6):473-478. (Review)
- Hochberg MC, Dougados M. Pharmacological therapy of osteoarthritis. *Best Pract Res Clin Rheumatol* 2001;15(4):583-593. (Review)
- Hoffer LJ, Kaplan LN, Hamadeh MJ, et al. Sulfate could mediate the therapeutic effect of glucosamine sulfate. *Metabolism* 2001;50(7):767-770.
- Holmang A, Nilsson C, Niklasson M, et al. Induction of insulin resistance by glucosamine reduces blood flow but not interstitial levels of either glucose or insulin. *Diabetes* 1999;48(1):106-111.
- Haupt JB, McMillan R, Wein C, et al. Effect of glucosamine hydrochloride in the treatment of pain of osteoarthritis of the knee. *J Rheumatol* 1999;26(11):2423-2430.
- Hughes R, Carr A. A randomized, double-blind, placebo-controlled trial of glucosamine sulphate as an analgesic in osteoarthritis of the knee. *Rheumatology (Oxf)* 2002;41(3):279-284.
- Hughes RA, Chertsey AJ. A randomised, double-blind, placebo-controlled trial of glucosamine to control pain in osteoarthritis of the knee. *Arthritis Rheum* 2000;43(9 suppl):S384. (Abstract)
- Hungerford DS, Jones LC. Glucosamine and chondroitin sulfate are effective in the management of osteoarthritis. *J Arthroplasty* 2003;18(3 Suppl 1):5-9. (Review)
- Hunter DJ, Zhang YQ, Niu JB, et al. The association of meniscal pathologic changes with cartilage loss in symptomatic knee osteoarthritis. *Arthritis Rheum* 2006;54(3):795-801.

Citations and Reference Literature: Glucosamine Sulfate

- Jimenez SA, et al. The effects of glucosamine on human chondrocyte gene expression. Madrid: The Ninth Eular Symposium; 1996;8-10.
- Jimenez SA, Dodge GR. The effects of glucosamine sulfate (GSO4) on human chondrocyte gene expression. *Osteoarthritis Cartilage* 1997;5:72. (Abstract)
- Karzel K, Domenjoz R. Effects of hexosamine derivatives and uronic acid derivatives on glycosaminoglycane metabolism of fibroblast cultures. *Pharmacology* 1971;5(6):337-345.
- Kelly GS. The role of glucosamine sulfate and chondroitin sulfates in the treatment of degenerative joint disease. *Altern Med Rev* 1998;3(1):27-39. (Review)
- Kohn P, Winzler RJ, Hoffman RC. Metabolism of D-glucosamine and N-acetyl-D-glucosamine in the intact rat. *J Biol Chem* 1962;237:304-308.
- Kreder HJ. Glucosamine and chondroitin were found to improve outcomes in patients with osteoarthritis. *J Bone Joint Surg Am* 2000;82(9):1323.
- Laferrere B, Garcia-Lorda P, Russell CD, et al. Effect of oral glucosamine sulfate on serum leptin levels in human subjects. *Nutrition* 2004;20(3):321-322.
- Leffler CT, Philippi AF, Leffler SG, et al. Glucosamine, chondroitin, and manganese ascorbate for degenerative joint disease of the knee or low back: a randomized, double-blind, placebo-controlled pilot study. *Mil Med* 1999;164(2):85-91.
- Lequesne M, Brandt K, Bellamy N, et al. Guidelines for testing slow acting drugs in osteoarthritis. *J Rheumatol Suppl* 1994;41:65-73. Erratum in *J Rheumatol Suppl* 1994;21(12):2395.
- Levin RM, Krieger NN, Winzler RJ. Glucosamine and acetylglucosamine tolerance in man. *J Lab Clin Med* 1961;58(6):927-932.
- Lippiello L, et al. Beneficial effect of cartilage disease-modifying agents tested in chondrocyte cultures and a rabbit instability model of osteoarthritis. American College of Rheumatology, Association of Rheumatology Health Professionals, 1999 Annual Scientific Meeting. Boston, Nov 15, 1999.
- Lippiello L, Woodward J, Karpman R, et al. In vivo chondroprotection and metabolic synergy of glucosamine and chondroitin sulfate. *Clin Orthop* 2000;(381):229-240.
- Matheson AJ, Perry CM. Glucosamine: a review of its use in the management of osteoarthritis. *Drugs Aging* 2003;20(14):1041-1060.
- McAlindon T. Glucosamine and chondroitin for osteoarthritis? *Bull Rheum Dis* 2001;50(7):1-4. (Review)
- McAlindon TE, Biggee BA. Nutritional factors and osteoarthritis: recent developments. *Curr Opin Rheumatol* 2005;17(5):647-652. (Review)
- McAlindon T, Formica M, LaValley M, et al. Effectiveness of glucosamine for symptoms of knee osteoarthritis: results from an internet-based randomized double-blind controlled trial. *Am J Med* 2004;117(9):643-649.
- McAlindon TE, LaValley MP, Gulin JP, et al. Glucosamine and chondroitin for treatment of osteoarthritis: a systematic quality assessment and meta-analysis. *JAMA* 2000;283(11):1469-1475.
- McCarty MF. Enhanced synovial production of hyaluronic acid may explain rapid clinical response to high-dose glucosamine osteoarthritis. *Med Hypothes* 1998;50:507-510.
- McCarty MF. Glucosamine may retard atherogenesis by promoting endothelial production of heparin sulfate proteoglycans. *Med Hypotheses* 1997;48(3):245-251.
- McCarty MF. Glucosamine for wound healing. *Med Hypotheses* 1996;47(4):273-275.
- McCarty MF. The neglect of glucosamine as a treatment for osteoarthritis, a personal perspective. *Med Hypotheses* 1994;42:323-327.
- Menzel EJ. [Polymeric chondroitin sulfate vs. monomeric glucosamine for the treatment of osteoarthritis.] *Wien Med Wochenschr* 2000;150(5):87-90. [German] (Review)
- Miller CA. Newer and safer options for osteoarthritis. *Geriatr Nurs* 2001;22(3):165-166.
- Monauni T, Zenti MG, Cretti A, et al. Effects of glucosamine infusion on insulin secretion and insulin action in humans. *Diabetes* 2000;49(6):926-935.
- Murray MT. Encyclopedia of nutritional supplements. Rocklin, CA: Prima Publishing; 1996.
- Murray MT. Which is better: aged versus fresh garlic; glucosamine sulfate versus chondroitin sulfate. *Am J Natural Med* 1997;4:5-8.
- Nguyen P, Mohamed SE, Gardiner D, et al. A randomized double-blind clinical trial of the effect of chondroitin sulfate and glucosamine hydrochloride on temporomandibular joint disorders: a pilot study. *Cranio* 2001;19(2):130-139.
- Noack W, Fischer M, Forster KK, et al. Glucosamine sulfate in osteoarthritis of the knee. *Osteoarthritis Cartilage* 1994;2(1):51-59.
- Nowlan C, Wetmore S. Short report: ibuprofen versus glucosamine sulfate: treating osteoarthritis pain. *Can Fam Physician* 2003;49:1632-1634.
- Noyszewski EA, Wroblewski K, Dodge GR, et al. Preferential incorporation of glucosamine into the galactosamine moieties of chondroitin sulfates in articular cartilage explants. *Arthritis Rheum* 2001;44(5):1089-1095.

Citations and Reference Literature: Glucosamine Sulfate

- Pavelka K, Gatterova J, Olejarova M, et al. Glucosamine sulfate decreases progression of knee osteoarthritis in a long-term randomized placebo-controlled, independent, confirmatory trial. *Arthritis Rheum* 2000;43(9 Suppl):S384.
- Pavelka K, Gatterova J, Olejarova M, et al. Glucosamine sulfate use and delay of progression of knee osteoarthritis: a 3-year, randomized, placebo-controlled, double-blind study. *Arch Intern Med* 2002;162(18):2113-2123.
- Piperno M, Reboul P, Hellio Le Graverand MP, et al. Glucosamine sulfate modulates dysregulated activities of human osteoarthritic chondrocytes in vitro. *Osteoarthritis Cartilage* 2000;8(3):207-212.
- Pujalte JM, Llavore EP, Ylescupidéz FR. Double-blind clinical evaluation of oral glucosamine sulphate in the basic treatment of osteoarthritis. *Curr Med Res Opin* 1980;7(2):110-114.
- Qiu GX, Gao SN, Giacovelli G, et al. Efficacy and safety of glucosamine sulfate versus ibuprofen in patients with knee osteoarthritis. *Arzneimittelforschung* 1998;48(5):469-474.
- Rashad S, Revell P, Hemingway A, et al. Effect of non-steroidal anti-inflammatory drugs on the course of osteoarthritis. *Lancet* 1989;2(8662):519-522.
- Rao JK, Mihaliak K, Kroenke K, et al. Use of complementary therapies for arthritis among patients of rheumatologists. *Ann Intern Med* 1999;131(6):409-416.
- Reginster JY. Review: glucosamine and chondroitin improve outcomes in osteoarthritis, but the magnitude of effect is unclear. *ACP J Club* 2000;133:58. (Review)
- Reginster JY, Deroisy R, Rovati LC, et al. Long-term effects of glucosamine sulphate on osteoarthritis progression: a randomised, placebo-controlled clinical trial. *Lancet* 2001;357(9252):251-256.
- Reginster JY, Henrotin Y, Pavelka K, et al. Glucosamine sulfate (GS) is a specific osteoarthritis modifying drug: the results of two independent 3-year, randomized, controlled clinical trials. North American Menopause Society 12th Annual Meeting. New Orleans, Oct 4-6, 2001. (Abstract)
- Reichelt A, Forster KK, Fischer M, et al. Efficacy and safety of intramuscular glucosamine sulfate in osteoarthritis of the knee: a randomised, placebo-controlled, double-blind study. *Arzneimittelforschung* 1994;44(1):75-80.
- Reijman M, Bierma-Zeinstra SM, Pols HA, et al. Is there an association between the use of different types of nonsteroidal antiinflammatory drugs and radiologic progression of osteoarthritis? The Rotterdam Study. *Arthritis Rheum* 2005;52(10):3137-3142.
- Richy F, Bruyere O, Ethgen O, et al. Structural and symptomatic efficacy of glucosamine and chondroitin in knee osteoarthritis: a comprehensive meta-analysis. *Arch Intern Med* 2003;163(13):1514-1522.
- Rindone JP, Hiller D, Collacott E, et al. Randomized, controlled trial of glucosamine for treating osteoarthritis of the knee. *West J Med* 2000;172(2):91-94.
- Rovati LC, Giacovelli G, Annefeld M, et al. A large, randomised, placebo controlled, double-blind study of glucosamine sulfate vs. piroxicam and vs. their association, on the kinetics of the symptomatic effect in knee osteoarthritis. *Osteoarthritis Cartilage* 1994;2(Suppl 1):56. (Abstract)
- Ruane R, Griffiths P. Glucosamine therapy compared to ibuprofen for joint pain. *Br J Community Nurs* 2002;7(3):148-152. (Review)
- Russell AI, McCarty MF. Glucosamine in osteoarthritis. *Lancet* 1999;354:1641-1642. (Letter)
- Salvatore S, Heuschkel R, Tomlin S, et al. A pilot study of N-acetyl glucosamine, a nutritional substrate for glycosaminoglycan synthesis, in paediatric chronic inflammatory bowel disease. *Aliment Pharmacol Ther* 2000;14(12):1567-1579.
- Scheen AJ, Lefebvre PJ. Potential pharmacokinetics interference between alpha-glucosidase inhibitors and other oral antidiabetic agents. *Diabetes Care* 2002;25(1):247-248.
- Setnikar I. Antireactive properties of "chondroprotective" drugs. *Int J Tissue React* 1992;14(5):253-261.
- Setnikar I, Cereda R, Pacini MA, et al. Antireactive properties of glucosamine sulfate. *Arzneimittelforschung* 1991;41(2):157-161.
- Setnikar I, Giacchetti C, Zanolio G. Pharmacokinetics of glucosamine in the dog and in man. *Arzneimittelforschung* 1986;36(4):729-735.
- Setnikar I, Pacini MA, Revel L. Antiarthritic effects of glucosamine sulfate studied in animal models. *Arzneimittelforschung* 1991;41(5):542-545.
- Setnikar I, Rovati LC. Absorption, distribution, metabolism and excretion of glucosamine sulfate: a review. *Arzneimittelforschung* 2001;51(9):699-725. (Review)
- Setnikar I, Palumbo R, Canali S, et al. Pharmacokinetics of glucosamine in man. *Arzneimittelforschung* 1993;43:1109-1113.
- Shankland WE II. The effects of glucosamine and chondroitin sulfate on osteoarthritis of the TMJ: a preliminary report of 50 patients. *Cranio* 1998;16(4):230-235.
- Swinburne LM. Glucosamine sulphate and osteoarthritis. *Lancet* 2001;357(9268):1617.
- Tannis AJ, Barban J, Conquer JA. Effect of glucosamine supplementation on fasting and non-fasting plasma glucose and serum insulin concentrations in healthy individuals. *Osteoarthritis Cartilage* 2004;12(6):506-511.

Citations and Reference Literature: Glucosamine Sulfate

- Thie NM, Prasad NG, Major PW. Evaluation of glucosamine sulfate compared to ibuprofen for the treatment of temporomandibular joint osteoarthritis: a randomized double blind controlled 3 month clinical trial. *J Rheumatol* 2001;28(6):1347-1355.
- Towheed TE, Anastassiades TP. Glucosamine and chondroitin for treating symptoms of osteoarthritis: evidence is widely touted but incomplete. *JAMA* 2000;283(11):1483-1484.
- Towheed TE, Anastassiades TP. Glucosamine therapy for osteoarthritis. *J Rheumatol* 1999;26(11):2294-2297.
- Towheed TE, Anastassiades TP, Shea B, et al. Glucosamine therapy for treating osteoarthritis. *Cochrane Database Syst Rev* 2001(1):CD002946.
- Vacha J, Pesakova V, Krajickova J, et al. Effect of glycosaminoglycan polysulphate on the metabolism of cartilage ribonucleic acid. *Arzneimittelforschung* 1984;34(5):607-609.
- Vajaradul Y. Double-blind clinical evaluation of intra-articular glucosamine in outpatients with gonarthrosis. *Clin Ther* 1981;3(5):336-343.
- Vajranetra P. Clinical trial of glucosamine compounds for osteoarthritis of knee joints. *J Med Assoc Thai* 1984;67(7):409-418.
- van Blitterswijk WJ, van de Nes JC, Wuisman PI. Glucosamine and chondroitin sulfate supplementation to treat symptomatic disc degeneration: biochemical rationale and case report. *BMC Complement Altern Med* 2003;3(1):2.
- Vidal y Plana RR, Bizzarri D, Rovati AL. Articular cartilage pharmacology: I: in vitro studies on glucosamine and non steroidal antiinflammatory drugs. *Pharmacol Res Commun* 1978;10(6):557-569.
- Walker-Bone K. 'Natural remedies' in the treatment of osteoarthritis. *Drugs Aging* 2003;20(7):517-526. (Review)
- Weiden S, Wood IJ. The fate of glucosamine hydrochloride injected intravenously in man. *J Clin Pathol* 1958;11:343-349.
- Weimann G, Lubenow N, Selleng K, et al. Glucosamine sulfate does not crossreact with the antibodies of patients with heparin-induced thrombocytopenia. *Eur J Haematol* 2001;66(3):195-199.
- Wein CR, Houpt JB, McMillan R, et al. Open trial of glucosamine hydrochloride (GHCl) in the treatment of pain of osteoarthritis of the knee. *J Rheumatol* 1998;25(Suppl 52):8.
- Yoshikawa H, Tajiri Y, Sako Y, et al. Glucosamine-induced beta-cell dysfunction: a possible involvement of glucokinase or glucose-transporter type 2. *Pancreas* 2002;24(3):228-234.