

Citations and Reference Literature: Omega-3 Fatty Acids

Citations

1. Williams CM, Burdge G. Long-chain n-3 PUFA: plant v. marine sources. *Proc Nutr Soc* 2006;65:42-50.
2. Davis BC, Kris-Etherton PM. Achieving optimal essential fatty acid status in vegetarians: current knowledge and practical implications. *Am J Clin Nutr* 2003;78:640S-646S.
3. Rodriguez-Cruz M, Tovar AR, del Prado M, Torres N. [Molecular mechanisms of action and health benefits of polyunsaturated fatty acids]. *Rev Invest Clin* 2005;57:457-472.
4. Kotani S, Sakaguchi E, Warashina S et al. Dietary supplementation of arachidonic and docosahexaenoic acids improves cognitive dysfunction. *Neurosci Res* 2006;56:159-164.
5. Larque E, Krauss-Etschmann S, Campoy C et al. Docosahexaenoic acid supply in pregnancy affects placental expression of fatty acid transport proteins. *Am J Clin Nutr* 2006;84:853-861.
6. Clandinin MT, Chappell JE, Leong S et al. Intrauterine fatty acid accretion rates in human brain: implications for fatty acid requirements. *Early Hum Dev* 1980;4:121-129.
7. Scrimshaw NS. Malnutrition, brain development, learning, and behavior. *Nutr Res* 1998;18:351-379.
8. McNamara RK, Carlson SE. Role of omega-3 fatty acids in brain development and function: potential implications for the pathogenesis and prevention of psychopathology. *Prostaglandins Leukot Essent Fatty Acids* 2006;75:329-349.
9. Hibbeln JR, Ferguson TA, Blasbalg TL. Omega-3 fatty acid deficiencies in neurodevelopment, aggression and autonomic dysregulation: opportunities for intervention. *Int Rev Psychiatry* 2006;18:107-118.
10. Levant B, Radel JD, Carlson SE. Decreased brain docosahexaenoic acid during development alters dopamine-related behaviors in adult rats that are differentially affected by dietary remediation. *Behav Brain Res* 2004;152:49-57.
11. Nieminen LR, Makino KK, Mehta N et al. Relationship between omega-3 fatty acids and plasma neuroactive steroids in alcoholism, depression and controls. *Prostaglandins Leukot Essent Fatty Acids* 2006;75:309-314.
12. McNamara RK, Ostrander M, Abplanalp W et al. Modulation of phosphoinositide-protein kinase C signal transduction by omega-3 fatty acids: implications for the pathophysiology and treatment of recurrent neuropsychiatric illness. *Prostaglandins Leukot Essent Fatty Acids* 2006;75:237-257.
13. Mozaffarian D, Gottdiener JS, Siscovick DS. Intake of tuna or other broiled or baked fish versus fried fish and cardiac structure, function, and hemodynamics. *Am J Cardiol* 2006;97:216-222.
14. Wolyniak CJ, Brenna T, Murphy KJ, Sinclair AJ. Gas chromatography-chemical ionization-mass spectrometric fatty acid analysis of a commercial supercritical carbon dioxide lipid extract from New Zealand green-lipped mussel (*Perna canaliculus*). *Lipids* 2005;40:355-360.
15. Hasle H, Rose C. [Shark liver oil (alkoxyglycerol) and cancer treatment]. *Ugeskr Laeger* 1991;153:343-346.
16. Pugliese PT, Jordan K, Cederberg H, Brohult J. Some biological actions of alkylglycerols from shark liver oil. *J Altern Complement Med* 1998;4:87-99.
17. Valk EE, Hornstra G. Relationship between vitamin E requirement and polyunsaturated fatty acid intake in man: a review. *Int J Vitam Nutr Res* 2000;70:31-42.
18. Bays H. Clinical overview of Omacor: a concentrated formulation of omega-3 polyunsaturated fatty acids. *Am J Cardiol* 2006;98:71i-76i.
19. Kroes R, Schaefer EJ, Squire RA, Williams GM. A review of the safety of DHA45-oil. *Food Chem Toxicol* 2003;41:1433-1446.
20. US Department of Agriculture ARS. USDA Nutrient Database for Standard Reference, Release 18. Nutrient Data Laboratory Home Page. Accessed October 2006: <http://www.nal.usda.gov/fnic/foodcomp/>; 2005.
21. Lichtenstein AH, Appel LJ, Brands M et al. Diet and lifestyle recommendations revision 2006: a scientific statement from the American Heart Association Nutrition Committee. *Circulation* 2006;114:82-96.
22. Rodgers B. Feeding in infancy and later ability and attainment: a longitudinal study. *Dev Med Child Neurol* 1978;20:421-426.
23. Makrides M, Neumann MA, Gibson RA. Effect of maternal docosahexaenoic acid (DHA) supplementation on breast milk composition. *Eur J Clin Nutr* 1996;50:352-357.
24. Gibson RA, Neumann MA, Makrides M. Effect of increasing breast milk docosahexaenoic acid on plasma and erythrocyte phospholipid fatty acids and neural indices of exclusively breast fed infants. *Eur J Clin Nutr* 1997;51:578-584.
25. Lauritzen L, Jorgensen MH, Michaelsen KF. Dietary fish and the docosahexaenoic acid (DHA) content of human milk. *Adv Exp Med Biol* 2000;478:403-404.
26. Burns C, Halabi S, Clamon GH, et al. Phase I clinical study of fish oil fatty acid capsules for patients with cancer cachexia: cancer and leukemia group B study 9473. *Clin Cancer Res* 1999;5:3942-3947.
27. Burns CP, Halabi S, Clamon GH et al. Phase I clinical study of fish oil fatty acid capsules for patients with cancer cachexia: cancer and leukemia group B study 9473. *Clin Cancer Res* 1999;5:3942-3947.

Citations and Reference Literature: Omega-3 Fatty Acids

28. Jouven X, Charles MA, Desnos M, Ducimetiere P. Circulating nonesterified fatty acid level as a predictive risk factor for sudden death in the population. *Circulation* 2001;104:756-761.
29. Leaf A. Plasma nonesterified fatty acid concentration as a risk factor for sudden cardiac death: the Paris Prospective Study. *Circulation* 2001;104:744-745.
30. Christophe A, Robberecht E, De Baets F, Franckx H. Increase of long chain omega-3 fatty acids in the major serum lipid classes of patients with cystic fibrosis. *Ann Nutr Metab* 1992;36:304-312.
31. Albert CM, Campos H, Stampfer MJ et al. Blood levels of long-chain n-3 fatty acids and the risk of sudden death. *N Engl J Med* 2002;346:1113-1118.
32. Simon JA, Hodgkins ML, Browner WS et al. Serum fatty acids and the risk of coronary heart disease. *Am J Epidemiol* 1995;142:469-476.
33. Lemaitre RN, King IB, Mozaffarian D et al. n-3 Polyunsaturated fatty acids, fatal ischemic heart disease, and nonfatal myocardial infarction in older adults: the Cardiovascular Health Study. *Am J Clin Nutr* 2003;77:319-325.
34. Mozaffarian D, Rimm EB. Fish intake, contaminants, and human health: evaluating the risks and the benefits. *JAMA* 2006;296:1885-1899.
35. Lyketsos CG. Should pregnant women avoid eating fish? Lessons from the Seychelles. *Lancet* 2003;361:1667-1668.
36. Myers GJ, Davidson PW, Cox C et al. Prenatal methylmercury exposure from ocean fish consumption in the Seychelles child development study. *Lancet* 2003;361:1686-1692.
37. Clover C. *The End of the Line: How Over-Fishing is Changing the World and What We Eat*. London: Ebury Press; 2004.
38. Worm B, Barbier EB, Beaumont N et al. Impacts of biodiversity loss on ocean ecosystem services. *Science* 2006;314:787-790.
39. Salomon P, Kornbluth AA, Janowitz HD. Treatment of ulcerative colitis with fish oil n-3-omega-fatty acid: an open trial. *J Clin Gastroenterol* 1990;12:157-161.
40. Glaum M, Metzeltin E, Junker S et al. [Comparative effect of oral fat loads with saturated, omega-6 and omega-3 fatty acids before and after fish oil capsule therapy in healthy probands]. *Klin Wochenschr* 1990;68 Suppl 22:103-105.
41. Cobiac L, Clifton PM, Abbey M et al. Lipid, lipoprotein, and hemostatic effects of fish vs fish-oil n-3 fatty acids in mildly hyperlipidemic males. *Am J Clin Nutr* 1991;53:1210-1216.
43. Contacos C, Barter PJ, Sullivan DR. Effect of pravastatin and omega-3 fatty acids on plasma lipids and lipoproteins in patients with combined hyperlipidemia. *Arterioscler Thromb* 1993;13:1755-1762.
44. Dietary supplementation with n-3 polyunsaturated fatty acids and vitamin E after myocardial infarction: results of the GISSI-Prevenzione trial. Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto miocardico. *Lancet* 1999;354:447-455.
45. Deutch B, Jorgensen EB, Hansen JC. Menstrual discomfort in Danish women reduced by dietary supplements of omega-3 PUFA and B12 (fish oil or seal oil capsules). *Nutr Res* 2000;20:621-631.
46. Maresta A, Balducci M, Varani E et al. Prevention of postcoronary angioplasty restenosis by omega-3 fatty acids: main results of the Esapent for Prevention of Restenosis Italian Study (ESPRIT). *Am Heart J* 2002;143:E5.
47. Weksler BB. Omega 3 fatty acids have multiple antithrombotic effects. *World Rev Nutr Diet* 1994;76:47-50.
48. Knapp HR. Dietary fatty acids in human thrombosis and hemostasis. *Am J Clin Nutr* 1997;65:1687S-1698S.
49. Archer SL, Green D, Chamberlain M et al. Association of dietary fish and n-3 fatty acid intake with hemostatic factors in the Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Arterioscler Thromb Vasc Biol* 1998;18:1119-1123.
50. Kromann N, Green A. Epidemiological studies in the Upernavik district, Greenland: incidence of some chronic diseases 1950-1974. *Acta Med Scand* 1980;208:401-406.
51. Stacpoole PW, Alig J, Ammon L, Crockett SE. Dose-response effects of dietary marine oil on carbohydrate and lipid metabolism in normal subjects and patients with hypertriglyceridemia. *Metabolism* 1989;38:946-956.
52. Hansen J, Grimsgaard S, Nordoy A, Bona KH. Dietary supplementation with highly purified eicosapentaenoic acid and docosahexaenoic acid does not influence PAI-1 activity. *Thromb Res* 2000;98:123-132.
53. Tato F, Keller C, Wolfram G. Effects of fish oil concentrate on lipoproteins and apolipoproteins in familial combined hyperlipidemia. *Clin Invest* 1993;71:314-318.
54. Kuenzel U, Bertsch S. Clinical experiences with a standardized commercial fish oil product containing 33.5% omega-3 fatty acids: field trial with 3958 hyperlipemic patients in general practitioner practice. In: Chandra RK, ed. *Health Effects of Fish and Fish Oils*. St John's, New Foundland: ARTS Biomedical Publishers and Distributors; 1989:567-579.
55. Simopoulos AP. Omega-3 fatty acids in health and disease and in growth and development. *Am J Clin Nutr* 1991;54:438-463.
56. Harris WS. Dietary fish oil and blood lipids. *Curr Opin Lipidol* 1996;7:3-7.
57. Harris WS. n-3 Fatty acids and serum lipoproteins: human studies. *Am J Clin Nutr* 1997;65:1645S-1654S.

Citations and Reference Literature: Omega-3 Fatty Acids

58. Adler AJ, Holub BJ. Effect of garlic and fish-oil supplementation on serum lipid and lipoprotein concentrations in hypercholesterolemic men. *Am J Clin Nutr* 1997;65:445-450.
59. Sheehan JP, Wei IW, Ulchaker M, Tserng KY. Effect of high fiber intake in fish oil-treated patients with non-insulin-dependent diabetes mellitus. *Am J Clin Nutr* 1997;66:1183-1187.
60. Henderson WR Jr, Astley SJ, Ramsey BW. Liver function in patients with cystic fibrosis ingesting fish oil. *J Pediatr* 1994;125:504-505.
61. See citation 45.
62. Meterissian SH, Forse RA, Steele GD, Thomas P. Effect of membrane free fatty acid alterations on the adhesion of human colorectal carcinoma cells to liver macrophages and extracellular matrix proteins. *Cancer Lett* 1995;89:145-152.
63. Kinrys G. Hypomania associated with omega3 fatty acids. *Arch Gen Psychiatry* 2000;57:715-716.
64. Severus WE, Ahrens B, Stoll AL. Omega-3 fatty acids—the missing link? *Arch Gen Psychiatry* 1999;56:380-381.
65. Stoll AL, Severus WE, Freeman MP et al. Omega 3 fatty acids in bipolar disorder: a preliminary double-blind, placebo-controlled trial. *Arch Gen Psychiatry* 1999;56:407-412.
66. Stoll AL, Locke CA, Marangell LB, Severus WE. Omega-3 fatty acids and bipolar disorder: a review. *Prostaglandins Leukot Essent Fatty Acids* 1999;60:329-337.
67. Stoll AL, Damico KE, Daly BP et al. Methodological considerations in clinical studies of omega 3 fatty acids in major depression and bipolar disorder. *World Rev Nutr Diet* 2001;88:58-67.
68. Locke CA, Stoll AL. Omega-3 fatty acids in major depression. *World Rev Nutr Diet* 2001;89:173-185.
69. Hirashima F, Parow AM, Stoll AL et al. Omega-3 fatty acid treatment and T(2) whole brain relaxation times in bipolar disorder. *Am J Psychiatry* 2004;161:1922-1924.
70. Carlezon WA Jr, Mague SD, Parow AM et al. Antidepressant-like effects of uridine and omega-3 fatty acids are potentiated by combined treatment in rats. *Biol Psychiatry* 2005;57:343-350.
71. Luostarinen R, Wallin R, Wibell L, Saldeen T. Vitamin E supplementation counteracts the fish oil-induced increase of blood glucose in humans. *Nutr Res* 1995;15:953-968.
72. Dunstan DW, Mori TA, Puddey IB et al. The independent and combined effects of aerobic exercise and dietary fish intake on serum lipids and glycemic control in NIDDM: a randomized controlled study. *Diabetes Care* 1997;20:913-921.
73. Brouwer IA, Zock PL, Camm AJ et al. Effect of fish oil on ventricular tachyarrhythmia and death in patients with implantable cardioverter defibrillators: the Study on Omega-3 Fatty Acids and Ventricular Arrhythmia (SOFA) randomized trial. *JAMA* 2006;295:2613-2619.
74. Kottke TE, Wu LA, Brekke LN et al. Preventing sudden death with n-3 (omega-3) fatty acids and defibrillators. *Am J Prev Med* 2006;31:316-323.
75. Geelen A, Brouwer IA, Schouten EG et al. Effects of n-3 fatty acids from fish on premature ventricular complexes and heart rate in humans. *Am J Clin Nutr* 2005;81:416-420.
76. Meagher L, Beecher, GR. Assessment of data on the lignan content of foods. *J Food Composition Analysis* 2000;13:935-947.
77. Aizer A. Relationship between fish consumption and the development of atrial fibrillation in men. Abstract AB03-2. Heart Rhythm Society's 27th Annual Scientific Sessions. Boston; 2006.
78. Clarke JT, Cullen-Dean G, Regelink E et al. Increased incidence of epistaxis in adolescents with familial hypercholesterolemia treated with fish oil. *J Pediatr* 1990;116:139-141.
79. Dyerberg J, Bang HO. Haemostatic function and platelet polyunsaturated fatty acids in Eskimos. *Lancet* 1979;2:433-435.
80. Bang HO, Dyerberg J, Sinclair HM. The composition of the Eskimo food in north western Greenland. *Am J Clin Nutr* 1980;33:2657-2661.
81. Bang HO. Fish oil and ischemic heart disease. *Compr Ther* 1987;13:3-8.
82. Hooper L, Thompson RL, Harrison RA et al. Risks and benefits of omega 3 fats for mortality, cardiovascular disease, and cancer: systematic review. *BMJ* 2006;332:752-760.
83. Mitchell EA, Aman MG, Turbott SH, Manku M. Clinical characteristics and serum essential fatty acid levels in hyperactive children. *Clin Pediatr (Phila)* 1987;26:406-411.
84. Peet M, Laugharne J, Rangarajan N et al. Depleted red cell membrane essential fatty acids in drug-treated schizophrenic patients. *J Psychiatr Res* 1995;29:227-232.
85. Assies J, Lieveise R, Vreken P et al. Significantly reduced docosahexaenoic and docosapentaenoic acid concentrations in erythrocyte membranes from schizophrenic patients compared with a carefully matched control group. *Biol Psychiatry* 2001;49:510-522.
86. Arvindakshan M, Sitasawad S, Debsikdar V et al. Essential polyunsaturated fatty acid and lipid peroxide levels in never-medicated and medicated schizophrenia patients. *Biol Psychiatry* 2003;53:56-64.

Citations and Reference Literature: Omega-3 Fatty Acids

87. Bell JG, MacKinlay EE, Dick JR et al. Essential fatty acids and phospholipase A2 in autistic spectrum disorders. *Prostaglandins Leukot Essent Fatty Acids* 2004;71:201-204.
88. Moyad MA. An introduction to dietary/supplemental omega-3 fatty acids for general health and prevention: part I. *Urol Oncol* 2005;23:28-35.
89. Minami M, Kimura S, Endo T et al. Dietary docosahexaenoic acid increases cerebral acetylcholine levels and improves passive avoidance performance in stroke-prone spontaneously hypertensive rats. *Pharmacol Biochem Behav* 1997;58:1123-1129.
90. Nabekura J, Noguchi K, Witt MR et al. Functional modulation of human recombinant gamma-aminobutyric acid type A receptor by docosahexaenoic acid. *J Biol Chem* 1998;273:11056-11061.
91. Innis SM. Essential fatty acids in infant nutrition: lessons and limitations from animal studies in relation to studies on infant fatty acid requirements. *Am J Clin Nutr* 2000;71:238S-244S.
92. Young C, Gean PW, Chiou LC, Shen YZ. Docosahexaenoic acid inhibits synaptic transmission and epileptiform activity in the rat hippocampus. *Synapse* 2000;37:90-94.
93. Kitajka K, Puskas LG, Zvara A et al. The role of n-3 polyunsaturated fatty acids in brain: modulation of rat brain gene expression by dietary n-3 fatty acids. *Proc Natl Acad Sci U S A* 2002;99:2619-2624.
94. Beeharry N, Lowe JE, Hernandez AR et al. Linoleic acid and antioxidants protect against DNA damage and apoptosis induced by palmitic acid. *Mutat Res* 2003;530:27-33.
95. Kodas E, Galineau L, Bodard S et al. Serotonergic neurotransmission is affected by n-3 polyunsaturated fatty acids in the rat. *J Neurochem* 2004;89:695-702.
96. Walker CD. Nutritional aspects modulating brain development and the responses to stress in early neonatal life. *Prog Neuropsychopharmacol Biol Psychiatry* 2005;29:1249-1263.
97. Yokoyama M, Origasa H. Effects of eicosapentaenoic acid on cardiovascular events in Japanese patients with hypercholesterolemia: rationale, design, and baseline characteristics of the Japan EPA Lipid Intervention Study (JELIS). *Am Heart J* 2003;146:613-620.
98. Hooper L, Thompson R, Harrison R et al. Omega 3 fatty acids for prevention and treatment of cardiovascular disease. *Cochrane Database Syst Rev* 2004.
99. Burr M, Dunstan FD, George CH et al. Is fish oil good or bad for heart disease? Two trials with apparently conflicting results. *J Membr Biol* 2006;206:155-163.
100. Bucher HC, Hengstler P, Schindler C, Meier G. n-3 Polyunsaturated fatty acids in coronary heart disease: a meta-analysis of randomized controlled trials. *Am J Med* 2002;112:298-304.
101. Marchioli R, Barzi F, Bomba E et al. Early protection against sudden death by n-3 polyunsaturated fatty acids after myocardial infarction: time-course analysis of the results of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico (GISSI)-Prevenzione. *Circulation* 2002;105:1897-1903.
102. Studer M, Briel M, Leimenstoll B et al. Effect of different antilipidemic agents and diets on mortality: a systematic review. *Arch Intern Med* 2005;165:725-730.
103. Harris WS, Gonzales M, Laney N et al. Effects of omega-3 fatty acids on heart rate in cardiac transplant recipients. *Am J Cardiol* 2006;98:1393-1395.
104. Roy I, Meyer F, Gingras L, et al. A double blind randomized controlled study comparing the efficacy of fish oil and low dose ASA to prevent coronary saphenous vein graft obstruction after CABG. *Circulation* 1991;84.
105. Gapinski JP, VanRuiswyk JV, Heudebert GR, Schectman GS. Preventing restenosis with fish oils following coronary angioplasty: a meta-analysis. *Arch Intern Med* 1993;153:1595-1601.
106. Leaf A, Jorgensen MB, Jacobs AK et al. Do fish oils prevent restenosis after coronary angioplasty? *Circulation* 1994;90:2248-2257.
107. Cairns JA, Gill J, Morton B et al. Fish oils and low-molecular-weight heparin for the reduction of restenosis after percutaneous transluminal coronary angioplasty. The EMPAR Study. *Circulation* 1996;94:1553-1560.
108. Eritsland J, Arnesen H, Gronseth K et al. Effect of dietary supplementation with n-3 fatty acids on coronary artery bypass graft patency. *Am J Cardiol* 1996;77:31-36.
109. Johansen O, Brekke M, Seljeflot I et al. n-3 Fatty acids do not prevent restenosis after coronary angioplasty: results from the CART study. *Coronary Angioplasty Restenosis Trial*. *J Am Coll Cardiol* 1999;33:1619-1626.
110. Holguin F, Tellez-Rojo MM, Lazo M et al. Cardiac autonomic changes associated with fish oil vs soy oil supplementation in the elderly. *Chest* 2005;127:1102-1107.
111. Kobayashi N, Barnard RJ, Henning SM et al. Effect of altering dietary omega-6/omega-3 fatty acid ratios on prostate cancer membrane composition, cyclooxygenase-2, and prostaglandin E2. *Clin Cancer Res* 2006;12:4662-4670.
112. Gerber MJ, Scali JD, Michaud A et al. Profiles of a healthful diet and its relationship to biomarkers in a population sample from Mediterranean southern France. *J Am Diet Assoc* 2000;100:1164-1171.

Citations and Reference Literature: Omega-3 Fatty Acids

113. Grande JP, Walker HJ, Holub BJ et al. Suppressive effects of fish oil on mesangial cell proliferation in vitro and in vivo. *Kidney Int* 2000;57:1027-1040.
114. Grande JP, Donadio JV. Role of dietary fish oil supplementation in IgA nephropathy: mechanistic implications. *Minerva Urol Nefrol* 2001;53:201-209.
115. Donadio JV, Grande JP. The role of fish oil/omega-3 fatty acids in the treatment of IgA nephropathy. *Semin Nephrol* 2004;24:225-243.
116. Donadio JV Jr, Bergstralh EJ, Offord KP et al. A controlled trial of fish oil in IgA nephropathy. Mayo Nephrology Collaborative Group. *N Engl J Med* 1994;331:1194-1199.
117. Donadio JV Jr, Grande JP, Bergstralh EJ et al. The long-term outcome of patients with IgA nephropathy treated with fish oil in a controlled trial. Mayo Nephrology Collaborative Group. *J Am Soc Nephrol* 1999;10:1772-1777.
118. Yuen AW, Sander JW, Fluegel D et al. Omega-3 fatty acid supplementation in patients with chronic epilepsy: a randomized trial. *Epilepsy Behav* 2005;7:253-258.
119. Vezzani A, Moneta D, Richichi C et al. Functional role of inflammatory cytokines and antiinflammatory molecules in seizures and epileptogenesis. *Epilepsia* 2002;43 Suppl 5:30-35.
120. Naffah-Mazzacoratti MG, Bellissimo MI, Cavalheiro EA. Profile of prostaglandin levels in the rat hippocampus in pilocarpine model of epilepsy. *Neurochem Int* 1995;27:461-466.
121. Hulkkonen J, Koskikallio E, Rainesalo S et al. The balance of inhibitory and excitatory cytokines is differently regulated in vivo and in vitro among therapy resistant epilepsy patients. *Epilepsy Res* 2004;59:199-205.
122. Pischon T, Hankinson SE, Hotamisligil GS et al. Habitual dietary intake of n-3 and n-6 fatty acids in relation to inflammatory markers among US men and women. *Circulation* 2003;108:155-160.
123. Fraser DD, Hoehn K, Weiss S, MacVicar BA. Arachidonic acid inhibits sodium currents and synaptic transmission in cultured striatal neurons. *Neuron* 1993;11:633-644.
124. Obata T, Nagakura T, Masaki T et al. Eicosapentaenoic acid inhibits prostaglandin D2 generation by inhibiting cyclo-oxygenase-2 in cultured human mast cells. *Clin Exp Allergy* 1999;29:1129-1135.
125. Finnen MJ, Lovell CR. Purification and characterisation of phospholipase A2 from human epidermis. *Biochem Soc Trans* 1991;19:91S.
126. Bazinet RP, Weis MT, Rapoport SI, Rosenberger TA. Valproic acid selectively inhibits conversion of arachidonic acid to arachidonoyl-CoA by brain microsomal long-chain fatty acyl-CoA synthetases: relevance to bipolar disorder. *Psychopharmacology (Berlin)* 2006;184:122-129.
127. Bazinet RP, Rao JS, Chang L et al. Chronic carbamazepine decreases the incorporation rate and turnover of arachidonic acid but not docosahexaenoic acid in brain phospholipids of the unanesthetized rat: relevance to bipolar disorder. *Biol Psychiatry* 2006;59:401-407.
128. Schlanger S, Shinitzky M, Yam D. Diet enriched with omega-3 fatty acids alleviates convulsion symptoms in epilepsy patients. *Epilepsia* 2002;43:103-104.
129. Barber MD. Cancer cachexia and its treatment with fish-oil-enriched nutritional supplementation. *Nutrition* 2001;17:751-755.
130. Barber MD, Wigmore SJ, Ross JA et al. Proinflammatory cytokines, nutritional support, and the cachexia syndrome: interactions and therapeutic options. *Cancer* 1998;82:1000.
131. Tisdale MJ. Inhibition of lipolysis and muscle protein degradation by EPA in cancer cachexia. *Nutrition* 1996;12:S31-S33.
132. Barber MD, Ross JA, Preston T et al. Fish oil-enriched nutritional supplement attenuates progression of the acute-phase response in weight-losing patients with advanced pancreatic cancer. *J Nutr* 1999;129:1120-1125.
133. Tisdale MJ. Wasting in cancer. *J Nutr* 1999;129:243S-246S.
134. Wigmore SJ, Barber MD, Ross JA et al. Effect of oral eicosapentaenoic acid on weight loss in patients with pancreatic cancer. *Nutr Cancer* 2000;36:177-184.
135. Weiss LA, Barrett-Connor E, von Muhlen D. Ratio of n-6 to n-3 fatty acids and bone mineral density in older adults: the Rancho Bernardo Study. *Am J Clin Nutr* 2005;81:934-938.
136. Suzuki I, Iigo M, Ishikawa C et al. Inhibitory effects of oleic and docosahexaenoic acids on lung metastasis by colon-carcinoma-26 cells are associated with reduced matrix metalloproteinase-2 and -9 activities. *Int J Cancer* 1997;73:607-612.
137. Iigo M, Nakagawa T, Ishikawa C et al. Inhibitory effects of docosahexaenoic acid on colon carcinoma 26 metastasis to the lung. *Br J Cancer* 1997;75:650-655.
138. Das UN, Madhavi N, Sravan Kumar G et al. Can tumour cell drug resistance be reversed by essential fatty acids and their metabolites? *Prostaglandins Leukot Essent Fatty Acids* 1998;58:39-51.
139. Erkkila AT, Lichtenstein AH, Mozaffarian D, Herrington DM. Fish intake is associated with a reduced progression of coronary artery atherosclerosis in postmenopausal women with coronary artery disease. *Am J Clin Nutr* 2004;80:626-632.

Citations and Reference Literature: Omega-3 Fatty Acids

140. Romieu I, Tellez-Rojo MM, Lazo M et al. Omega-3 fatty acid prevents heart rate variability reductions associated with particulate matter. *Am J Respir Crit Care Med* 2005;172:1534-1540.
141. Radaelli A, Cazzaniga M, Viola A et al. Enhanced baroreceptor control of the cardiovascular system by polyunsaturated fatty acids in heart failure patients. *J Am Coll Cardiol* 2006;48:1600-1606.
142. Zhu ZR, Agren J, Mannisto S et al. Fatty acid composition of breast adipose tissue in breast cancer patients and in patients with benign breast disease. *Nutr Cancer* 1995;24:151-160.
143. Caygill CP, Hill MJ. Fish, n-3 fatty acids and human colorectal and breast cancer mortality. *Eur J Cancer Prev* 1995;4:329-332.
144. Pandalai PK, Pilat MJ, Yamazaki K et al. The effects of omega-3 and omega-6 fatty acids on in vitro prostate cancer growth. *Anticancer Res* 1996;16:815-820.
145. Rose DP, Connolly JM. Omega-3 fatty acids as cancer chemopreventive agents. *Pharmacol Ther* 1999;83:217-244.
146. Norrish AE, Skeaff CM, Arribas GL et al. Prostate cancer risk and consumption of fish oils: a dietary biomarker-based case-control study. *Br J Cancer* 1999;81:1238-1242.
147. De Deckere EA. Possible beneficial effect of fish and fish n-3 polyunsaturated fatty acids in breast and colorectal cancer. *Eur J Cancer Prev* 1999;8:213-221.
148. Klein V, Chajes V, Germain E et al. Low alpha-linolenic acid content of adipose breast tissue is associated with an increased risk of breast cancer. *Eur J Cancer* 2000;36:335-340.
149. Terry P, Lichtenstein P, Feychting M et al. Fatty fish consumption and risk of prostate cancer. *Lancet* 2001;357:1764-1766.
150. Mehrotra B, Ronquillo J. Dietary supplementation in hem/onc outpatients at a tertiary care hospital. American Society of Clinical Oncology 38th Annual Meeting. Orlando, Fla; 2002.
151. Augustsson K, Michaud DS, Rimm EB et al. A prospective study of intake of fish and marine fatty acids and prostate cancer. *Cancer Epidemiol Biomarkers Prev* 2003;12:64-67.
152. Heng D, Gao F, Jong R et al. Risk factors for breast cancer associated with mammographic features in Singaporean Chinese women. *Cancer Epidemiol Biomarkers Prev* 2004;13:1751-1758.
153. Engeset D, Alsaker E, Lund E et al. Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). *Int J Cancer* 2006;119:175-182.
154. Wolk A, Larsson SC, Johansson JE, Ekman P. Long-term fatty fish consumption and renal cell carcinoma incidence in women. *JAMA* 2006;296:1371-1376.
155. Brown MD, Hart CA, Gazi E et al. Promotion of prostatic metastatic migration towards human bone marrow stroma by omega 6 and its inhibition by omega 3 PUFAs. *Br J Cancer* 2006;94:842-853.
156. MacLean CH, Newberry SJ, Mojica WA et al. Effects of omega-3 fatty acids on cancer risk: a systematic review. *JAMA* 2006;295:403-415.
157. Kroenke CH, Fung TT, Hu FB, Holmes MD. Dietary patterns and survival after breast cancer diagnosis. *J Clin Oncol* 2005;23:9295-9303.
158. Barber MD, Ross JA, Voss AC et al. The effect of an oral nutritional supplement enriched with fish oil on weight-loss in patients with pancreatic cancer. *Br J Cancer* 1999;81:80-86.
159. Mantovani G, Maccio A, Madeddu C et al. A Phase II study with antioxidants, both in the diet and supplemented, pharmac nutritional support, progestagen, and anti-cyclooxygenase-2 showing efficacy and safety in patients with cancer-related anorexia/cachexia and oxidative stress. *Cancer Epidemiol Biomarkers Prev* 2006;15:1030-1034.
160. Sweny P, Wheeler DC, Lui SF et al. Dietary fish oil supplements preserve renal function in renal transplant recipients with chronic vascular rejection. *Nephrol Dial Transplant* 1989;4:1070-1075.
161. Ventura HO, Milani RV, Lavie CJ et al. Cyclosporine-induced hypertension: efficacy of omega-3 fatty acids in patients after cardiac transplantation. *Circulation* 1993;88:II281-II285.
162. Santos J, Queiros J, Silva F et al. Effects of fish oil in cyclosporine-treated renal transplant recipients. *Transplant Proc* 2000;32:2605-2608.
163. Homan van der Heide JJ, Bilo HJ, Donker AJ et al. Dietary supplementation with fish oil modifies renal reserve filtration capacity in postoperative, cyclosporin A-treated renal transplant recipients. *Transpl Int* 1990;3:171-175.
164. Berthouix FC, Guerin C, Burgard G et al. One-year randomized controlled trial with omega-3 fatty acid-fish oil in clinical renal transplantation. *Transplant Proc* 1992;24:2578-2582.
165. Badalamenti S, Salerno F, Lorenzano E et al. Renal effects of dietary supplementation with fish oil in cyclosporine-treated liver transplant recipients. *Hepatology* 1995;22:1695-1770.
166. Stoof TJ, Korstanje MJ, Bilo HJ et al. Does fish oil protect renal function in cyclosporin-treated psoriasis patients? *J Intern Med* 1989;226:437-441.

Citations and Reference Literature: Omega-3 Fatty Acids

167. Homan van der Heide JJ, Bilo HJ, Tegzess AM, Donker AJ. The effects of dietary supplementation with fish oil on renal function in cyclosporine-treated renal transplant recipients. *Transplantation* 1990;49:523-527.
168. Homan van der Heide JJ, Bilo HJ, Donker AJ et al. The effects of dietary supplementation with fish oil on renal function and the course of early postoperative rejection episodes in cyclosporine-treated renal transplant recipients. *Transplantation* 1992;54:257-263.
169. Bilo HJ, Homan van der Heide JJ, Gans RO, Donker AJ. Omega-3 polyunsaturated fatty acids in chronic renal insufficiency. *Nephron* 1991;57:385-393.
170. Brouwer RM, Wenting GJ, Pos B, et al. Fish oil ameliorates established cyclosporin A nephrotoxicity after heart transplantation. *Kidney Int* 1991;40:347-348.
171. Badalamenti S, Salerno F, Lorenzano E et al. Renal effects of dietary supplementation with fish oil in cyclosporine-treated liver transplant recipients. *Hepatology* 1995;22:1695-1671.
172. Bennett WM, Carpenter CB, Shapiro ME et al. Delayed omega-3 fatty acid supplements in renal transplantation: a double-blind, placebo-controlled study. *Transplantation* 1995;59:352-356.
173. Jevnikar AM, Petric R, Holub BJ et al. Effect of cyclosporine on plasma lipids and modification with dietary fish oil. *Transplantation* 1988;46:722-725.
174. Homan van der Heide JJ, Bilo HJ, Tegzess AM, et al. Omega-3 polyunsaturated fatty acids improve renal function in renal transplant recipients treated with cyclosporin-A. *Kidney Int* 1989;35:516A.
175. Andreassen AK, Hartmann A, Offstad J et al. Hypertension prophylaxis with omega-3 fatty acids in heart transplant recipients. *J Am Coll Cardiol* 1997;29:1324-1331.
176. Holm T, Andreassen AK, Aukrust P et al. Omega-3 fatty acids improve blood pressure control and preserve renal function in hypertensive heart transplant recipients. *Eur Heart J* 2001;22:428-436.
177. Holm T, Berge RK, Andreassen AK et al. Omega-3 fatty acids enhance tumor necrosis factor-alpha levels in heart transplant recipients. *Transplantation* 2001;72:706-711.
178. Hansen JM, Lokkegaard H, Hoy CE et al. No effect of dietary fish oil on renal hemodynamics, tubular function, and renal functional reserve in long-term renal transplant recipients. *J Am Soc Nephrol* 1995;5:1434-1440.
179. Kooijmans-Coutinho MF, Rischen-Vos J, Hermans J et al. Dietary fish oil in renal transplant recipients treated with cyclosporin-A: no beneficial effects shown. *J Am Soc Nephrol* 1996;7:513-518.
180. Danno K, Kaji A, Mochizuki T. Alterations in ICAM-1 and ELAM-1 expression in psoriatic lesions following various treatments. *J Dermatol Sci* 1996;13:49-55.
181. Danno K, Sugie N. Combination therapy with low-dose etretinate and eicosapentaenoic acid for psoriasis vulgaris. *J Dermatol* 1998;25:703-705.
182. Hirai A, Terano T, Hamazaki T et al. The effects of the oral administration of fish oil concentrate on the release and the metabolism of [¹⁴C]arachidonic acid and [¹⁴C]eicosapentaenoic acid by human platelets. *Thromb Res* 1982;28:285-298.
183. Hamazaki T, Hirai A, Terano T et al. Effects of orally administered ethyl ester of eicosapentaenoic acid (EPA; C20:5, omega-3) on PGI₂-like substance production by rat aorta. *Prostaglandins* 1982;23:557-567.
184. Lee TH, Hoover RL, Williams JD et al. Effect of dietary enrichment with eicosapentaenoic and docosahexaenoic acids on in vitro neutrophil and monocyte leukotriene generation and neutrophil function. *N Engl J Med* 1985;312:1217-1224.
185. Schmidt EB, Pedersen JO, Ekelund S et al. Cod liver oil inhibits neutrophil and monocyte chemotaxis in healthy males. *Atherosclerosis* 1989;77:53-57.
186. Wong SH, Fisher EA, Marsh JB. Effects of eicosapentaenoic and docosahexaenoic acids on apoprotein B mRNA and secretion of very low density lipoprotein in HepG2 cells. *Arteriosclerosis* 1989;9:836-841.
187. Endres S, Ghorbani R, Kelley VE et al. The effect of dietary supplementation with n-3 polyunsaturated fatty acids on the synthesis of interleukin-1 and tumor necrosis factor by mononuclear cells. *N Engl J Med* 1989;320:265-271.
188. Radack K, Deck C, Huster G. The comparative effects of n-3 and n-6 polyunsaturated fatty acids on plasma fibrinogen levels: a controlled clinical trial in hypertriglyceridemic subjects. *J Am Coll Nutr* 1990;9:352-357.
189. Marckmann P, Jespersen J, Leth T, Sandstrom B. Effect of fish diet versus meat diet on blood lipids, coagulation and fibrinolysis in healthy young men. *J Intern Med* 1991;229:317-323.
190. Harris WS, Muzio F. Fish oil reduces postprandial triglyceride concentrations without accelerating lipid-emulsion removal rates. *Am J Clin Nutr* 1993;58:68-74.
191. Terano T, Shiina T, Tamura Y. Eicosapentaenoic acid suppressed the proliferation of vascular smooth muscle cells through modulation of various steps of growth signals. *Lipids* 1996;31 Suppl:S301-S304.
192. Li Y, Ferrante A, Poulos A, Harvey DP. Neutrophil oxygen radical generation: synergistic responses to tumor necrosis factor and mono/polyunsaturated fatty acids. *J Clin Invest* 1996;97:1605-1609.

Citations and Reference Literature: Omega-3 Fatty Acids

193. Okuda Y, Kawashima K, Sawada T et al. Eicosapentaenoic acid enhances nitric oxide production by cultured human endothelial cells. *Biochem Biophys Res Commun* 1997;232:487-491.
194. Ricote M, Li AC, Willson TM et al. The peroxisome proliferator-activated receptor-gamma is a negative regulator of macrophage activation. *Nature* 1998;391:79-82.
195. Ando M, Sanaka T, Nihei H. Eicosapentaenoic acid reduces plasma levels of remnant lipoproteins and prevents in vivo peroxidation of LDL in dialysis patients. *J Am Soc Nephrol* 1999;10:2177-2184.
196. Murakami K, Ide T, Suzuki M et al. Evidence for direct binding of fatty acids and eicosanoids to human peroxisome proliferators-activated receptor alpha. *Biochem Biophys Res Commun* 1999;260:609-613.
197. Leaf A. The electrophysiologic basis for the antiarrhythmic and anticonvulsant effects of n-3 polyunsaturated fatty acids: heart and brain. *Lipids* 2001;36:107-110.
198. Illingworth DR, Connor WE, Harris WS. Hypolipidemic effects of dietary omega-3 fatty acids in humans. *Prog Clin Biol Res* 1988;255:243-253.
199. Harris WS, Zucker ML, Dujovne CA. Omega-3 fatty acids in hypertriglyceridemic patients: triglycerides vs methyl esters. *Am J Clin Nutr* 1988;48:992-997.
200. Harris WS. n-3 Fatty acids and lipoproteins: comparison of results from human and animal studies. *Lipids* 1996;31:243-252.
201. Nenseter MS, Osterud B, Larsen T et al. Effect of Norwegian fish powder on risk factors for coronary heart disease among hypercholesterolemic individuals. *Nutr Metab Cardiovasc Dis* 2000;10:323-330.
202. Durrington PN, Bhatnagar D, Mackness MI et al. An omega-3 polyunsaturated fatty acid concentrate administered for one year decreased triglycerides in simvastatin treated patients with coronary heart disease and persisting hypertriglyceridaemia. *Heart* 2001;85:544-548.
203. Yam D, Bott-Kanner G, Genin I et al. [The effect of omega-3 fatty acids on risk factors for cardiovascular diseases]. *Harefuah* 2001;140:1156-1158, 1230.
204. Davidson MH, Maki KC, Kalkowski J et al. Effects of docosahexaenoic acid on serum lipoproteins in patients with combined hyperlipidemia: a randomized, double-blind, placebo-controlled trial. *J Am Coll Nutr* 1997;16:236-243.
205. Leigh-Firbank EC, Minihane AM, Leake DS et al. Eicosapentaenoic acid and docosahexaenoic acid from fish oils: differential associations with lipid responses. *Br J Nutr* 2002;87:435-445.
206. Liu M, Wallmon A, Wallin R. Effects of stable fish oil and simvastatin on plasma lipoproteins in patients with hyperlipidemia. *Nutr Res* 2003;23:1027-1034.
207. Nakamura N, Hamazaki T, Ohta M et al. Joint effects of HMG-CoA reductase inhibitors and eicosapentaenoic acids on serum lipid profile and plasma fatty acid concentrations in patients with hyperlipidemia. *Int J Clin Lab Res* 1999;29:22-25.
208. Nordoy A, Bonaa KH, Sandset PM et al. Effect of omega-3 fatty acids and simvastatin on hemostatic risk factors and postprandial hyperlipemia in patients with combined hyperlipemia. *Arterioscler Thromb Vasc Biol* 2000;20:259-265.
209. Nordoy A, Hansen JB, Brox J, Svensson B. Effects of atorvastatin and omega-3 fatty acids on LDL subfractions and postprandial hyperlipemia in patients with combined hyperlipemia. *Nutr Metab Cardiovasc Dis* 2001;11:7-16.
210. Ullmann D, Connor WE, Illingworth DR et al. Additive effects of lovastatin and fish oil in familial hypercholesterolemia. *Arteriosclerosis* 1990;10:846a [abstract].
211. Balestrieri GP, Maffi V, Sleiman I et al. Fish oil supplementation in patients with heterozygous familial hypercholesterolemia. *Recenti Prog Med* 1996;87:102-105.
212. Salvi A, Di Stefano O, Sleiman I et al. Effects of fish oil on serum lipids and lipoprotein(a) levels in heterozygous familial hypercholesterolemia. *Curr Ther Res Clin Exp* 1993;53:717-721.
213. Montori VM, Farmer A, Wollan PC, Dinneen SF. Fish oil supplementation in type 2 diabetes: a quantitative systematic review. *Diabetes Care* 2000;23:1407-1415.
214. Kromhout D, Bosschiet EB, de Lezenne Coulander C. The inverse relation between fish consumption and 20-year mortality from coronary heart disease. *N Engl J Med* 1985;312:1205-1209.
215. Chan DC, Watts GF, Barrett PH et al. Regulatory effects of HMG CoA reductase inhibitor and fish oils on apolipoprotein B-100 kinetics in insulin-resistant obese male subjects with dyslipidemia. *Diabetes* 2002;51:2377-2386.
216. Chan DC, Watts GF, Barrett PH et al. Effect of atorvastatin and fish oil on plasma high-sensitivity C-reactive protein concentrations in individuals with visceral obesity. *Clin Chem* 2002;48:877-883.
217. Wander RC, Du SH, Ketchum SO, Rowe KE. Effects of interaction of RRR-alpha-tocopheryl acetate and fish oil on low-density-lipoprotein oxidation in postmenopausal women with and without hormone-replacement therapy. *Am J Clin Nutr* 1996;63:184-193.
218. Go AS, Lee WY, Yang J et al. Statin therapy and risks for death and hospitalization in chronic heart failure. *JAMA* 2006;296:2105-2111.

Citations and Reference Literature: Omega-3 Fatty Acids

219. Nemets B, Stahl Z, Belmaker RH. Addition of omega-3 fatty acid to maintenance medication treatment for recurrent unipolar depressive disorder. *Am J Psychiatry* 2002;159:477-479.
220. Reis LC, Hibbeln JR. Cultural symbolism of fish and the psychotropic properties of omega-3 fatty acids. *Prostaglandins Leukot Essent Fatty Acids* 2006;75:227-236.
221. Marangell LB, Martinez JM, Zboyan HA et al. A double-blind, placebo-controlled study of the omega-3 fatty acid docosahexaenoic acid in the treatment of major depression. *Am J Psychiatry* 2003;160:996-998.
222. Peet M, Horrobin DF. A dose-ranging study of the effects of ethyl-eicosapentaenoate in patients with ongoing depression despite apparently adequate treatment with standard drugs. *Arch Gen Psychiatry* 2002;59:913-919.
223. Su KP, Huang SY, Chiu CC, Shen WW. Omega-3 fatty acids in major depressive disorder: a preliminary double-blind, placebo-controlled trial. *Eur Neuropsychopharmacol* 2003;13:267-271.
224. Peet M. Eicosapentaenoic acid in the treatment of schizophrenia and depression: rationale and preliminary double-blind clinical trial results. *Prostaglandins Leukot Essent Fatty Acids* 2003;69:477-485.
225. Frangou S, Lewis M, McCrone P. Efficacy of ethyl-eicosapentaenoic acid in bipolar depression: randomised double-blind placebo-controlled study. *Br J Psychiatry* 2006;188:46-50.
226. Silvers KM, Woolley CC, Hamilton FC et al. Randomised double-blind placebo-controlled trial of fish oil in the treatment of depression. *Prostaglandins Leukot Essent Fatty Acids* 2005;72:211-218.
227. Barbosa DS, Cecchini R, El Kadri MZ et al. Decreased oxidative stress in patients with ulcerative colitis supplemented with fish oil omega-3 fatty acids. *Nutrition* 2003;19:837-842.
228. Belluzzi A. Polyunsaturated fatty acids (n-3 PUFAs) and inflammatory bowel disease (IBD): pathogenesis and treatment. *Eur Rev Med Pharmacol Sci* 2004;8:225-229.
229. Hawthorne AB, Daneshmend TK, Hawkey CJ et al. Treatment of ulcerative colitis with fish oil supplementation: a prospective 12 month randomised controlled trial. *Gut* 1992;33:922-928.
230. Stenson WF, Cort D, Rodgers J et al. Dietary supplementation with fish oil in ulcerative colitis. *Ann Intern Med* 1992;116:609-614.
231. Dichi I, Frenhane P, Dichi JB et al. Comparison of omega-3 fatty acids and sulfasalazine in ulcerative colitis. *Nutrition* 2000;16:87-90.
232. Voigt RG, Llorente AM, Jensen CL et al. A randomized, double-blind, placebo-controlled trial of docosahexaenoic acid supplementation in children with attention-deficit/hyperactivity disorder. *J Pediatr* 2001;139:189-196.
233. Singer P, Jaeger W, Wirth M et al. Lipid and blood pressure-lowering effect of mackerel diet in man. *Atherosclerosis* 1983;49:99-108.
234. Singer P, Melzer S, Goschel M, Augustin S. Fish oil amplifies the effect of propranolol in mild essential hypertension. *Hypertension* 1990;16:682-691.
235. Radack K, Deck C, Huster G. The effects of low doses of n-3 fatty acid supplementation on blood pressure in hypertensive subjects: a randomized controlled trial. *Arch Intern Med* 1991;151:1173-1180.
236. Lungershausen YK, Howe PR. Improved detection of a blood pressure response to dietary intervention with 24-hour ambulatory monitoring. *Am J Hypertens* 1994;7:1115-1117.
237. Whelton PK, Kumanyika SK, Cook NR et al. Efficacy of nonpharmacologic interventions in adults with high-normal blood pressure: results from phase 1 of the Trials of Hypertension Prevention. *Trials of Hypertension Prevention Collaborative Research Group. Am J Clin Nutr* 1997;65:652S-660S.
238. Mangoni AA, Sherwood RA, Swift CG, Jackson SH. Folic acid enhances endothelial function and reduces blood pressure in smokers: a randomized controlled trial. *J Intern Med* 2002;252:497-503.
239. Knapp HR, FitzGerald GA. The antihypertensive effects of fish oil: a controlled study of polyunsaturated fatty acid supplements in essential hypertension. *N Engl J Med* 1989;320:1037-1043.
240. Bona KH, Bjerve KS, Straume B et al. Effect of eicosapentaenoic and docosahexaenoic acids on blood pressure in hypertension: a population-based intervention trial from the Tromso study. *N Engl J Med* 1990;322:795-801.
241. Morris MC, Sacks F, Rosner B. Does fish oil lower blood pressure? A meta-analysis of controlled trials. *Circulation* 1993;88:523-533.
242. Morris MC, Taylor JO, Stampfer MJ et al. The effect of fish oil on blood pressure in mild hypertensive subjects: a randomized crossover trial. *Am J Clin Nutr* 1993;57:59-64.
243. Howe PR. Dietary fats and hypertension: focus on fish oil. *Ann NY Acad Sci* 1997;827:339-352.
244. Mori TA, Bao DQ, Burke V et al. Docosahexaenoic acid but not eicosapentaenoic acid lowers ambulatory blood pressure and heart rate in humans. *Hypertension* 1999;34:253-260.
245. Geleijnse JM, Giltay EJ, Grobbee DE et al. Blood pressure response to fish oil supplementation: metaregression analysis of randomized trials. *J Hypertens* 2002;20:1493-1499.

Citations and Reference Literature: Omega-3 Fatty Acids

246. Mori TA, Watts GF, Burke V et al. Differential effects of eicosapentaenoic acid and docosahexaenoic acid on vascular reactivity of the forearm microcirculation in hyperlipidemic, overweight men. *Circulation* 2000;102:1264-1269.
247. Peet M, Laugharne JD, Mellor J, Ramchand CN. Essential fatty acid deficiency in erythrocyte membranes from chronic schizophrenic patients, and the clinical effects of dietary supplementation. *Prostaglandins Leukot Essent Fatty Acids* 1996;55:71-75.
248. Peet M, Laugharne JD, Horrobin DF, Reynolds GP. Arachidonic acid: a common link in the biology of schizophrenia? *Arch Gen Psychiatry* 1994;51:665-666.
249. Mellor JE, Laugharne JD, Peet M. Schizophrenic symptoms and dietary intake of n-3 fatty acids. *Schizophr Res* 1995;18:85-86.
250. Laugharne JD, Mellor JE, Peet M. Fatty acids and schizophrenia. *Lipids* 1996;31 Suppl:S163-S165.
251. Joy CB, Mumby-Croft R, Joy LA. Polyunsaturated fatty acid (fish or evening primrose oil) for schizophrenia. *Cochrane Database Syst Rev* 2000:CD001257.
252. Horrobin DF, Jenkins K, Bennett CN, Christie WW. Eicosapentaenoic acid and arachidonic acid: collaboration and not antagonism is the key to biological understanding. *Prostaglandins Leukot Essent Fatty Acids* 2002;66:83-90.
253. Horrobin DF, Glen AI, Vaddadi K. The membrane hypothesis of schizophrenia. *Schizophr Res* 1994;13:195-207.
254. Horrobin DF. omega-3 Fatty acid for schizophrenia. *Am J Psychiatry* 2003;160:188-189; author reply 189.
255. Horrobin DF. Schizophrenia as a prostaglandin deficiency disease. *Lancet* 1977;1:936-937.
256. Fenton WS, Dickerson F, Boronow J et al. A placebo-controlled trial of omega-3 fatty acid (ethyl eicosapentaenoic acid) supplementation for residual symptoms and cognitive impairment in schizophrenia. *Am J Psychiatry* 2001;158:2071-2074.
257. Peet M, Mellor J. Double-blind placebo controlled trial of n-3 polyunsaturated fatty acids as an adjunct to neuroleptics. *Schizophrenia Res* 1998;29:160-161 (abstract).
258. Mellor JE, Laugharne JDE, Peet M. Omega-3 fatty acid supplementation in schizophrenic patients. *Hum Psychopharmacol* 1996;11:39-46.
259. Van Dam M, Stalenhoef AFH, Wittekoek J et al. Efficacy of concentrated n-3 fatty acids in hypertriglyceridaemia: a comparison with gemfibrozil. *Clin Drug Invest* 2001;21:175-181.
260. Rader DJ. Effects of nonstatin lipid drug therapy on high-density lipoprotein metabolism. *Am J Cardiol* 2003;91:18E-23E.
261. Miller M. Current perspectives on the management of hypertriglyceridemia. *Am Heart J* 2000;140:232-240.
262. Al-Harbi MM, Islam MW, al-Shabanah OA, al-Gharably NM. Effect of acute administration of fish oil (omega-3 marine triglyceride) on gastric ulceration and secretion induced by various ulcerogenic and necrotizing agents in rats. *Food Chem Toxicol* 1995;33:553-558.
263. Schectman G, Kaul S, Kissebah AH. Effect of fish oil concentrate on lipoprotein composition in NIDDM. *Diabetes* 1988;37:1567-1573.
264. Stacpoole PW, Alig J, Ammon L, Crockett SE. Dose-response effects of dietary fish oil on carbohydrate and lipid metabolism in hypertriglyceridemia. *Diabetes* 1988;37:12A (abstract).
265. Friedberg CE, Janssen MJ, Heine RJ, Grobbee DE. Fish oil and glycemic control in diabetes: a meta-analysis. *Diabetes Care* 1998;21:494-500.
266. Toft I, Bonaa KH, Ingebrechtsen OC et al. Effects of n-3 polyunsaturated fatty acids on glucose homeostasis and blood pressure in essential hypertension: a randomized, controlled trial. *Ann Intern Med* 1995;123:911-918.
267. Eichner ER. Platelets, carotids, and coronaries: critique on antithrombotic role of antiplatelet agents, exercise, and certain diets. *Am J Med* 1984;77:513-523.
268. Vanschoonbeek K, Feijge MA, Paquay M et al. Variable hypocoagulant effect of fish oil intake in humans: modulation of fibrinogen level and thrombin generation. *Arterioscler Thromb Vasc Biol* 2004;24:1734-1740.
269. Connor WE. Importance of n-3 fatty acids in health and disease. *Am J Clin Nutr* 2000;71:171S-175S.
270. Chamberlain JG. Omega-3 fatty acids and bleeding problems. *Am J Clin Nutr* 1992;55:760-761.
271. Chan JK, McDonald BE, Gerrard JM et al. Effect of dietary alpha-linolenic acid and its ratio to linoleic acid on platelet and plasma fatty acids and thrombogenesis. *Lipids* 1993;28:811-817.
272. Iacoviello L, Amore C, De Curtis A et al. Modulation of fibrinolytic response to venous occlusion in humans by a combination of low-dose aspirin and n-3 polyunsaturated fatty acids. *Arterioscler Thromb* 1992;12:1191-1197.
273. Belluzzi A, Brignola C, Campieri M et al. Effect of an enteric-coated fish-oil preparation on relapses in Crohn's disease. *N Engl J Med* 1996;334:1557-1560.
274. Lorenz-Meyer H, Bauer P, Nicolay C et al. Omega-3 fatty acids and low carbohydrate diet for maintenance of remission in Crohn's disease: a randomized controlled multicenter trial. Study Group Members (German Crohn's Disease Study Group). *Scand J Gastroenterol* 1996;31:778-785.
275. Guslandi M. Unconventional treatments for inflammatory bowel disease. *Curr Ther Res* 1998;59:530-536.

Citations and Reference Literature: Omega-3 Fatty Acids

276. Romano C, Cucchiara S, Barabino A et al. Usefulness of omega-3 fatty acid supplementation in addition to mesalazine in maintaining remission in pediatric Crohn's disease: a double-blind, randomized, placebo-controlled study. *World J Gastroenterol* 2005;11:7118-7121.
277. Pichard C, Sudre P, Karsegard V et al. A randomized double-blind controlled study of 6 months of oral nutritional supplementation with arginine and omega-3 fatty acids in HIV-infected patients. *Swiss HIV Cohort Study. AIDS* 1998;12:53-63.
278. Krajcovicova-Kudlackova M, Klvanova J, Dusinska M. Polyunsaturated fatty acid plasma content in groups of general population with low vitamin B6 or low iron serum levels. *Ann Nutr Metab* 2004;48:118-121.
279. Weber P, Bendich A, Machlin LJ. Vitamin E and human health: rationale for determining recommended intake levels. *Nutrition* 1997;13:450-460.

Reference Literature

- [No authors listed.] Department of Health. Report on health and social subjects, no 46: nutritional aspects of cardiovascular disease: report of the Cardiovascular Review Group Committee on Medical Aspects of Food Policy. London: HMSO; 1994.
- [No authors listed.] Dietary supplementation with n-3 polyunsaturated fatty acids and vitamin E after myocardial infarction: results of the GISSI-Prevenzione trial: Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto miocardico. *Lancet* 1999;354(9177): 447-455.
- [No authors listed.] Fatty fish consumption and ischemic heart disease mortality in older adults: the cardiovascular heart study: presented at the American Heart Association's 41st Annual Conference on Cardiovascular Disease Epidemiology and Prevention. Dallas: AHA; 2001.
- [No authors listed.] Food and Drug Administration final rule. substances affirmed as generally recognized as safe: Menhaden oil. *Fed Reg* 1997;62:30750-30757.
- [No authors listed.] Health effects of omega-3 fatty acids on asthma. *Evid Rep Technol Assess (Summ)* 2004;(91):1-7.
- [No authors listed.] International Society for the Study of Fatty Acids and Lipids. Available at <http://www.issfal.org.uk>. Accessed December 12, 2000.
- Adam O, Beringer C, Kless T, et al. Anti-inflammatory effects of a low arachidonic acid diet and fish oil in patients with rheumatoid arthritis. *Rheumatol Int* 2003;23:27-36.
- Adler AJ, Holub BJ. Effect of garlic and fish-oil supplementation on serum lipid and lipoprotein concentrations in hypercholesterolemic men. *Am J Clin Nutr* 1997;65:445-450.
- Agren JJ, Hanninen O, Julkunen A, et al. Fish diet, fish oil and docosahexaenoic acid rich oil lower fasting and postprandial plasma lipid levels. *Eur J Clin Nutr* 1996;50:765-771.
- Ahmed AA, Celi B, Ronald K, et al. The phospholipid and fatty acid compositions of seal platelets: a comparison with human platelets. *Comp Biochem Physiol B* 1989;93(1):119-123.
- Aizer A. Relationship between fish consumption and the development of atrial fibrillation in men. *Heart Rhythm Society's 27th Annual Scientific Sessions. Abstract AB03-2*. Boston, MA, May 18, 2006.
- Ajiro K, Sawamura M, Ikeda K, et al. Beneficial effects of fish oil on glucose metabolism in spontaneously hypertensive rats. *Clin Exp Pharmacol Physiol* 2000;27:412-415.
- Albert CM, Campos H, Stampfer MJ, et al. Blood levels of long-chain n-3 fatty acids and the risk of sudden death. *N Engl J Med* 2002;346(15):1113-1118.
- Albert CM, Hennekens CH, O'Donnell CJ, et al. Fish consumption and risk of sudden cardiac death. *JAMA* 1998;279(1):23-28.
- Alexander JW. Immunonutrition: the role of omega-3 fatty acids. *Nutrition* 1998;14:627-633.
- Alexopoulos E, Stangou M, Pantzaki A, et al. Treatment of severe IgA nephropathy with omega-3 fatty acids: the effect of a "very low dose" regimen. *Ren Fail* 2004;26(4):453-459.
- Almallah YZ, El-Tahir A, Heys SD, et al. Distal procto-colitis and n-3 polyunsaturated fatty acids: the mechanism(s) of natural cytotoxicity inhibition. *Eur J Clin Invest* 2000;30:58-65.
- Allman MA, Pena NM, Pang D. Supplementation with flaxseed oil versus sunflower oil in healthy young men consuming a low fat diet: effects on platelet composition and function. *Eur J Clin Nutr* 1995;49:169-178.
- Ando H, Ryu A, Hashimoto A, et al. Linoleic acid and alpha-linolenic acid lightens ultraviolet-induced hyperpigmentation of the skin. *Arch Dermatol Res* 1998;290(7):375-381.
- Ando M, Sanaka T, Nihei H. Eicosapentanoic acid reduces plasma levels of remnant lipoproteins and prevents in vivo peroxidation of LDL in dialysis patients. *J Am Soc Nephrol* 1999;10:2177-2184.
- Andreassen AK, Hartmann A, Offstad J, et al. Hypertension prophylaxis with omega-3 fatty acids in heart transplant recipients. *J Am Coll Cardiol* 1997;29:1324-1331.

Citations and Reference Literature: Omega-3 Fatty Acids

- Angerer P, Stork S, Kothny W, et al. Effect of marine omega-3 fatty acids on peripheral atherosclerosis in patients with coronary artery disease: a randomised 2 year intervention trial. *Eur Heart J* 2001;22(Suppl):162. (Abstract)
- Angerer P, von Schacky C. n-3 Polyunsaturated fatty acids and the cardiovascular system. *Curr Opin Lipidol* 2000;11(1):57-63.
- Antalis CJ, Stevens LJ, Campbell M, et al. Omega-3 fatty acid status in attention-deficit/hyperactivity disorder. *Prostaglandins Leukot Essent Fatty Acids* 2006;75(4-5):299-308.
- Anti M, Armelau F, Marra G, et al. Effects of different doses of fish oil on rectal cell proliferation in patients with sporadic colonic adenomas. *Gastroenterology* 1994;107(6):1892-1894.
- Appel LJ. Effects of omega-3 fatty acids on cardiovascular health. *Am Fam Physician* 2004;70(1):34-35.
- Appel LJ. Nonpharmacologic therapies that reduce blood pressure: a fresh perspective. *Clin Cardiol* 1999;22(Suppl III):III1-III5.
- Appel LJ, Miller ER III, Seidler AJ, et al. Does supplementation of diet with 'fish oil' reduce blood pressure? A meta-analysis of controlled clinical trials. *Arch Intern Med* 1993;153(12):1429-1438.
42. Appel LJ, Miller ER III, Seidler AJ, et al. Does supplementation of diet with 'fish oil' reduce blood pressure? A meta-analysis of controlled clinical trials. *Arch Intern Med* 1993;153(12):1429-1438.
- Appleton KM, Hayward RC, Gunnell D, et al. Effects of n-3 long-chain polyunsaturated fatty acids on depressed mood: systematic review of published trials. *Am J Clin Nutr* 2006;84(6):1308-1316. (Review)
- Archer SL, Green D, Chamberlain M, et al. Association of dietary fish and n-3 fatty acid intake with hemostatic factors in the coronary artery risk development in young adults (CARDIA) study. *Arterioscler Thromb Vasc Biol* 1998;18(7):1119-1123.
- Arjmandi BH, Khan DA, Juma S, et al. Whole flaxseed consumption lowers serum LDL-cholesterol and lipoprotein (a) concentrations in postmenopausal women. *Nutr Res* 1998;18(7):1203-1214.
- Arm J. The effects of dietary supplementation with fish oil on asthmatic responses to antigen. *J Allergy Clin Immunol* 1988;81:183.
- Arm JP, Horton CE, Mencia-Huerta JM, et al. Effect of dietary supplementation with fish oil lipids on mild asthma. *Thorax* 1988;43(2):84-92.
- Arm JP, Horton CE, Spur BW, et al. The effects of dietary supplementation with fish oil lipids on the airways response to inhaled allergen in bronchial asthma. *Am Rev Respir Dis* 1989;139(6):1395-1400.
- Arm JP, Thien FC, Lee TH. Leukotrienes, fish-oil, and asthma. *Allergy Proc* 1994;15:129-134.
- Arnold LE, Kleykamp D, Votolato N, et al. Potential link between dietary intake of fatty acid and behavior: pilot exploration of serum lipids in attention-deficit hyperactivity disorder. *J Child Adolesc Psychopharmacol* 1994;4(3):171-182.
- Aronson WJ, Glaspy JA, Reddy ST, et al. Modulation of omega-3/omega-6 polyunsaturated ratios with dietary fish oils in men with prostate cancer. *Urology* 2001;58(2):283-288.
- Ascherio A, Rimm EB, Giovannucci EL, et al. Dietary fat and risk of coronary heart disease in men: cohort follow up study in the United States. *BMJ* 1996;313(7049):84-90.
- Ascherio A, Rimm EB, Stampfer MJ, et al. Dietary intake of marine n-3 fatty acids, fish intake, and the risk of coronary disease among men. *N Engl J Med* 1995;332:977-982.
- Aslan A, Triadafilopoulos G. Fish oil fatty acid supplementation in active ulcerative colitis: a double-blind, placebo-controlled, crossover study. *Am J Gastroenterol* 1992;87(4):432-437.
- Assies J, Lievever R, Vreken P et al. Significantly reduced docosahexaenoic and docosapentaenoic acid concentrations in erythrocyte membranes from schizophrenic patients compared with a carefully matched control group. *Biol Psychiatry* 2001;49:510-522.
- Aucamp AK, Schoeman HS, Coetzee JH. Pilot trial to determine the efficacy of a low dose of fish oil in the treatment of angina pectoris in the geriatric patient. *Prostaglandins Leukot Essent Fatty Acids* 1993;49(3):687-689.
- Augustsson K, Michaud DS, Rimm EB, et al. A prospective study of intake of fish and marine fatty acids and prostate cancer. *Cancer Epidemiol Biomarkers Prev* 2003;12(1):64-67.
- Aukema HM, Holub BJ. Effect of dietary supplementation with a fish oil concentrate on the alkenylacyl class of ethanolamine phospholipid in human platelets. *J Lipid Res* 1989;30(1):59-64.
- Aukema HM, Ogborn MR, Tomobe K, et al. Effects of dietary protein restriction and oil type on the early progression of murine polycystic kidney disease. *Kidney Int* 1992;42(4):837-842.
- Aukema HM, Yamaguchi T, Tomobe K, et al. Diet and disease alter phosphoinositide composition and metabolism in murine polycystic kidneys. *J Nutr* 1995;125(5):1183-1191.
- Baigent C, Keech A, Kearney PM, et al. Efficacy and safety of cholesterol-lowering treatment: prospective meta-analysis of data from 90,056 participants in 14 randomised trials of statins. *Lancet* 2005;366(9493):1267-1278.
- Bakker DJ, Haberstroh BN, Philbrick DJ, et al. Triglyceride lowering in nephrotic syndrome patients consuming a fish oil concentrate. *Nutr Res* 1989;9:27-34.

Citations and Reference Literature: Omega-3 Fatty Acids

- Balestrieri GP, Maffi V, Sleiman I, et al. Fish oil supplementation in patients with heterozygous familial hypercholesterolemia. *Recent Prog Med* 1996;87(3):102-105.
- Balk E, Chung M, Lichtenstein A, et al. Effects of omega-3 fatty acids on cardiovascular risk factors and intermediate markers of cardiovascular disease. *Evid Rep Technol Assess (Summ)* 2004;(93):1-6. (Review)
- Balk EM, Lichtenstein AH, Chung M, et al. Effects of omega-3 fatty acids on coronary restenosis, intima-media thickness, and exercise tolerance: a systematic review. *Atherosclerosis* 2006;184(2):237-246. (Review)
- Balk EM, Lichtenstein AH, Chung M, et al. Effects of omega-3 fatty acids on serum markers of cardiovascular disease risk: a systematic review. *Atherosclerosis* 2006;189(1):19-30. (Review)
- Bang HO, Dyerberg J, Sinclair HM. The composition of the Eskimo food in north western Greenland. *Am J Clin Nutr* 1980;33:2657-2661.
- Barber MD. Cancer cachexia and its treatment with fish-oil-enriched nutritional supplementation. *Nutrition* 2001;17:751-755.
- Barber MD, Ross JA, Voss AC, et al. The effect of an oral nutritional supplement enriched with fish oil on weight-loss in patients with pancreatic cancer. *Br J Cancer* 1999;81(1):80-86.
- Barberger-Gateau P, Letenneur L, Deschamps V, et al. Fish, meat, and risk of dementia: cohort study. *BMJ* 2002;325(7370):932-933.
- Barham JB, Edens MB, Fonteh AN, et al. Addition of eicosapentaenoic acid to gamma-linolenic acid-supplemented diets prevents serum arachidonic acid accumulation in humans. *J Nutr* 2000;130(8):1925-1931.
- Bassey EJ, Littlewood JJ, Rothwell MC, et al. Lack of effect of supplementation with essential fatty acids on bone mineral density in healthy pre- and postmenopausal women: two randomized controlled trials of Efascal v. calcium alone. *Br J Nutr* 2000;83(6):629-635.
- Bates D. Dietary lipids and multiple sclerosis. *Ups J Med Sci Suppl* 1990;48:173-187.
- Baumgaertel A. Alternative and controversial treatments for attention-deficit/hyperactivity disorder. *Pediatr Clin North Am* 1999;46(5):977-992.
- Bazin RP, Rao JS, Chang L, et al. Chronic valproate does not alter the kinetics of docosahexaenoic acid within brain phospholipids of the unanesthetized rat. *Psychopharmacology (Berl)* 2005;182(1):180-185.
- Beckles WI, Elliott TM, Everard ML. Omega-3 fatty acids (from fish oils) for cystic fibrosis. *Cochrane Database Syst Rev* 2002;(3):CD002201.
- Behan PO, Behan WM, Horrobin D. Effect of high doses of essential fatty acids on the postviral fatigue syndrome. *Acta Neurol Scand* 1990;82:209-216.
- Belluzzi A. N-3 fatty acids for the treatment of inflammatory bowel diseases. *Proc Nutr Soc* 2002;61(3):391-395. (Review)
- Belluzzi A. Lipid treatment in inflammatory bowel disease. *Nestle Nutr Workshop Ser Clin Perform Programme* 1999;2:199-215. (Review)
- Belluzzi A, Boschi S, Brignola C, et al. Polyunsaturated fatty acids and inflammatory bowel disease. *Am J Clin Nutr* 2000;71(Suppl):339S-342S.
- Belluzzi A, Brignola C, Boschi S, et al. A novel enteric coated preparation of omega-3 fatty acids in a group of steroid-dependent ulcerative colitis: an open study. *Gastroenterology* 1997;112(Suppl):A930. (Abstract)
- Belluzzi A, Brignola C, Campieri M, et al. Effects of new fish oil derivative on fatty acid phospholipid-membrane pattern in a group of Crohn's disease patients. *Dig Dis Sci* 1994;39(12):2589-2594.
- Belluzzi A, Campieri M, Brignola C, et al. Polyunsaturated fatty acid pattern and fish oil treatment in inflammatory bowel disease. *Gut* 1993;34(9):1289-1290.
- Bemelmans WJ, Broer J, Feskens EJ, et al. Effect of an increased intake of alpha-linolenic acid and group nutritional education on cardiovascular risk factors: the Mediterranean Alpha-linolenic Enriched Groningen Dietary Intervention (MARGARIN) study. *Am J Clin Nutr* 2002;75(2):221-227.
- Berbert AA, Kondo CR, Almendra CL et al. Supplementation of fish oil and olive oil in patients with rheumatoid arthritis. *Nutrition* 2005;21(2):131-136.
- Berson EL, Rosner B, Sandberg MA, et al. Clinical trial of docosahexaenoic acid in patients with retinitis pigmentosa receiving vitamin A treatment. *Arch Ophthalmol* 2004;122(9):1297-1305.
- Berson EL, Rosner B, Sandberg MA, et al. Further evaluation of docosahexaenoic acid in patients with retinitis pigmentosa receiving vitamin A treatment. *Arch Ophthalmol* 2004;122(9):1306-1314.
- Berthold HK, Unverdorben S, Ralf Degenhardt R, et al. Effect of policosanol on lipid levels among patients with hypercholesterolemia or combined hyperlipidemia: a randomized controlled trial. *JAMA* 2006;295:2262-2269.
- Billman GE, Hallaq H, Leaf A. Prevention of ischemia-induced ventricular fibrillation by omega 3 fatty acids. *Proc Natl Acad Sci U S A* 1994;91:4427-4430.
- Birch DG, Birch EE, Hoffman DR, et al. Retinal development in very-low-birth-weight infants fed diets differing in omega-3 fatty acids. *Invest Ophthalmol Vis Sci* 1992;33(8):2365-2376.

Citations and Reference Literature: Omega-3 Fatty Acids

- Birch EE, Birch DG, Hoffman DR, et al. Dietary essential fatty acid supply and visual acuity development. *Invest Ophthalmol Vis Sci* 1992;33(11):3242-3253.
- Bittiner SB, Cartwright I, Tucker WFG, et al. A double-blind, randomised, placebo-controlled trial of fish oil in psoriasis. *Lancet* 1988;1:378-380.
- Bittiner SB, Tucker WF, Bleehen S. Fish oil in psoriasis: a double-blind randomized placebo-controlled trial. *Br J Dermatol* 1987;117:25-26.
- Bittiner SB, Tucker WF, Cartwright I, et al. A double-blind, randomised, placebo-controlled trial of fish oil in psoriasis. *Lancet* 1988;1(8582):378-380.
- Bjorneboe A, Smith AK, Bjorneboe GE, et al. Effect of dietary supplementation with n-3 fatty acids on clinical manifestations of psoriasis. *Br J Dermatol* 1988;118(1):77-83.
- Bjorneboe A, Soyland E, Bjorneboe GE, et al. Effect of dietary supplementation with eicosapentaenoic acid in the treatment of atopic dermatitis. *Br J Dermatol* 1987;117(4):463-469.
- Bjorneboe A, Soyland E, Bjorneboe GE, et al. Effect of n-3 fatty acid supplement to patients with atopic dermatitis. *J Intern Med Suppl* 1989;225(731):233-236.
- Bloedon LT, Szapary PO. Flaxseed and cardiovascular risk. *Nutr Rev* 2004;62(1):18-27.
- Blommers J, De Lange-De Klerk ES, Kuik DJ, et al. Evening primrose oil and fish oil for severe chronic mastalgia: a randomized, double-blind, controlled trial. *Am J Obstet Gynecol* 2002;187:1389-1394.
- Blumenthal M, ed. The complete German Commission E monographs: therapeutic guide to herbal medicines. Boston: Integrative Medicine Communications; 1998:47, 132.
- Boelsma E, Hendriks HF, Roza L. Nutritional skin care: health effects of micronutrients and fatty acids. *Am J Clin Nutr* 2001;73(5):853-864.
- Bonaa KH, Bjerve KS, Nordoy A. Docosahexaenoic and eicosapentaenoic acids in plasma phospholipids are divergently associated with high density lipoprotein in humans. *Arterioscler Thromb* 1992;12(6):675-681.
- Bougnoux P. n-3 Polyunsaturated fatty acids and cancer. *Curr Opin Clin Nutr Metab Care* 1999;2:121-126.
- Bradbury J, Myers SP, Oliver C, et al. An adaptogenic role for omega-3 fatty acids in stress; a randomised placebo controlled double blind intervention study (pilot) ISRCTN22569553. *Nutr J* 2004;3:20.
- Braden LM, Carroll KK. Dietary polyunsaturated fat in relation to mammary carcinogenesis in rats. *Lipids* 1986;21(4):285.
- Brenna JT. Efficiency of conversion of alpha-linolenic acid to long chain n-3 fatty acids in man. *Curr Opin Clin Nutr Metab Care* 2002;5(2):127-132.
- British Nutrition Foundation. Unsaturated fatty acids: nutritional and physiological significance: task force report. London: HMSO; 1992.
- Broadhurst CL, Cunnane SC, Crawford MA. Rift Valley lake fish and shellfish provided brain-specific nutrition for early Homo. *Br J Nutr* 1998;79(1):3-21.
- Brooks JD, Ward WE, Lewis JE, et al. Supplementation with flaxseed alters estrogen metabolism in postmenopausal women to a greater extent than does supplementation with an equal amount of soy. *Am J Clin Nutr* 2004;79(2):318-325.
- Broughton KS, Johnson CS, Pace BK et al. Reduced asthma symptoms with n-3 fatty acid ingestion are related to 5-series leukotriene production. *Am J Clin Nutr* 1997;65:1011-1017.
- Brown DJ, Dattner AM. Phytotherapeutic approaches to common dermatologic conditions. *Arch Dermatol* 1998;134:1401-1404.
- Browne JC, Scott KM, Silvers KM. Fish consumption in pregnancy and omega-3 status after birth are not associated with postnatal depression. *J Affect Disord* 2005;90(2-3):131-139.
- Bruera E, Strasser F, Palmer JL, et al. Effect of fish oil on appetite and other symptoms in patients with advanced cancer and anorexia/cachexia: a double-blind, placebo-controlled study. *J Clin Oncol* 2003;21(1):129-134.
- Bruinsma KA, Taren DL. Dieting, essential fatty acid intake, and depression. *Nutrition Rev* 2000;58(4):98-108.
- Buck AC, Jenkins A, Lingam K, et al. The treatment of idiopathic recurrent urolithiasis with fish oil (EPA) and evening primrose oil (GLA): a double blind study. *J Urol* 1993;149:253A.
- Buckley MS, Goff AD, Knapp WE, et al. Fish oil interaction with warfarin. *Ann Pharmacother* 2004;38(1):50-52.
- Bulstra-Ramakers MT, Huisjes HJ, Visser GH. The effects of 3g eicosapentaenoic acid daily on recurrence of intrauterine growth retardation and pregnancy induced hypertension. *Br J Obstet Gynaecol* 1994;102:123-126.
- Burdge GC, Calder PC. Conversion of alpha-linolenic acid to longer-chain polyunsaturated fatty acids in human adults. *Reprod Nutr Dev* 2005;45(5):581-597.
- Burdge GC, Jones AE, Wootton SA. Eicosapentaenoic and docosapentaenoic acids are the principal products of alpha-linolenic acid metabolism in young men. *Br J Nutr* 2002;88(4):355-363.

Citations and Reference Literature: Omega-3 Fatty Acids

- Burdge GC, Wootton SA. Conversion of alpha-linolenic acid to eicosapentaenoic, docosapentaenoic and docosahexaenoic acids in young women. *Br J Nutr* 2002;88(4):411-420.
- Burgess J, Stevens L, Zhang W, et al. Long-chain polyunsaturated fatty acids in children with attention-deficit hyperactivity disorder. *Am J Clin Nutr* 2000;71(Suppl):327S-330S.
- Burns CP, Halabi S, Clamon G, et al. Phase II study of high-dose fish oil capsules for patients with cancer-related cachexia. *Cancer* 2004;101(2):370-378.
- Burr ML, Ashfield-Watt PA, Dunstan FD, et al. Lack of benefit of dietary advice to men with angina: results of a controlled trial. *Eur J Clin Nutr* 2003;57(2):193-200.
- Burr ML, Dunstan FD, George CH, et al. Is fish oil good or bad for heart disease? Two trials with apparently conflicting results. *J Membr Biol* 2006;206:155-163.
- Burr ML, Fehily AM, Gilbert JF, et al. Effects of changes in fat, fish, and fibre intakes on death and myocardial reinfarction: diet and reinfarction trial (DART). *Lancet* 1989;2(8666):757-761.
- Burr ML, Sweetham PM, Fehily AM. Diet and reinfarction. *Eur Heart J* 1994;15(8):1152-1153.
- Buydens-Branchey L, Branchey M. n-3 Polyunsaturated fatty acids decrease anxiety feelings in a population of substance abusers. *J Clin Psychopharmacol* 2006;26(6):661-665.
- Calabrese JR, Rapport DJ, Shelton MD. Fish oils and bipolar disorder: a promising but untested treatment. *Arch Gen Psychiatry* 1999;56(5):413-414.
- Calabro P, Yeh ET. The pleiotropic effects of statins. *Curr Opin Cardiol* 2005;20(6):541-546.
- Calder PC. n-3 Polyunsaturated fatty acids, inflammation and immunity: pouring oil on troubled waters or another fishy tale? *Nutr Res* 2001;21:309-341.
- Calo L, Bianconi L, Colivicchi F, et al. N-3 Fatty acids for the prevention of atrial fibrillation after coronary artery bypass surgery: a randomized, controlled trial. *J Am Coll Cardiol* 2005;45:1723-8.
- Calviello G, Palozza P, Piccioni E, et al. Dietary supplementation with eicosapentaenoic and docosahexaenoic acid inhibits growth of Morris hepatocarcinoma 3924A in rats: effects on proliferation and apoptosis. *Int J Cancer* 1998;75:699-705.
- Carlson DL, Hites RA. Polychlorinated biphenyls in salmon and salmon feed: global differences and bioaccumulation. *Environ Sci Technol* 2005;39(19):7389-7395.
- Carlson SE, Cooke RJ, Rhodes PG, et al. Long-term feeding of formulas high in linolenic acid and marine oil to very low birth weight infants: phospholipid fatty acids. *Pediatr Res* 1991;30(5):404-412.
- Carlson SE, Cooke RJ, Werkman SH, et al. First year growth of preterm infants fed standard compared to marine oil n-3 supplemented formula. *Lipids* 1992;27(11):901-907.
- Carlson SE, Werkman SH. A randomized trial of visual attention of preterm infants fed docosahexaenoic acid until two months. *Lipids* 1996;31(1):85-90.
- Carlson SE, Werkman SH, Rhodes PG, et al. Visual-acuity development in healthy preterm infants: effect of marine-oil supplementation. *Am J Clin Nutr* 1993;58(1):35-42.
- Carlson SE, Werkman SH, Tolley EA. Effect of long-chain n-3 fatty acid supplementation on visual acuity and growth of preterm infants with and without bronchopulmonary dysplasia. *Am J Clin Nutr* 1996;63(5):687-697.
- Caron MF, White CM. Evaluation of the antihyperlipidemic properties of dietary supplements. *Pharmacotherapy* 2001;21(4):481-487.
- Cellini M, Caramazzu N, Mangiafico P, et al. Fatty acid use in glaucomatous optic neuropathy treatment. *Acta Ophthalmol Scand Suppl* 1998;227:41-42.
- Chalon S. Omega-3 fatty acids and monoamine neurotransmission. *Prostaglandins Leukot Essent Fatty Acids* 2006;75(4-5):259-269.
- Chan DC, Watts GF, Nguyen MN, et al. Factorial study of the effect of n-3 fatty acid supplementation and atorvastatin on the kinetics of HDL apolipoproteins A-I and A-II in men with abdominal obesity. *Am J Clin Nutr* 2006;84(1):37-43.
- Chan JK, McDonald BE, Gerrard JM, et al. Effect of dietary alpha-linolenic acid and its ratio to linoleic acid on platelet and plasma fatty acids and thrombogenesis. *Lipids* 1993;28(9):811-817.
- Chavarro JE, Stampfer M, Phillips M, et al. A prospective study of fish intake in relation to prostate cancer risk and survival. Abstract A158. American Association for Cancer Research, Frontiers in Cancer Prevention Research meeting. Boston, MA, Nov 13, 2006.
- Chen J, Stavro PM, Thompson LU. Dietary flaxseed inhibits human breast cancer growth and metastasis and downregulates expression of insulin-like growth factor and epidermal growth factor receptor. *Nutr Cancer* 2002;43(2):187-192.
- Childs MT, King IB, Knopp RH. Divergent lipoprotein responses to fish oils with various ratios of eicosapentaenoic acid and docosahexaenoic acid. *Am J Clin Nutr* 1990;52:632-639.
- Chiu CC, Huang SY, Chen CC, et al. Omega-3 fatty acids are more beneficial in the depressive phase than in the manic phase in patients with bipolar I disorder. *J Clin Psychiatry* 2005;66(12):1613-1614.

Citations and Reference Literature: Omega-3 Fatty Acids

- Chiu CC, Huang SY, Shen WW, et al. OMEGA-3 fatty acids for depression in pregnancy. *Am J Psychiatry* 2003;160(2):385.
- Chiu CC, Huang SY, Su KP. Omega-3 polyunsaturated fatty acids for postpartum depression. *Am J Obstet Gynecol* 2004;190(2):582-583.
- Cho E, Hung S, Willett WC, et al. Prospective study of dietary fat and the risk of age-related macular degeneration. *Am J Clin Nutr* 2001;73(2):209-218.
- Christensen JH, Gustenhoff P, Ejlersen E, et al. n-3 fatty acids and ventricular extrasystoles in patients with ventricular tachyarrhythmias. *Nutr Res* 1995;15(1):1-8.
- Christensen JH, Gustenhoff P, Korup E, et al. Effect of fish oil on heart rate variability in survivors of myocardial infarction: a double blind randomised controlled trial. *BMJ* 1996;312(7032):677-678.
- Christensen JH, Skou HA, Fog L, et al. Marine n-3 fatty acids, wine intake, and heart rate variability in patients referred for coronary angiography. *Circulation* 2001;103:623-625.
- Chua B, Flood V, Rochtchina E, et al. Dietary fatty acids and the 5-year incidence of age-related maculopathy. *Arch Ophthalmol* 2006;124:981-986.
- Clark WF, Kortas C, Heidenheim AP, et al. Flaxseed in lupus nephritis: a two-year nonplacebo-controlled crossover study. *J Am Coll Nutr* 2001;20(2 Suppl):143-148.
- Clark WF, Parbtani A. Omega-3 fatty acid supplementation in clinical and experimental lupus nephritis. *Am J Kidney Dis* 1994;23(5):644-647.
- Clark WF, Parbtani A, Huff MW, et al. Flaxseed: a potential treatment for lupus nephritis. *Kidney Int* 1995;48:475-480.
- Clark WF, Parbtani A, Huff MW, et al. Omega-3 fatty acid dietary supplementation in systemic lupus erythematosus. *Kidney Int* 1989;36(4):653-660.
- Clark WF, Parbtani A, Naylor CD, et al. Fish oil in lupus nephritis: clinical findings and methodological implications. *Kidney Int* 1993;44(1):75-86.
- Cleland L, James M, Proudman S. The role of fish oils in the treatment of rheumatoid arthritis. *Drugs* 2003;63:845-853.
- Cleland LG, French JK, Betts WH, et al. Clinical and biochemical effects of dietary fish oil supplements in rheumatoid arthritis. *J Rheumatol* 1988;15(10):1471-1475.
- Clover C. The end of the line: how over-fishing is changing the world and what we eat. London: Ebury Press; 2004.
- Cobiac L, Clifton PM, Abbey M, et al. Lipid, lipoprotein, and hemostatic effects of fish vs fish-oil n-3 fatty acids in mildly hyperlipidemic males. *Am J Clin Nutr* 1991;53:1210-1216.
- Cobiac L, Nestel PJ, Wing LM, et al. A low-sodium diet supplemented with fish oil lowers blood pressure in the elderly. *J Hypertens* 1992;10(1):87-92.
- Connolly JM, Gilhooly EM, Rose DP. Effects of reduced dietary linoleic acid intake, alone or combined with an algal source of docosahexaenoic acid, on MDA-MD-231 breast cancer cell growth and apoptosis in nude mice. *Nutr Can* 1999;35(1):44-49.
- Connor SL, Connor WE. Are fish oils beneficial in the prevention and treatment of coronary artery disease? *Am J Clin Nutr* 1997;66(Suppl):1020S-1031S.
- Connor WE. Importance of n-3 fatty acids in health and disease. *Am J Clin Nutr* 2000;71(1 Suppl):171S-175S.
- Connor WE, Lin DS, Colvis C. Differential mobilization of fatty acids from adipose tissue. *J Lipid Res* 1996;37:290-298.
- Conquer JA, Martin JB, Tummon I, et al. Effect of DHA supplementation on DHA status and sperm motility in asthenozoospermic males. *Lipids* 2000;35:149-154.
- Conquer JA, Roelfsema H, Zecevic J, et al. Effect of exercise on FA profiles in n-3 FA-supplemented and nonsupplemented premenopausal women. *Lipids* 2002;37(10):947-951.
- Conquer JA, Holub BJ. Supplementation with an algae source of docosahexaenoic acid increases (n-3) fatty acid status and alters selected risk factors for heart disease in vegetarian subjects. *J Nutr* 1996;126(12):3032-3039.
- Cortes B, Nunez I, Cofan M, et al. Acute effects of high-fat meals enriched with walnuts or olive oil on postprandial endothelial function. *J Am Coll Cardiol* 2006;48(8):1666-1671.
- Cunnane SC, Ho SY, Dore-Duffy P, et al. Essential fatty acid and lipid profiles in plasma and erythrocytes in patients with multiple sclerosis. *Am J Clin Nutr* 1989;50:801-806.
- Curb JD, Reed DM. Fish consumption and mortality from coronary heart disease. *N Engl J Med* 1985;313:821-822. (Letter)
- Curtis CL, Hughes CE, Flannery CR, et al. N-3 fatty acids specifically modulate catabolic factors involved in articular cartilage degradation. *J Biol Chem* 2000;275(2):721-724.
- D'Almeida A, Carter JP, Anatol A, et al. Effects of a combination of evening primrose oil (gamma linolenic acid) and fish oil (eicosapentaenoic + docosahexaenoic acid) versus magnesium, and versus placebo in preventing pre-eclampsia. *Women Health* 1992;19(2-3):117-131.

Citations and Reference Literature: Omega-3 Fatty Acids

- Dabrosin C, Chen J, Wang L, et al. Flaxseed inhibits metastasis and decreases extracellular vascular endothelial growth factor in human breast cancer xenografts. *Cancer Lett* 2002;185(1):31-37.
- Dalais FS, Meliala A, Wattanapenpaiboon N, et al. Effects of a diet rich in phytoestrogens on prostate-specific antigen and sex hormones in men diagnosed with prostate cancer. *Urology* 2004;64(3):510-515.
- Danao-Camara TC, Shintani TT. The dietary treatment of inflammatory arthritis: case reports and review of the literature. *Hawaii Med J* 1999;58(5):126-131.
- Davidson MH, Maki KC, Kalkowski J, et al. Effects of docosahexaenoic acid on serum lipoproteins in patients with combined hyperlipidemia: a randomized, double-blind, placebo-controlled trial. *J Am Coll Nutr* 1997;16:3:236-243.
- Davis BC, Kris-Etherton PM. Achieving optimal essential fatty acid status in vegetarians: current knowledge and practical implications. *Am J Clin Nutr* 2003;78(3 Suppl):640S-646S.
- Daviglus ML, Stamler J, Orenca AJ, et al. Fish consumption and the 30-year risk of fatal myocardial infarction. *N Engl J Med* 1997;336(15):1046-1053.
- de Deckere EAM. Possible beneficial effect of fish and fish n-3 polyunsaturated fatty acids in breast and colorectal cancer. *Eur J Cancer Prev* 1999;8(3):213-221.
- de Deckere EAM, Korver O, Verschuren PM, et al. Health aspects of fish and n-3 polyunsaturated fatty acids from plant and marine origin. *Eur J Clin Nutr* 1998;52(10):749-753.
- de Lorgeril M, Renaud S, Mamelle N, et al. Mediterranean alpha-linolenic acid-rich diet in secondary prevention of coronary heart disease. *Lancet* 1994;343:1454-1459.
- de Lorgeril M, Salen P, Martin JL, et al. Mediterranean diet, traditional risk factors, and the rate of cardiovascular complications after myocardial infarction: final report of the Lyon Diet Heart Study. *Circulation* 1999;99(6):779-785.
- De Vizia B, Raia V, Spano C, et al. Effect of an 8-month treatment with omega-3 fatty acids (eicosapentaenoic and docosahexaenoic) in patients with cystic fibrosis. *JPEN J Parenter Enteral Nutr* 2003;27(1):52-57.
- De-Souza DA, Greene LJ. Pharmacological nutrition after burn injury. *J Nutr* 1998;128:797-803.
- Demark-Wahnefried W, Price DT, Polascik TJ, et al. Pilot study of dietary fat restriction and flaxseed supplementation in men with prostate cancer before surgery: exploring the effects on hormonal levels, prostate-specific antigen, and histopathologic features. *Urology* 2001;58(1):47-52.
- Der G, Batty GD, Deary IJ. Effect of breast feeding on intelligence in children: prospective study, sibling pairs analysis, and meta-analysis. *BMJ* 2006;333(75):945.
- Deutch B. Menstrual pain in Danish women correlated with low n-3 polyunsaturated fatty acid intake. *Eur J Clin Nutr* 1995;49(7):508-516.
- Deutch B. [Painful menstruation and low intake of n-3 fatty acids.] *Ugeskr Laeger* 1996;158(29):4195-4198.
- Deutch B, Jorgensen EB, Hansen JC. Menstrual discomfort in Danish women reduced by dietary supplements of omega-3 PUFA and B12 (fish oil or seal oil capsules). *Nutr Res* 2000;20(5):621-631.
- Dewailly E, Blanchet C, Gingras S, et al. Cardiovascular disease risk factors and n-3 fatty acid status in the adult population of James Bay Cree. *Am J Clin Nutr* 2002;76(1):85-92.
- Dewailly E, Blanchet C, Gingras S, et al. Fish consumption and blood lipids in three ethnic groups of Quebec (Canada). *Lipids* 2003;38(4):359-365.
- Dewailly E, Blanchet C, Lemieux S, et al. n-3 fatty acids and cardiovascular disease risk factors among the Inuit of Nunavik. *Am J Clin Nutr* 2001;74(4):464-473.
- Dewailly E, Blanchet C, Gingras S, et al. Relations between n-3 fatty acid status and cardiovascular disease risk factors among Quebecers. *Am J Clin Nutr* 2001;74(5):603-611.
- Dewsbury CE, Graham P, Darley CR. Topical eicosapentaenoic acid (EPA) in the treatment of psoriasis. *Br J Dermatol* 1989;120:581.
- Di Minno G, Tufano A, Garofano T, et al. Polyunsaturated fatty acids, thrombosis and vascular disease. *Pathophysiol Haemost Thromb* 2002;32(5-6):361-364. (Review)
- Dichi I, Frenhane P, Dichi JB, et al. Comparison of omega-3 fatty acids and sulfasalazine in ulcerative colitis. *Nutrition* 2000;16(2):87-90.
- DiGiacoma RA, Kremer JM, Shah DM. Fish-oil dietary supplementation in patients with Raynaud's phenomenon: a double-blind, controlled, prospective study. *Am J Med* 1989;86:158-164.
- Dillon JJ. Fish oil therapy for IgA nephropathy: efficacy and interstudy variability. *J Am Soc Nephrol* 1997;8(11):1739-1744.
- Din JN, Newby DE, Flapan AD. Omega 3 fatty acids and cardiovascular disease: fishing for a natural treatment. *BMJ* 2004;328(7430):30-35.
- Ding EL, Mozaffarian D. Optimal dietary habits for the prevention of stroke. *Semin Neurol* 2006;26(1):11-23. (Review)

Citations and Reference Literature: Omega-3 Fatty Acids

- Djouisse L, Pankow JS, Eckfeldt JH, et al. Relation between dietary linolenic acid and coronary artery disease in the National Heart, Lung, and Blood Institute Family Heart Study. *Am J Clin Nutr* 2001;74(5):612-619.
- Dodin S, Lemay A, Jacques H, et al. The effects of flaxseed dietary supplement on lipid profile, bone mineral density, and symptoms in menopausal women: a randomized, double-blind, wheat germ placebo-controlled clinical trial. *J Clin Endocrinol Metab* 2005;90(3):1390-1397.
- Dolecek TA. Epidemiological evidence of relationships between dietary polyunsaturated fatty acids and mortality in the multiple risk factor intervention trial. *Proc Soc Exp Biol Med* 1992;200(2):177-182.
- Dolecek TA, Granditis G. Dietary polyunsaturated fatty acids and mortality in the Multiple Risk Factor Intervention Trial (MRFIT). *World Rev Nutr Diet* 1991;66:205-216.
- Donadio JV. The emerging role of omega-3 polyunsaturated fatty acids in the management of patients with IgA nephropathy. *J Ren Nutr* 2001;11(3):122-128.
- Donadio JV Jr. Use of fish oil to treat patients with immunoglobulin A nephropathy. *Am J Clin Nutr* 2000;71(1 Suppl):373S-375S.
- Donadio JV Jr, Grande JP, Bergstralh EJ, et al. The long-term outcome of patients with IgA nephropathy treated with fish oil in a controlled trial: Mayo Nephrology Collaborative Group. *J Am Soc Nephrol* 1999;10:1772-1777.
- Dry J, Vincent D. Effect of a fish oil diet on asthma: results of a one-year double-blind study. *Int Arch Allergy Appl Immunol* 1991;95(2-3):156-157.
- Duffy EM, Meenagh GK, McMillan SA, et al. The clinical effect of dietary supplementation with omega-3 fish oils and/or copper in systemic lupus erythematosus. *J Rheumatol* 2004;31:1551-1556.
- Dunstan JA, Simmer K, Dixon G, et al. Cognitive assessment of children at age 2.5 years after maternal fish oil supplementation in pregnancy: a randomised controlled trial. *Arch Dis Child Fetal Neonatal Ed* 2007. Published online ahead of print; doi: 10.1136/adc.2006.099085.
- Dunstan JA, Mori TA, Barden A, et al. Fish oil supplementation in pregnancy modifies neonatal allergen-specific immune responses and clinical outcomes in infants at high risk of atopy: a randomized, controlled trial. *J Allergy Clin Immunol* 2003;112:1178-1184.
- Dyerberg J. N-3 fatty acids and coronary artery disease: potentials and problems. *Omega-3 Lipoproteins Atheroscler* 1996;27:251-258.
- Edwards R, Peet M, Shay J, et al. Depletion of docosahexaenoic acid in red blood cell membranes of depressive patients. *Biochem Soc Trans* 1998;26:S142.
- Edwards R, Peet M, Shay J, et al. Omega-3 polyunsaturated fatty acid levels in the diet and in red blood cell membranes of depressed patients. *J Affect Disord* 1998;48(2-3):149-155.
- Emsley R, Myburgh C, Oosthuizen P, et al. Randomized, placebo-controlled study of ethyl-eicosapentaenoic acid as supplemental treatment in schizophrenia. *Am J Psychiatry* 2002;159:1596-1598.
- Endoh D, Okui T, Ozawa S, et al. Protective effect of a lignan-containing flaxseed extract against CCl(4)-induced hepatic injury. *J Vet Med Sci* 2002;64(9):761-765.
- Endres S, Ghorbani R, Kelley VE, et al. The effect of dietary supplementation with n-3 polyunsaturated fatty acids on the synthesis of interleukin-1 and tumor necrosis factor by mononuclear cells. *N Engl J Med* 1989;320:265-271.
- Erasmus U. *Fats that heal, fats that kill*. 2nd ed. Burnaby, BC: Alive Books; 1998.
- Eritsland J, Arnesen H, Seljeflot I, et al. Long-term effects of n-3 polyunsaturated fatty acids on haemostatic variables and bleeding episodes in patients with coronary artery disease. *Blood Coagul Fibrinolysis* 1995;6(1):17-22.
- Erkkila AT, Lichtenstein AH, Mozaffarian D, et al. Fish intake is associated with a reduced progression of coronary artery atherosclerosis in postmenopausal women with coronary artery disease. *Am J Clin Nutr* 2004;80(3):626-632.
- Escobar SO, Achenbach R, Iannantuono R, et al. Topical fish oil in psoriasis: a controlled and blind study. *Clin Exp Dermatol* 1992;17(3):159-162.
- Exler J, Wehrauch JL. Provisional table on the content of omega-3 fatty acids and other fat components in selected foods. Beltsville, MD: USDA, Human Nutrition Information Service, HNS/PT-103; 1988.
- Fearon KC, Von Meyenfeldt MF, Moses AG, et al. Effect of a protein and energy dense n-3 fatty acid enriched oral supplement on loss of weight and lean tissue in cancer cachexia: a randomised double blind trial. *Gut* 2003;52(10):1479-1486.
- Fenton WS, Dickerson F, Boronow J, et al. A placebo-controlled trial of omega-3 fatty acid (ethyl eicosapentaenoic acid) supplementation for residual symptoms and cognitive impairment in schizophrenia. *Am J Psychiatry* 2001;158(12):2071-2074.
- Fewtrell MS, Abbott RA, Kennedy K, et al. Randomized, double-blind trial of long-chain polyunsaturated fatty acid supplementation with fish oil and borage oil in preterm infants. *J Pediatr* 2004;144(4):471-479.
- Finnegan YE, Howarth D, Minihane AM, et al. Plant and marine derived (n-3) polyunsaturated fatty acids do not affect blood coagulation and fibrinolytic factors in moderately hyperlipidemic humans. *J Nutr* 2003;133:2210-2213.
- Fogarty A, Britton J. The role of diet in the aetiology of asthma. *Clin Exp Allergy* 2000;30:615-627.

Citations and Reference Literature: Omega-3 Fatty Acids

- Foody JM, Shah R, Galusha D, et al. Statins and mortality among elderly patients hospitalized with heart failure. *Circulation* 2006;113(8):1086-1092.
- Fortin PR, Lew RA, Liang MH, et al. Validation of a meta-analysis: the effects of fish oil in rheumatoid arthritis. *J Clin Epidemiol* 1995;48(11):1379-1390.
- Foulon T, Richard MJ, Payen N, et al. Effects of fish oil fatty acids on plasma lipids and lipoproteins and oxidant-antioxidant imbalance in healthy subjects. *Scan J Clin Lab Invest* 1999;59(4):239-248.
- Frangou S, Lewis M, McCrone P. Efficacy of ethyl-eicosapentaenoic acid in bipolar depression: randomised double-blind placebo-controlled study. *Br J Psychiatry* 2005;188:46-50.
- Freeman MP. Omega-3 fatty acids and perinatal depression: a review of the literature and recommendations for future research. *Prostaglandins Leukot Essent Fatty Acids* 2006;75(4-5):291-297.
- Freeman MP, Hibbeln JR, Wisner KL, et al. Randomized dose-ranging pilot trial of omega-3 fatty acids for postpartum depression. *Acta Psychiatr Scand* 2005;113(1):31-35.
- Freeman VL, Meydani M, Yong S, et al. Prostatic levels of fatty acids and the histopathology of localized prostate cancer. *J Urol* 2000;164(6):2168-2172.
- Freund-Levi Y, Eriksdotter-Jonhagen M, Cederholm T, et al. Omega-3 fatty acid treatment in 174 patients with mild to moderate Alzheimer disease: OmegAD study: a randomized double-blind trial. *Arch Neurol* 2006;63(10):1402-1408.
- Frieri G, Pimpo MT, Palombieri A, et al. Polyunsaturated fatty acid dietary supplementation: an adjuvant approach to treatment of *Helicobacter pylori* infection. *Nutr Res* 2000;20(7):907-916.
- Gao K, Calabrese JR. Newer treatment studies for bipolar depression. *Bipolar Disord* 2005;7(Suppl 5):13-23. (Review)
- Gallai V, Sarchielli P, Trequattrini A, et al. Cytokine secretion and eicosanoid production in the peripheral blood mononuclear cells of MS patients undergoing dietary supplementation with n-3 polyunsaturated fatty acids. *J Neuroimmunol* 1995;56:143-153.
- Gamez-Mez N, Higuera-Ciajara I, Calderon de la Barca AM, et al. Seasonal variation in the fatty acid composition and quality of sardine oil from *Sardinops sagax caeruleus* of the Gulf of California. *Lipids* 1999;34(6):639-642.
- Gamoh S, Hashimoto M, Sugioka K, et al. Chronic administration of docosahexaenoic acid improves reference memory-related learning ability in young rats. *Neuroscience* 1999;93(1):237-241.
- Gao K, Calabrese JR. Newer treatment studies for bipolar depression. *Bipolar Disord* 2005;7(Suppl 5):13-23. (Review)
- Gapinski JP, VanRuiswyk JV, Heudebert GR, et al. Preventing restenosis with fish oils following coronary angioplasty: a meta-analysis. *Arch Intern Med* 1993;153(13):1595-1601.
- Gaudette DC, Holub BJ. Albumin-bound docosahexaenoic acid and collagen-induced human platelet reactivity. *Lipids* 1990;25(3):166-169.
- Geelen A, Brouwer IA, Schouten EG, et al. Effects of n-3 fatty acids from fish on premature ventricular complexes and heart rate in humans. *Am J Clin Nutr* 2005;81:416-420.
- Geelen A, Brouwer IA, Zock PL, et al. (N-3) fatty acids do not affect electrocardiographic characteristics of healthy men and women. *J Nutr* 2002;132(10):3051-3054.
- Geelen A, Zock PL, Brouwer IA, et al. Effect of n-3 fatty acids from fish on electrocardiographic characteristics in patients with frequent premature ventricular complexes. *Br J Nutr* 2005;93:787-790.
- Geelen A, Zock PL, Swenne CA, et al. Effect of n-3 fatty acids on heart rate variability and baroreflex sensitivity in middle-aged subjects. *Am Heart J* 2003;146(2):E4.
- Geerling BJ, Badart-Smook A, van Deursen C, et al. Nutritional supplementation with N-3 fatty acids and antioxidants in patients with Crohn's disease in remission: effects on antioxidant status and fatty acid profile. *Inflamm Bowel Dis* 2000;6(2):77-84.
- Geerling BJ, Houwelingen AC, Badart-Smook A, et al. Fat intake and fatty acid profile in plasma phospholipids and adipose tissue in patients with Crohn's disease, compared with controls. *Am J Gastroenterol* 1999;94(2):410-417.
- Geleijnse JM, Giltay EJ, Grobbee DE, et al. Blood pressure response to fish oil supplementation: metaregression analysis of randomized trials. *J Hypertens* 2002;20:1493-1499.
- Gerbi A, Maixent JM, Ansaldi JL, et al. Fish oil supplementation prevents diabetes-induced nerve conduction velocity and neuroanatomical changes in rats. *J Nutr* 1999;129:207-213.
- Getz L, Sigurdsson JA, Hetlevik I, et al. Estimating the high risk group for cardiovascular disease in the Norwegian HUNT 2 population according to the 2003 European guidelines: modelling study. *BMJ* 2005;331(7516):551.
- Geusens P, Wouters C, Nijs J, et al. Long-term effect of omega-3 fatty acid supplementation in active rheumatoid arthritis: a 12-month, double-blind, controlled study. *Arthritis Rheum* 1994;37(6):824-829.
- Gibson SL, Gibson RG. The treatment of arthritis with a lipid extract of *Perna canaliculus*: a randomized trial. *Complement Ther Med* 1998;6:122-126.

Citations and Reference Literature: Omega-3 Fatty Acids

- Gillum RF, Mussolino ME, Madans JH. The relationship between fish consumption and stroke incidence: the NHANES I Epidemiologic Follow-up Study (National Health and Nutrition Examination Survey). *Arch Intern Med* 1996;156(5):537-542.
- Glueck CJ, McCarren T, Hitzemann R, et al. Amelioration of severe migraine with omega-3 fatty acids: a double-blind, placebo-controlled clinical trial. *Am J Clin Nutr* 1986;43:710. (Abstract)
- Go AS, Iribarren C, Chandra M, et al. Statin and beta-blocker therapy and the initial presentation of coronary heart disease. *Ann Intern Med* 2006;144(4):229-238.
- Goldberg P, Fleming MC, Picard EH. Multiple sclerosis: decreased relapse rate through dietary supplementation with calcium, magnesium and vitamin D. *Med Hypotheses* 1986;21:193-200.
- Goldman RE, Parker DR, Eaton CB, et al. Patients' perceptions of cholesterol, cardiovascular disease risk, and risk communication strategies. *Ann Fam Med* 2006;4(3):205-212.
- Goldstein MR. Sudden death due to cardiac arrhythmias. *N Engl J Med* 2002;346(12):946-947.
- Gonzalez MJ. Fish oil, lipid peroxidation and mammary tumor growth. *J Am Coll Nutr* 1995;14:325.
- Goodnight SH Jr, Harris WS, Connor WE, et al. Polyunsaturated fatty acids, hyperlipidemia, and thrombosis. *Arteriosclerosis* 1982;2:87-113.
- Goss PE, Li T, Theriault M, et al. Effects of dietary flaxseed in women with cyclical mastalgia. *Breast Cancer Res Treat* 2000;64:49.
- Goyens PL, Spilker ME, Zock PL, et al. Compartmental modeling to quantify alpha-linolenic acid conversion after longer term intake of multiple tracer boluses. *J Lipid Res* 2005;46(7):1474-1483.
- Greenfield SM, Green AT, Teare JP, et al. A randomized controlled study of evening primrose oil and fish oil in ulcerative colitis. *Aliment Pharmacol Ther* 1993;7(2):159-166.
- Griffin MD, Sanders TAB, Davies IG, et al. Effects of altering the ratio of dietary n-6 to n-3 fatty acids on insulin sensitivity, lipoprotein size, and postprandial lipemia in men and postmenopausal women aged 45-70 y: the OPTILIP Study. *Am J Clin Nutr* 2006;84(6):1290-1298.
- Griffini P, Fehres O, Klieverik L, et al. Dietary omega-3 polyunsaturated fatty acids promote colon carcinoma metastasis in rat liver. *Cancer Res* 1998;58(15):3312-3319.
- Grimminger F, Mayser P, Papavassilis C, et al. A double-blind, randomized, placebo-controlled trial of n-3 fatty acid based lipid infusion in acute, extended guttate psoriasis: rapid improvement of clinical manifestations and changes in neutrophil leukotriene profile. *Clin Invest* 1993;71(8):634-643.
- Grimsgaard S, Bonna KH, Hansen JB, et al. Highly purified eicosapentaenoic acid and docosahexaenoic acid in humans have similar triacylglycerol-lowering effects but divergent effects on serum fatty acids. *Am J Clin Nutr* 1997;66(3):649-659.
- Grundt H, Nilsen DW, Mansoor MA, et al. Reduction in homocysteine by n-3 polyunsaturated fatty acids after 1 year in a randomised double-blind study following an acute myocardial infarction: no effect on endothelial adhesion properties. *Pathophysiol Haemost Thromb* 2003;33(2):88-95.
- Guallar E, Aro A, Jimenez FJ, et al. Omega-3 fatty acids in adipose tissue and risk of myocardial infarction: the EURAMIC study. *Arterioscler Thromb Vasc Biol* 1999;19(4):1111-1118.
- Guallar E, Hennekens CH, Sacks FM, et al. A prospective study of plasma fish oil levels and incidence of myocardial infarction in U.S. male physicians. *J Am Coll Cardiol* 1995;25:387-394.
- Gupta AK, Ellis CN, Goldfarb MT, et al. The role of fish oil in psoriasis: a randomized, double-blind, placebo-controlled study to evaluate the effect of fish oil and topical corticosteroid therapy in psoriasis. *Int J Dermatol* 1990;29(8):591-595.
- Gupta AK, Ellis CN, Tellner DC, et al. Double-blind, placebo-controlled study to evaluate the efficacy of fish oil and low-dose UVB in the treatment of psoriasis. *Br J Dermatol* 1989;120(6):801-807.
- Haines AP, Sanders TA, Imeson JD, et al. Effects of a fish oil supplement on platelet function, haemostatic variables and albuminuria in insulin-dependent diabetics. *Thromb Res* 1986;43:643-655.
- Hakkarainen R, Partonen T, Haukka J, et al. Is low dietary intake of omega-3 fatty acids associated with depression? *Am J Psychiatry* 2004;161(3):567-569.
- Hall AV, Parbtani A, Clark WF, et al. Omega-3 fatty acid supplementation in primary nephrotic syndrome: effects on plasma lipids and coagulopathy. *J Am Soc Nephrol* 1992;3(6):1321-1329.
- Halpern G-M. Anti-inflammatory effects of a stabilized lipid extract of *Perna canaliculus* (Lyprinol). *Allerg Immunol (Paris)* 2000;32(7):272-278.
- Halsted CH, Ghandi G, Tamura T. Sulfasalazine inhibits the absorption of folates in ulcerative colitis. *N Engl J Med* 1981;305:1513-1517.
- Hardman WE, Moyer MP, Cameron IL. Consumption of an omega-3 fatty acids product, INCELL AAFA, reduced side-effects of CPT-11 (irinotecan) in mice. *Br J Cancer* 2002;86:983-988.

Citations and Reference Literature: Omega-3 Fatty Acids

- Harel Z, Biro FM, Kottenhahn RK, et al. Supplementation with omega-3 polyunsaturated fatty acids in the management of dysmenorrhea in adolescents. *Am J Obstet Gynecol* 1996;174(4):1335-1338.
- Harel Z, Gascon G, Riggs S, et al. Supplementation with omega-3 polyunsaturated fatty acids in the management of recurrent migraines in adolescents. *J Adolesc Health* 2002;31:154-161.
- Harper CR, Edwards MJ, DeFilipis AP, et al. Flaxseed oil increases the plasma concentrations of cardioprotective (n-3) fatty acids in humans. *J Nutr* 2006;136(1):83-87.
- Harper CR, Jacobson TA. The fats of life: the role of omega-3 fatty acids in the prevention of coronary heart disease. *Arch Intern Med* 2001;161(18):2185-2192.
- Harris WS. Dietary fish oil and blood lipids. *Curr Opin Lipidol* 1996;7:3-7.
- Harris WS. N-3 fatty acids and lipoproteins: comparison of results from human and animal studies. *Lipids* 1996;31:243-252.
- Harris WS. N-3 fatty acids and serum lipoproteins: human studies. *Am J Clin Nutr* 1997;65(5 Suppl):1645S-1654S.
- Harris WS, Dujovne CA, Zucker M, et al. Effects of a low saturated fat, low cholesterol fish oil supplement in hypertriglyceridemic patients: a placebo-controlled trial. *Ann Intern Med* 1988;109(6):465-470.
- Harris WS, Zucker ML, Dujovne CA. Omega-3 fatty acids in type IV hyperlipidemia: fish oils vs. methyl esters. *Am J Clin Nutr* 1987;45:858. (Abstract)
- Hasle H, Rose C. [Shark liver oil (alkoxyglycerol) and cancer treatment.] *Ugeskr Laeger* 1991;153(5):343-346. [Danish]
- Hawkey CJ, Mahida YR, Hawthorne AB. Therapeutic interventions in gastrointestinal disease based on an understanding of inflammatory mediators. *Agents Actions* 1992;Spec No.:C22-26. (Review)
- Hawthorne AB, Daneshmend TK, Hawkey CJ, et al. Treatment of ulcerative colitis with fish oil supplementation: a prospective 12 month randomised controlled trial. *Gut* 1992;33(7):922-928.
- Hayashi N, Tsuguhiko T, Yamamori H, et al. Effect of intravenous w-6 and w-3 fat emulsions on nitrogen retention and protein kinetics in burned rats. *Nutrition* 1999;15(2):135-139.
- Helland IB, Saugstad OD, Smith L, et al. Similar effects on infants of n-3 and n-6 fatty acids supplementation to pregnant and lactating women. *Pediatrics* 2001;108(5):E82.
- Helland IB, Smith L, Saarem K, et al. Maternal supplementation with very-long-chain n-3 fatty acids during pregnancy and lactation augments children's IQ at 4 years of age. *Pediatrics* 2003;111:E39-E44.
- Henderson WR. Omega-3 supplementation in CF. Sixth North American Cystic Fibrosis Conference 1992;S21-S22. (Abstract)
- Henderson WR Jr, Astley SJ, McCready MM, et al. Oral absorption of omega-3 fatty acids in patients with cystic fibrosis who have pancreatic insufficiency and in healthy control subjects. *J Pediatr* 1994;124(3):400-408.
- Henneicke-von Zepelin HH, Mrowietz U, Farber L, et al. Highly purified omega-3-polyunsaturated fatty acids for topical treatment of psoriasis: results of a double-blind, placebo-controlled multicentre study. *Br J Dermatol* 1993;129(6):713-717.
- Hibbeln JR. Fish consumption and major depression. *Lancet* 1998;351(9110):1213.
- Hibbeln JR, Ferguson TA, Blasbalg TL. Omega-3 fatty acid deficiencies in neurodevelopment, aggression and autonomic dysregulation: opportunities for intervention. *Int Rev Psychiatry* 2006;18(2):107-118. (Review)
- Hibbeln JR, Nieminen LR, Blasbalg TL, et al. Healthy intakes of n-3 and n-6 fatty acids: estimations considering worldwide diversity. *Am J Clin Nutr* 2006;83(6 Suppl):1483S-1493S.
- Hibbeln JR, Salem N Jr. Dietary polyunsaturated fatty acids and depression: when cholesterol does not satisfy. *Am J Clin Nutr* 1995;62(1):1-9.
- Hoffman DR, Birch EE, Birch DG, et al. Effects of supplementation with omega 3 long-chain polyunsaturated fatty acids on retinal and cortical development in premature infants. *Am J Clin Nutr* 1993;57(5 Suppl):807S-812S.
- Holguin F, Tellez-Rojo MM, Lazo M, et al. Cardiac autonomic changes associated with fish oil vs soy oil supplementation in the elderly. *Chest* 2005;127(4):1102-1107.
- Holman RT. The slow discovery of the importance of omega 3 essential fatty acids in human health. *J Nutr* 1998;128:427S-433S.
- Holman RT, Adams CE, Nelson RA, et al. Patients with anorexia nervosa demonstrate deficiencies of selected essential fatty acids, compensatory changes in nonessential fatty acids and decreased fluidity of plasma lipids. *J Nutr* 1995;125:901-907.
- Holub BJ. Clinical nutrition: 4: omega-3 fatty acids in cardiovascular care. *CMAJ* 2002;166(5):608-615. (Review)
- Holub BJ. Fish oils and cardiovascular disease. *CMAJ* 1989;141(10):1063.
- Holub BJ, Bakker DJ, Skeaff CM. Alterations in molecular species of cholesterol esters formed via plasma lecithin-cholesterol acyltransferase in human subjects consuming fish oil. *Atherosclerosis* 1987;66(1-2):11-18.
- Holub BJ, Celi B, Skeaff CM. The alkenylacyl class of ethanolamine phospholipid represents a major form of eicosapentaenoic acid (EPA)-containing phospholipid in the platelets of human subjects consuming a fish oil concentrate. *Thromb Res* 1988;50(1):135-143.

Citations and Reference Literature: Omega-3 Fatty Acids

- Holub DJ, Holub BJ. Omega-3 fatty acids from fish oils and cardiovascular disease. *Mol Cell Biochem* 2004;263(1-2):217-225. (Review)
- Homan van der Heide JJ, Bilo HJ, Donker AJ, et al. Dietary supplementation with fish oil modifies renal reserve filtration capacity in postoperative, cyclosporin A-treated renal transplant recipients. *Transplant Int* 1990;3(3):171-175.
- Homan van der Heide JJ, Bilo HJ, Donker JM, et al. Effect of dietary fish oil on renal function and rejection in cyclosporine-treated recipients of renal transplants. *N Engl J Med* 1993;329(11):769-773.
- Homan van der Heide JJ, Bilo HJ, Donker AJ, et al. The effects of dietary supplementation with fish oil on renal function and the course of early postoperative rejection episodes in cyclosporine-treated renal transplant recipients. *Transplantation* 1992;54(2):257-263.
- Homan van der Heide JJ, Bilo HJ, Tegzess AM, et al. The effects of dietary supplementation with fish oil on renal function in cyclosporine-treated renal transplant recipients. *Transplantation* 1990;49:523-527.
- Homan van der Heide JJ, Bilo HJ, Tegzess AM, et al. Omega-3 polyunsaturated fatty acids improve renal function in renal transplant recipients treated with cyclosporin-A. *Kidney Int* 1989;35:516A. (Abstract)
- Hong H, Xu ZM, Pang BS, et al. Effects of simvastatin combined with omega-3 fatty acids on high sensitive C-reactive protein, lipidemia, and fibrinolysis in patients with mixed dyslipidemia. *Chin Med Sci J* 2004;19(2):145-149.
- Hooper L, Thompson RL, Harrison RA, et al. Omega 3 fatty acids for prevention and treatment of cardiovascular disease. *Cochrane Database Syst Rev* 2004;(4):CD003177. (Review)
- Hooper L, Thompson RL, Harrison RA, et al. Risks and benefits of omega 3 fats for mortality, cardiovascular disease, and cancer: systematic review. *BMJ* 2006;332(7544):752-760. (Review)
- Horrobin DF. A new category of psychotropic drugs: neuroactive lipids as exemplified by ethyl eicosapentaenoate (E-E). *Prog Drug Res* 2002;59:171-199. (Review)
- Horrobin DF. Omega-3 fatty acid for schizophrenia. *Am J Psychiatry* 2003;160(1):188-189.
- Horrobin DF. Schizophrenia as a prostaglandin deficiency disease. *Lancet* 1977;1:936-937.
- Horrobin DF. The membrane phospholipid hypothesis as a biochemical basis for the neurodevelopmental concept of schizophrenia. *Schizophr Res* 1998;30(3):193-208.
- Horrobin DF, Bennett CN. Depression and bipolar disorder: relationships to impaired fatty acid and phospholipid metabolism and to diabetes, cardiovascular disease, immunological abnormalities, cancer, ageing and osteoporosis. *Prostaglandins Leukot Essent Fatty Acids* 1999;60(4):217-234.
- Horrobin DF, Jenkins K, Bennett CN, et al. Eicosapentaenoic acid and arachidonic acid: collaboration and not antagonism is the key to biological understanding. *Prostaglandins Leukot Essent Fatty Acids* 2002;66(1):83-90.
- Horrocks LA, Yeo YK. Health benefits of docosahexaenoic acid. *Pharmacol Res* 1999;40(3):211-225.
- Howe PR. Can we recommend fish oil for hypertension? *Clin Exp Pharmacol Physiol* 1995;22(3):199-203.
- Howe PR. Dietary fats and hypertension. focus on fish oil. *Ann N Y Acad Sci* 1997;827:339-352.
- Hrboticky N, Zimmer B, Weber PC. Alpha-Linolenic acid reduces the lovastatin-induced rise in arachidonic acid and elevates cellular and lipoprotein eicosapentaenoic and docosahexaenoic acid levels in Hep G2 cells. *J Nutr Biochem* 1996;7:465-471.
- Hu FB, Bronner L, Willett WC, et al. Fish and omega-3 fatty acid intake and risk of coronary heart disease in women. *JAMA* 2002;287(14):1815-1821.
- Hu FB, Stampfer MJ, Manson JE, et al. Dietary intake of alpha-linolenic acid and risk of fatal ischemic heart disease among women. *Am J Clin Nutr* 1999;69(5):890-897.
- Huan M, Hamazaki K, Sun Y, et al. Suicide attempt and n-3 fatty acid levels in red blood cells: a case control study in China. *Biol Psychiatry* 2004;56(7):490-496.
- Huang TL, Zandi PP, Tucker KL, et al. Benefits of fatty fish on dementia risk are stronger for those without APOE epsilon4. *Neurology* 2005;65(9):1409-1414.
- Hussein N, Ah-Sing E, Wilkinson P, et al. Long-chain conversion of [¹³C]linoleic acid and alpha-linolenic acid in response to marked changes in their dietary intake in men. *J Lipid Res* 2005;46(2):269-280.
- Iso H, Rexrode KM, Stampfer MJ, et al. Intake of fish and omega-3 fatty acids and risk of stroke in women. *JAMA* 2001;285(3):304-312.
- Itomura M, Hamazaki K, Sawazaki S, et al. The effect of fish oil on physical aggression in schoolchildren: a randomized, double-blind, placebo-controlled trial. *J Nutr Biochem* 2005;16:163-171.
- Jackson PR, Wallis EJ, Haq IU, et al. Statins for primary prevention: at what coronary risk is safety assured? *Br J Clin Pharmacol* 2001;52(4):439-446.
- Jacobs MN, Santillo D, Johnston PA, et al. Organochlorine residues in fish oil dietary supplements: comparison with industrial grade oils. *Chemosphere* 1998;37:1709-1721.

Citations and Reference Literature: Omega-3 Fatty Acids

- James MJ, Cleland LG. Dietary n-3 fatty acids and therapy for rheumatoid arthritis. *Semin Arthritis Rheum* 1997;27:85-97.
- Jellema A, Plat J, Mensink RP. Weight reduction, but not a moderate intake of fish oil, lowers concentrations of inflammatory markers and PAI-1 antigen in obese men during the fasting and postprandial state. *Eur J Clin Invest* 2004;34(11):766-773.
- Jenkins DJA, Kendall CWC, Vidgen E, et al. Health aspects of partially defatted flaxseed, including effects on serum lipids, oxidative measures, and ex vivo androgen and progestin activity: a controlled crossover trial. *Am J Clin Nutr* 1999;69:395-402.
- Jensen CL. Effects of n-3 fatty acids during pregnancy and lactation. *Am J Clin Nutr* 2005;83(6 Suppl):1452S-1457S. (Review)
- Jeschke MG, Herndon DN, Ebener C, et al. Nutritional intervention high in vitamins, protein, amino acids, and omega-3 fatty acids improves protein metabolism during the hypermetabolic state after thermal injury. *Arch Surg* 2001;136:1301-1306.
- Jouven X, Charles M-A, Desnos M, et al. Circulating nonesterified fatty acid level as a predictive risk factor for sudden death in the population. *Circulation* 2001;104:756-761.
- Joy CB, Mumby-Croft R, Joy LA. Polyunsaturated fatty acid (fish or evening primrose oil) for schizophrenia. *Cochrane Database Syst Rev* 2000;(2):CD001257.
- Juhl A, Marniemi J, Huupponen R, et al. Effects of diet and simvastatin on serum lipids, insulin, and antioxidants in hypercholesterolemic men; a randomized controlled trial. *JAMA* 2002;287(5):598-605.
- Katz DP, Manner T, Furst P, et al. The use of an intravenous fish oil emulsion enriched with omega-3 fatty acids in patients with cystic fibrosis. *Nutrition* 1996;12(5):334-339.
- Keli SO, Feskens EJ, Kromhout D. Fish consumption and risk of stroke: the Zutphen Study. *Stroke* 1994;25(2):328-332.
- Kenny FS, Pinder SE, Ellis IO, et al. Gamma linolenic acid with tamoxifen as primary therapy in breast cancer. *Int J Cancer* 2000;85:643-648.
- Khan F, Elherik K, Bolton-Smith C, et al. The effects of dietary fatty acid supplementation on endothelial function and vascular tone in healthy subjects. *Cardiovasc Res* 2003;59:955-962.
- Kim H-K, Della-Fera MA, Lin J, et al. Docosahexaenoic acid inhibits adipocyte differentiation and induces apoptosis in 3T3-L1 preadipocytes. *J Nutr* 2006;136:2965-2969.
- Kim YI. Can fish oil maintain Crohn's disease in remission? *Nutr Rev* 1996;54(8):248-252.
- Kinrys G. Hypomania associated with omega3 fatty acids. *Arch Gen Psychiatry* 2000;57(7):715-716.
- Kjeldsen-Kragh J, Lund JA, Riise T, et al. Dietary omega-3 fatty acid supplementation and naproxen treatment in patients with rheumatoid arthritis. *J Rheumatol* 1992;19(10):1531-1536.
- Klein V, Chajes V, Germain E, et al. Low alpha-linolenic acid content of adipose breast tissue is associated with an increased risk of breast cancer. *Eur J Cancer* 2000;36(3):335-340.
- Klurfeld DM, Bull AW. Fatty acids and colon cancer in experimental models. *Am J Clin Nutr* 1997;66(6 Suppl):1530S-1538S.
- Knapp HR, FitzGerald GA. The antihypertensive effects of fish oil: a controlled study of polyunsaturated fatty acid supplements in essential hypertension. *N Engl J Med* 1989;320(16):1037-1043.
- Knapp HR. Dietary fatty acids in human thrombosis and hemostasis. *Am J Clin Nutr* 1997;65(5 Suppl):1687S-1698S.
- Knudsen VK, Hansen HS, Osterdal ML, et al. Fish oil in various doses or flax oil in pregnancy and timing of spontaneous delivery: a randomised controlled trial. *BJOG* 2006;113(5):536-543.
- Kobayakawa M, Yamawaki S, Hamazaki K, et al. Levels of omega-3 fatty acid in serum phospholipids and depression in patients with lung cancer. *Br J Cancer* 2005;93(12):1329-1333.
- Kobayashi N, Barnard RJ, Henning SM, et al. Effect of altering dietary omega-6/omega-3 fatty acid ratios on prostate cancer membrane composition, cyclooxygenase-2, and prostaglandin E2. *Clin Cancer Res* 2006;12(15):4662-4670.
- Kohatsu W. Nutrition and depression. *Explore (N Y)* 2005;1(6):474-476. (Review)
- Kontogiannia M, Gupta A, Ntanos F, et al. omega-3 fatty acids decrease endothelial adhesion of human colorectal carcinoma cells. *J Surg Res* 2000;92:201-205.
- Koretz RL. Maintaining remissions in Crohn's disease: a fat chance to please. *Gastroenterology* 1997;112(6):2155-2156.
- Kotani K, Sakaguchi E, Warashina S, et al. Dietary supplementation of arachidonic and docosahexaenoic acids improves cognitive dysfunction. *Neurosci Res* 2002;46(2):159-164.
- Kottke TE, Wu LA, Brekke LN, et al. Preventing sudden death with n-3 (omega-3) fatty acids and defibrillators. *Am J Prev Med* 2006;31(4):316-323.
- Krauss RM, Eckel RH, Howard B, et al. AHA scientific statement: AHA dietary guidelines revision 2000: a statement for healthcare professionals from the nutrition committee of the American Heart Association. *Circulation* 2000;102(18):2284-2299.
- Krauss RM, Siri PW. Metabolic abnormalities: triglyceride and low-density lipoprotein. *Endocrinol Metab Clin North Am* 2004;33(2):405-415. (Review)

Citations and Reference Literature: Omega-3 Fatty Acids

- Krauss RM, Yang H, Rieder MJ, et al. Haplotypes in the HMGCoA reductase gene influence plasma LDL level and LDL response to statin in African Americans and Caucasians. Abstract 725. American Heart Association Scientific Sessions 2005. Dallas, Nov 14, 2005.
- Kremer JM. Clinical studies of omega-3 fatty acid supplementation in patients who have rheumatoid arthritis. *Rheum Dis Clin North Am* 1991;17(2):391-402. (Review)
- Kremer JM. Effects of modulation of inflammatory and immune parameters in patients with rheumatic and inflammatory disease receiving dietary supplements of n-3 and n-6 fatty acids. *Lipids* 1996;31:S243-S247.
- Kremer JM. N-3 fatty acid supplements in rheumatoid arthritis. *Am J Clin Nutr* 2000;(Suppl 1):349S-351S.
- Kremer JM, Bigauette J, Michalek AV, et al. Effects of manipulation of dietary fatty acids on clinical manifestations of rheumatoid arthritis. *Lancet* 1985;1(8422):184-187.
- Kremer JM, Jubiz W, Michalek A, et al. Fish-oil fatty acid supplementation in active rheumatoid arthritis: a double-blinded, controlled, crossover study. *Ann Intern Med* 1987;106(4):497-503.
- Kremer JM, Lawrence DA, Jubiz W, et al. Dietary fish oil and olive oil supplementation in patients with rheumatoid arthritis: clinical and immunologic effects. *Arthritis Rheum* 1990;33(6):810-820.
- Kremer JM, Lawrence DA, Petrillo GF, et al. Effects of high-dose fish oil on rheumatoid arthritis after stopping nonsteroidal antiinflammatory drugs: clinical and immune correlates. *Arthritis Rheum* 1995;38(8):1107-1114.
- Kris-Etherton P, Eckel RH, Howard BV, et al. AHA science advisory: Lyon Diet Heart Study: Benefits of a Mediterranean-style, National Cholesterol Education Program/American Heart Association Step I Dietary Pattern on Cardiovascular Disease. *Circulation* 2001;103:1823.
- Kris-Etherton PM, Harris WS, Appel LJ. Fish consumption, fish oil, omega-3 fatty acids, and cardiovascular disease. *Arterioscler Thromb Vasc Biol* 2003;23(2):e20-e30.
- Kris-Etherton PM, Taylor DS, Yu-Poth S, et al. Polyunsaturated fatty acids in the food chain in the United States. *Am J Clin Nutr* 2000;71(1 Suppl):179S-188S.
- Kristensen SD, Schmidt EB, Andersen HR, et al. Fish oil in angina pectoris. *Atherosclerosis* 1987;64(1):13-19.
- Kromann N, Green A. Epidemiological studies in the Upernavik district, Greenland: incidence of some chronic diseases 1950-1974. *Acta Med Scand* 1980;208(5):401-406.
- Kromhout D, Bloemberg BP, Feskens EJ, et al. Alcohol, fish, fibre and antioxidant vitamins intake do not explain population differences in coronary heart disease mortality. *Int J Epidemiol* 1996;25(4):753-759.
- Kromhout D, Bosschieter EB, de Lezenne Coulander C. The inverse relation between fish consumption and 20-year mortality from coronary heart disease. *N Engl J Med* 1985;312(19):1205-1209.
- Kromhout D, Feskens EJ, Bowles CH. The protective effect of a small amount of fish on coronary heart disease mortality in an elderly population. *Int J Epidemiol* 1995;24:340-345.
- Kromhout D, Menotti A, Bloemberg B, et al. Dietary saturated and trans fatty acids and cholesterol and 25-year mortality from coronary heart disease: the Seven Countries Study. *Prev Med* 1995;308-315.
- Kruger MC, Coetzer H, de Winter R, et al. Calcium, gamma-linolenic acid and eicosapentaenoic acid supplementation in senile osteoporosis. *Aging Clin Exp Res* 1998;10:385-394.
- Kruger MC, Horrobin DF. Calcium metabolism, osteoporosis and essential fatty acids: a review. *Prog Lipid Res* 1997;36:131-151.
- Kuenzel U, Bertsch S. Clinical experiences with a standardized commercial fish oil product containing 33.5% omega-3 fatty acids: field trial with 3958 hyperlipemic patients in general practitioner practice. In: Chandra RK, ed. *Health effects of fish and fish oils*. St. John's, New Foundland: ARTS Biomedical Publishers and Distributors; 1989:567-579.
- Kulkarni PS, Srinivasan BD. Cyclooxygenase and lipoxygenase pathways in anterior uvea and conjunctiva. *Prog Clin Biol Res* 1989;312:39-52.
- Kumar KV, Manimala S, Gayani R, et al. Oxidant stress and essential fatty acids in patients with risk and established ARDS. *Clin Chim Acta* 2000;298:111-120.
- Kunz B, Ring J, Braun-Falco O. Eicosapentaenoic acid (EPA) treatment in atopic eczema (AE): a prospective double-blind trial. *J Allergy Clin Immunol* 1989;83:196. (Abstract)
- Kurlandsky LE, Bennink MR, Webb PM, et al. The absorption and effect of dietary supplementation with omega-3 fatty acids on serum leukotriene B4 in patients with cystic fibrosis. *Pediatr Pulmonol* 1994;18(4):211-217.
- Kuriki K, Wakai K, Hirose K, et al. Risk of colorectal cancer is linked to erythrocyte compositions of fatty acids as biomarkers for dietary intakes of fish, fat, and fatty acids. *Cancer Epidemiol Biomarkers Prev* 2006;15(10):1791-1798.
- Kuroki F, Iida M, Matsumoto T, et al. Serum n3 polyunsaturated fatty acids are depleted in Crohn's disease. *Dig Dis Sci* 1997;42(6):1137-1141.

Citations and Reference Literature: Omega-3 Fatty Acids

- Lai PB, Ross JA, Fearon KC, et al. Cell cycle arrest and induction of apoptosis in pancreatic cancer cells exposed to eicosapentaenoic acid in vitro. *Br J Cancer* 1996;74:1375-1383.
- Laidlaw M, Holub BJ. Effects of supplementation with fish oil-derived n-3 fatty acids and gamma-linolenic acid on circulating plasma lipids and fatty acid profiles in women. *Am J Clin Nutr* 2003;77(1):37-42.
- Landmark K, Abdelnoor M, Urdal P, et al. Use of fish oils appears to reduce infarct size as estimated from peak creatine kinase and lactate dehydrogenase activities. *Cardiology* 1998;89:94-102.
- Lanzmann-Petithory D. Alpha-linolenic acid and cardiovascular diseases. *J Nutr Health Aging* 2001;5(3):179-183. (Review)
- Lapidus L, Andersson H, Bengtsson C, et al. Dietary habits in relation to incidence of cardiovascular disease and death in women: a 12-year follow-up of participants in the population study of women in Gothenburg, Sweden. *Am J Clin Nutr* 1986;44:444-448.
- Larque E, Krauss-Etschmann S, Campoy C, et al. Docosahexaenoic acid supply in pregnancy affects placental expression of fatty acid transport proteins. *Am J Clin Nutr* 2006;84:853-861.
- Lau CS, Morley KD, Belch JJ. Effects of fish oil supplementation on non-steroidal anti-inflammatory drug requirement in patients with mild rheumatoid arthritis: a double-blind placebo controlled study. *Br J Rheumatol* 1993;32(11):982-989.
- Laugharne JD, Mellor JE, Peet M. Fatty acids and schizophrenia. *Lipids* 1996;31(Suppl):S163-165.
- Lauritzen L, Jorgensen MH, Michaelsen KF. Dietary fish and the docosahexaenoic acid (DHA) content of human milk. *Adv Exp Med Biol* 2000;478:403-404.
- Laviano A, Muscaritoli M, Rossi-Fanelli F. Phase II study of high-dose fish oil capsules for patients with cancer-related cachexia: a Cancer and Leukemia Group B study. *Cancer* 2005;103(3):651-652.
- Lawrence R, Sorrell T. Eicosapentaenoic acid in cystic fibrosis: evidence of a pathogenetic role for leukotriene B4. *Lancet* 1993;342(8869):465-469.
- Layne KS, Goh YK, Jumpsen JA, et al. Normal subjects consuming physiological levels of 18:3(n-3) and 20:5(n-3) from flaxseed or fish oils have characteristic differences in plasma lipid and lipoprotein fatty acid levels. *J Nutr* 1996;126:2130-2140.
- Leaf A. Plasma nonesterified fatty acid concentration as a risk factor for sudden cardiac death: the Paris Prospective Study. *Circulation* 2001;104:744. (Editorial)
- Leaf A. The electrophysiologic basis for the antiarrhythmic and anticonvulsant effects of n-3 polyunsaturated fatty acids: heart and brain. *Lipids* 2001;36:107-110.
- Leaf A, Jorgensen MB, Jacobs AK, et al. Do fish oils prevent restenosis after coronary angioplasty? *Circulation* 1994;90(5):2248-2257.
- Leaf A, Weber PC. Cardiovascular effects of n-3 fatty acids. *N Engl J Med* 1988;318:549-557.
- Lee TH, Arm JP. Prospects for modifying the allergic response by fish oil diets. *Clin Allergy* 1986;16:89-100.
- Leigh-Firbank EC, Minihane AM, Minihane AM, et al. Eicosapentaenoic acid and docosahexaenoic acid from fish oils: differential associations with lipid responses. *Br J Nutr* 2002;87:435-445.
- Lemay A, Dodin S, Kadri N, et al. Flaxseed dietary supplement versus hormone replacement therapy in hypercholesterolemic menopausal women. *Obstet Gynecol* 2002;100(3):495-504.
- Leng GC, Lee AJ, Fowkes FG, et al. Randomized controlled trial of gamma-linolenic acid and eicosapentaenoic acid in peripheral arterial disease. *Clin Nutr* 1998;17(6):265-271.
- Levy E, Rizwan Y, Thibault L, et al. Altered lipid profile, lipoprotein composition, and oxidant and antioxidant status in pediatric Crohn's disease. *Am J Clin Nutr* 2000;71:807-815.
- Lewin GA, Schachter HM, Yuen D, et al. Effects of omega-3 fatty acids on child and maternal health. *Evid Rep Technol Assess (Summ)* 2005;(118):1-11. (Review)
- Lewkowicz N, Lewkowicz P, Kurnatowska A, et al. [Biological action and clinical application of shark liver oil.] *Pol Merkur Lekarski* 2006;20(119):598-601. [Polish]
- Lichtenstein AH, Appel LJ, Brands M, et al. Summary of American Heart Association diet and lifestyle recommendations revision 2006. *Arterioscler Thromb Vasc Biol* 2006;26:2186-2191.
- Lin X, Gingrich JR, Bao W, et al. Effect of flaxseed supplementation on prostatic carcinoma in transgenic mice. *Urology* 2002;60(5):919-924.
- Locke CA, Stoll AL. Omega-3 fatty acids in major depression. *World Rev Nutr Diet* 2001;89:173-185. (Review)
- Lockwood K, Moesgaard S, Hanioka T, et al. Apparent partial remission of breast cancer in 'high risk' patients supplemented with nutritional antioxidants, essential fatty acids, and coenzyme Q10. *Mol Aspects Med* 1994;15(Suppl):s231-s240.
- Loeschke K, Ueberschaer B, Pietsch A, et al. n-3 fatty acids only delay early relapse of ulcerative colitis in remission. *Dig Dis Sci* 1996;41(10):2087-2094.
- Logan AC. Neurobehavioral aspects of omega-3 fatty acids: possible mechanisms and therapeutic value in major depression. *Altern Med Rev* 2003;8(4):410-425. (Review)

Citations and Reference Literature: Omega-3 Fatty Acids

- Logan AC. Omega-3 fatty acids and major depression: a primer for the mental health professional. *Lipids Health Dis* 2004;3(1):25.
- Logan AC, Katzman M. Major depressive disorder: probiotics may be an adjuvant therapy. *Med Hypotheses* 2005;64(3):533-538.
- Lopez-Miranda J, Gomez P, Castro P, et al. Mediterranean diet improves low density lipoproteins' susceptibility to oxidative modifications. *Med Clin (Barc)* 2000;115(10):361-365. [Spanish]
- Lord RS, Bongiovanni B, Bralley JA. Estrogen metabolism and the diet-cancer connection: rationale for assessing the ratio of urinary hydroxylated estrogen metabolites. *Altern Med Rev* 2002;7(2):112-129.
- Lorenz R, Loeschke K. Placebo-controlled trials of omega 3 fatty acids in chronic inflammatory bowel disease. *World Rev Nutr Diet* 1994;76:143-145.
- Lorenz R, Weber PC, Szimnau P, et al. Supplementation with n-3 fatty acids from fish oil in chronic inflammatory bowel disease: a randomized, placebo-controlled, double-blind cross-over trial. *J Intern Med Suppl* 1989;225(731):225-232.
- Lorenz-Meyer H, Bauer P, Nicolay C, et al. Omega-3 fatty acids and low carbohydrate diet for maintenance of remission in Crohn's disease: a randomized controlled multicenter trial: Study Group Members (German Crohn's Disease Study Group). *Scand J Gastroenterol* 1996;31(8):778-785.
- Lovegrove JA, Brooks CN, Murphy MC, et al. Use of manufactured foods enriched with fish oils as a means of increasing long-chain n-3 polyunsaturated fatty acid intake. *Br J Nutr* 1997;78(2):223-236.
- Lucas EA, Wild RD, Hammond LJ, et al. Flaxseed improves lipid profile without altering biomarkers of bone metabolism in postmenopausal women. *J Clin Endocrinol Metab* 2002;87(4):1527-1532.
- Lungershausen YK, Abbey M, Nestel PJ, et al. Reduction of blood pressure and plasma triglycerides by omega-3 fatty acids in treated hypertensives. *J Hypertens* 1994;12(9):1041-1045.
- Maachi K, Berthoux P, Burgard G, et al. Results of a 1-year randomized controlled trial with omega-3 fatty acid fish oil in renal transplantation under triple immunosuppressive therapy. *Transplant Proc* 1995;27(1):846-849.
- Mabile L, Piolot A, Boulet L, et al. Moderate intake of omega-3 fatty acids is associated with stable erythrocyte resistance to oxidative stress in hypertriglyceridemic subjects. *Am J Clin Nutr* 2001;74(4):449-456.
- Madsen JR, Laursen LS, Lauritsen K. [Chronic inflammatory bowel disease.] *Nord Med* 1992;107(10):254-260. [Danish] (Review)
- Maes M, Christophe A, Bosmans E, et al. In humans, serum polyunsaturated fatty acid levels predict the response of proinflammatory cytokines to psychological stress. *Biol Psychiatry* 2000;47:910-920.
- Maes M, Christophe A, Delanghe J, et al. Lowered omega 3 polyunsaturated fatty acids in serum phospholipids and cholesteryl esters of depressed patients. *Psychiatry Res* 1999;85:275-291.
- Maes M, Smith R, Christophe A, et al. Fatty acid composition in major depression: decreased omega 3 fractions in cholesteryl esters and increased C20: 4 omega 6/C20:5 omega 3 ratio in cholesteryl esters and phospholipids. *J Affect Disord* 1996;38:35-46.
- Mahadevappa VG, Holub BJ. Quantitative loss of individual eicosapentaenoyl-relative to arachidonoyl-containing phospholipids in thrombin-stimulated human platelets. *J Lipid Res* 1987;28(11):1275-1280.
- Malasanos TH, Stacpoole PW. Biological effects of omega-3 fatty acids in diabetes mellitus. *Diabetes Care* 1991;14:1160-1179.
- Mandasescu S, Mocanu V, Dascalita AM, et al. Flaxseed supplementation in hyperlipidemic patients. *Rev Med Chir Soc Med Nat Iasi* 2005;109(3):502-506.
- Manthey FA, Lee RE, Hall CA III. Processing and cooking effects on lipid content and stability of alpha-linolenic acid in spaghetti containing ground flaxseed. *J Agric Food Chem* 2002;50(6):1668-1671.
- Mantzioris E, Cleland LG, Gibson RA, et al. Biochemical effects of a diet containing foods enriched with n-3 fatty acids. *Am J Clin Nutr* 2000;72:42-48.
- Marangell LB, Martinez JM, Zboyan HA, et al. A double-blind, placebo-controlled study of the omega-3 fatty acid docosahexaenoic acid in the treatment of major depression. *Am J Psychiatry* 2003;160:996-998.
- Marangell LB, Martinez JM, Zboyan HA, et al. Omega-3 fatty acids for the prevention of postpartum depression: negative data from a preliminary, open-label pilot study. *Depress Anxiety* 2004;19(1):20-23.
- Marangell LB, Suppes T, Ketter TA, et al. Omega-3 fatty acids in bipolar disorder: clinical and research considerations. *Prostaglandins Leukot Essent Fatty Acids* 2006;75(4-5):315-321.
- Marchioli R, Barzi F, Bomba E, et al. Early protection against sudden death by n-3 polyunsaturated fatty acids after myocardial infarction: time-course analysis of the results of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico (GISSI)-Prevenzione. *Circulation* 2002;105(16):1897-1903.
- Marchioli R, Schweiger C, Tavazzi L, et al. Efficacy of n-3 polyunsaturated fatty acids after myocardial infarction: results of GISSI-Prevenzione trial: Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico. *Lipids* 2001;36(Suppl):S119-S126.
- Maresta A, Balducci M, Varani E, et al. Prevention of postcoronary angioplasty restenosis by omega-3 fatty acids: main results of the Esapent for Prevention of Restenosis Italian Study (ESPRIT). *Am Heart J* 2002;143(6):E5.

Citations and Reference Literature: Omega-3 Fatty Acids

- Maroon JC, Bost JW. Omega-3 fatty acids (fish oil) as an anti-inflammatory: an alternative to nonsteroidal anti-inflammatory drugs for discogenic pain. *Surg Neurol* 2006;65(4):326-331.
- Masuev KA. [The effect of polyunsaturated fatty acids of the omega-3 class on the late phase of the allergic reaction in bronchial asthma patients.] *Terapevticheskii Arkhiv* 1997;69(3):31-33.
- Mate J, Castanos R, Garcia-Samaniego J, et al. Does dietary fish oil maintain the remission of Crohn's disease: a case control study. *Gastroenterology* 1991;100:A228. (Abstract)
- Matthan NR, Jordan H, Chung M, et al. A systematic review and meta-analysis of the impact of omega-3 fatty acids on selected arrhythmia outcomes in animal models. *Metabolism* 2005;54(12):1557-1565. (Review)
- May HT, Muhlestein JB, Carlquist JF, et al. Relation of serum total cholesterol, C-reactive protein levels, and statin therapy to survival in heart failure. *Am J Cardiol* 2006;98(5):653-658.
- Mayser P, Mrowietz U, Arenberger P, et al. OMEGA-3 fatty acid-based lipid infusion in patients with chronic plaque psoriasis: results of a double-blind, randomized, placebo controlled, multicenter trial. *J Am Acad Dermatol* 1998;38(4):539-547.
- McDonald CF, Vecchie L, Pierce RJ, et al. Effect of fish-oil derived omega-3 fatty acid supplements on asthma control. *Aust N Z J Med* 1990;20:526. (Abstract)
- McLennan PL. Relative effects of dietary saturated, monounsaturated and polyunsaturated fatty acids on cardiac arrhythmias in rats. *Am J Clin Nutr* 1993;57:207-212.
- McLennan PL, Abeywardena MY, Charnock JS. Dietary fish oil prevents ventricular fibrillation following coronary artery occlusion and reperfusion. *Am Heart J* 1988;116:709-717.
- McLennan PL, Abeywardena MY, Charnock JS. Dietary lipid modulation of ventricular fibrillation threshold in the marmoset monkey. *Am Heart J* 1992;123:1555-1561.
- McManus RM, Jumpson J, Finegood DT. A comparison of the effects of n-3 fatty acids from linseed oil and fish oil in well-controlled type II diabetes. *Diabetes Care* 1996;19:463-467.
- McNamara RK, Carlson SE. Role of omega-3 fatty acids in brain development and function: potential implications for the pathogenesis and prevention of psychopathology. *Prostaglandins Leukot Essent Fatty Acids* 2006;75(4-5):329-349.
- McNamara RK, Hahn CG, Jandacek R, et al. Selective deficits in the omega-3 fatty acid docosahexaenoic acid in the postmortem orbitofrontal cortex of patients with major depressive disorder. *Biol Psychiatry* 2006. Epub ahead of print.
- McNamara RK, Ostrander M, Abplanalp W, et al. Modulation of phosphoinositide-protein kinase C signal transduction by omega-3 fatty acids: implications for the pathophysiology and treatment of recurrent neuropsychiatric illness. *Prostaglandins Leukot Essent Fatty Acids* 2006;75(4-5):237-257.
- McNamara RK. The emerging role of omega-3 fatty acids in psychiatry. *Prostaglandins Leukot Essent Fatty Acids* 2006;75(4-5):223-225. (Review)
- Mehrotra B, Ronquillo J. Dietary supplementation in hem/onc outpatients at a tertiary care hospital. American Society of Clinical Oncology 38th Annual Meeting. Orlando, FL, May 18, 2002.
- Mehta JL, Lopez LM, Lawson D, et al. Dietary supplementation with omega-3 polyunsaturated fatty acids in patients with stable coronary heart disease: effects on indices of platelet and neutrophil function and exercise performance. *Am J Med* 1988;84:45-52.
- Meydani M. OMEGA-3 fatty acids alter soluble markers of endothelial function in coronary heart disease patients. *Nutr Rev* 2000;58(2 pt 1):56-59.
- Meydani SN, Lichtenstein AH, Cornwall S et al. Immunologic effects of national cholesterol education panel step-2 diets with and without fish-derived N-3 fatty acid enrichment. *J Clin Invest* 1993;92:105-113.
- Mickleborough TD, Lindley MR, Ionescu AA, et al. Protective effect of fish oil supplementation on exercise-induced bronchoconstriction in asthma. *Chest* 2006;129(1):39-49.
- Mickleborough TD, Murray RL, Ionescu AA, et al. Fish oil supplementation reduces severity of exercise-induced bronchoconstriction in elite athletes. *Am J Respir Crit Care Med* 2003;168(10):1181-1189.
- Middleton SJ, Naylor S, Woolner J, et al. A double-blind, randomized, placebo-controlled trial of essential fatty acid supplementation in the maintenance of remission of ulcerative colitis. *Aliment Pharmacol Ther* 2002;16:1131-1135.
- Miloszewska J, Krotkiewski M. The antipromoting effect of alkyloglycerols from shark liver oil. *Cell Mol Biol Lett* 2002;7(2):294.
- Mischoulon D, Fava M. Docosahexanoic acid and omega-3 fatty acids in depression. *Psychiatr Clin North Am* 2000;23(4):785-794.
- Mitchell EA, Aman MG, Turbott SH, et al. Clinical characteristics and serum essential fatty acid levels in hyperactive children. *Clin Pediatr (Phila)* 1987;26:406-411.
- Mitsugi K, Nakamura T, Kashiwabara N, et al. Protection against methotrexate toxicity by a soybean protein- and omega-3 fatty acid-containing diet: comparative study with a casein-containing diet. *Oncol Rep* 2004;12(1):41-45.
- Mizushima S, Moriguchi EH, Ishikawa P, et al. Fish intake and cardiovascular risk among middle-aged Japanese in Japan and Brazil. *J Cardiovasc Risk* 1997;4(3):191-199.

Citations and Reference Literature: Omega-3 Fatty Acids

- Montori V, Farmer A, Wollan PC, et al. Fish oil supplementation in type 2 diabetes: a quantitative systematic review. *Diabetes Care* 2000;23(9):1407-1415.
- Mori TA, Bao, DQ, Burke V, et al. Dietary fish as a major component of a weight-loss diet: effect on serum lipids, glucose, and insulin metabolism in overweight hypertensive subjects. *Am J Clin Nutr* 1999;70:817-825.
- Mori TA, Burke V, Puddey IB, et al. Purified eicosapentaenoic and docosahexaenoic acids have differential effects on serum lipids and lipoproteins, LDL particle size, glucose, and insulin in mildly hyperlipidemic men. *Am J Clin Nutr* 2000;71:1085-1094.
- Morris MC. Docosahexaenoic acid and Alzheimer disease. *Arch Neurol* 2006;63:1527-1528. (Editorial)
- Morris MC, Manson JE, Rosner B, et al. Fish consumption and cardiovascular disease in the physicians' health study: a prospective study. *Am J Epidemiol* 1995;142(2):166-175.
- Morris MC, Sacks F, Rosner B. Does fish oil lower blood pressure? A meta-analysis of controlled trials. *Circulation* 1993;88(2):523-533. (Meta-analysis)
- Morris MC, Taylor JO, Stampfer MJ, et al. The effect of fish oil on blood pressure in mild hypertensive subjects: a randomized crossover trial. *Am J Clin Nutr* 1993;57(1):59-64.
- Mozaffarian D, Geelen A, Brouwer IA, et al. Effect of fish oil on heart rate in humans. a meta-analysis of randomized controlled trials. *Circulation* 2005;112(13):1945-1952.
- Mozaffarian D, Ascherio A, Hu FB, et al. Interplay between different polyunsaturated fatty acids and risk of coronary heart disease in men. *Circulation* 2005;111(2):157-164.
- Mozaffarian D, Geelen A, Brouwer IA, et al. Effect of fish oil on heart rate in humans: a meta-analysis of randomized controlled trials. *Circulation* 2005;112(13):1945-1952.
- Mozaffarian D, Longstreth WT Jr, Lemaitre RN, et al. Fish consumption and stroke risk in elderly individuals: the cardiovascular health study. *Arch Intern Med* 2005;165(2):200-206. Erratum in *Arch Intern Med* 2005;165(6):683.
- Mozaffarian D, Prineas RJ, Stein PK, et al. Dietary fish and n-3 fatty acid intake and cardiac electrocardiographic parameters in humans. *J Am Coll Cardiol* 2006;48(3):478-484.
- Mozaffarian D, Psaty BM, Rimm EB, et al. Fish intake and risk of incident atrial fibrillation. *Circulation* 2004;110(4):368-373.
- Nagakura T, Matsuda S, Shichijyo K, et al. Dietary supplementation with fish oil rich in omega-3 polyunsaturated fatty acids in children with bronchial asthma. *Eur Resp J* 2000;16(5):861-865.
- Nair SSD, Leitch JW, Falconer J, et al. Prevention of cardiac arrhythmia by dietary (n-3) polyunsaturated fatty acids and their mechanism of action. *J Nutr* 1997;127:383-93.
- Natvig H, Borchgrevink CF, Dedichen J, et al. A controlled trial of the effect of linolenic acid on incidence of coronary heart disease: the Norwegian vegetable oil experiment of 1965- 66. *Scand J Clin Lab Invest Suppl* 1968;105:1-20.
- Navarro E, Esteve M, Olivé A, et al. Abnormal fatty acid pattern in rheumatoid arthritis: a rationale for treatment with marine and botanical lipids. *J Rheumatol* 2000;27:298-303.
- Nemets H, Nemets B, Apter A, et al. Omega-3 treatment of childhood depression: a controlled, double-blind pilot study. *Am J Psychiatry* 2005;163(6):1098-1100.
- Nemets B, Osher Y, Belmaker RH. Omega-3 fatty acids and augmentation strategies in treating resistant depression. *Essent Psychopharmacol* 2004;6(1):59-64.
- Ness AR, Gallacher JE, Bennett PD, et al. Advice to eat fish and mood: a randomised controlled trial in men with angina. *Nutr Neurosci* 2003;6(1):63-65.
- Nestel PJ, Pomeroy SE, Sasahara T, et al. Arterial compliance in obese subjects is improved with dietary plant n-3 fatty acid from flaxseed oil despite increased LDL oxidizability. *Arterioscler Thromb Vasc Biol* 1997;17(6):1163-1170.
- Nettleton JA. OMEGA-3 fatty acids: comparison of plant and seafood sources in human nutrition. *J Am Diet Assoc* 1991;91:331-337.
- Newcomer LM, King IB, Wicklund KG, et al. The association of fatty acids with prostate cancer risk. *Prostate* 2001;47(4):262-268.
- Newton M, Combest W, Kosier JH, et al. Selected herbal dietary supplements used to manage climacteric (menopausal-type) symptoms. *Urol Nurs* 2002;22(4):267-272.
- Nielsen GL, Faarvang KL, Thomsen BS, et al. The effects of dietary supplementation with n-3 polyunsaturated fatty acids in patients with rheumatoid arthritis: a randomized, double blind trial. *Eur J Clin Invest* 1992;22(10):687-691.
- Nieminen LR, Makino KK, Mehta N, et al. Relationship between omega-3 fatty acids and plasma neuroactive steroids in alcoholism, depression and controls. *Prostaglandins Leukot Essent Fatty Acids* 2006;75(4-5):309-314.
- Nilsen DW, Albrektsen G, Landmark K, et al. Effects of a high-dose concentrate of n-3 fatty acids or corn oil introduced early after an acute myocardial infarction on serum triacylglycerol and HDL cholesterol. *Am J Clin Nutr* 2001;74(1):50-56.
- Nightingale S, Woo E, Smith AD, et al. Red blood cell and adipose tissue fatty acids in mild inactive multiple sclerosis. *Acta Neurol Scand* 1990;82:43-50.

Citations and Reference Literature: Omega-3 Fatty Acids

- Nordstrom DC, Honkanen VE, Nasu Y, et al. Alpha-linolenic acid in the treatment of rheumatoid arthritis: a double-blind placebo controlled and randomized study; flaxseed versus safflower seed. *Rheumatol Int* 1995;14:231-234.
- Norrish AE, Skeaff CM, Arribas GL, et al. Prostate cancer risk and consumption of fish oils: a dietary biomarker- based case-control study. *Br J Cancer* 1999;81(7):1238-1242.
- O'Connor TP, Roebuck BD, Peterson F, et al. Effect of dietary intake of fish oil and fish protein on the development of L-azaserine-induced preneoplastic lesions in the rat pancreas. *J Natl Cancer Inst* 1985;75:959-962.
- Oddy WH, de Klerk NH, Kendall GE, et al. Ratio of omega-6 to omega-3 fatty acids and childhood asthma. *J Asthma* 2004;41(3):319-326.
- Ogborn MR, Nitschmann E, Bankovic-Calic N, et al. Dietary flax oil reduces renal injury, oxidized LDL content, and tissue n-6/n-3 FA ratio in experimental polycystic kidney disease. *Lipids* 2002;37(11):1059-1065.
- Okamoto M, Mitsunobu F, Ashida K, et al. Effects of dietary supplementation with n-3 fatty acids compared with n-6 fatty acids on bronchial asthma. *Intern Med* 2000;39(2):107-111.
- Okamoto M, Misunobu F, Ashida K, et al. Effects of perilla seed oil supplementation on leukotriene generation by leucocytes in patients with asthma associated with lipometabolism. *Int Arch Allergy Immunol* 2000;122(2):137-142.
- O'Keefe JH Jr, Harris WS. From Inuit to implementation: omega-3 fatty acids come of age. *Mayo Clin Proc* 2000;75(6):607-614.
- Olsen SF, Secher NJ, Tabor A, et al. Randomised clinical trials of fish oil supplementation in high risk pregnancies: Fish Oil Trials In Pregnancy (FOTIP) Team. *BJOG* 2000;107(3):382-395.
- Olsen SF, Secher NJ. Low consumption of seafood in early pregnancy as a risk factor for preterm delivery: prospective cohort study. *BMJ* 2002;324(7335):447-450.
- Olsen SF, Sorensen JD, Secher NJ, et al. Randomised controlled trial of effect of fish-oil supplementation on pregnancy duration. *Lancet* 1992;339(8800):1003-1007.
- Olszewski AJ, McCully KS. Fish oil decreases serum homocysteine in hyperlipemic men. *Coron Artery Dis* 1993;4:53-60.
- Onwude JL, Lilford RJ, Hjartardottir H, et al. A randomised double blind placebo controlled trial of fish oil in high risk pregnancy. *Br J Obstet Gynaecol* 1995;102(2):95-100.
- Oomen CM, Feskens JE, Rasanen L, et al. Fish consumption and coronary heart disease mortality in Finland, Italy, and The Netherlands. *Am J Epidemiol* 2000;151:999-1006.
- Oomen CM, Ocke MC, Feskens EJ, et al. alpha-Linolenic acid intake is not beneficially associated with 10-y risk of coronary artery disease incidence: the Zutphen Elderly Study. *Am J Clin Nutr* 2001;74(4):457-463.
- Orencia AJ, Daviglus ML, Dyer AR, et al. Fish consumption and stroke in men. 30-year findings of the Chicago Western Electric Study. *Stroke* 1996;27(2):204-209.
- Osher Y, Bersudsky Y, Belmaker RH. Omega-3 eicosapentaenoic acid in bipolar depression: report of a small open-label study. *J Clin Psychiatry* 2005;66(6):726-729.
- Palat D, Rudolph D, Rothstein M. A trial of fish oil in asthma. *Am Rev Respir Dis* 1988;137(Suppl 4; part 2):329. (Abstract)
- Parinyasiri U, Ong-Ajyooth L, Parichatikanond P, et al. Effect of fish oil on oxidative stress, lipid profile and renal function in IgA nephropathy. *J Med Assoc Thai* 2004;87(2):143-149.
- Parker G, Gibson NA, Brotchie H, et al. Omega-3 fatty acids and mood disorders. *Am J Psychiatry* 2005;163(6):969-978. (Review)
- Patafino T, Brady DM. Natural medicine and nutritional therapy as an alternative treatment in systemic lupus erythematosus. *Altern Med Rev* 2001;6(5):460-471.
- Paul KP, Leichsenring M, Pfisterer M, et al. Influence of n-6 and n-3 polyunsaturated fatty acids on the resistance to experimental tuberculosis. *Metabolism* 1997;46(6):619-624.
- Peck LW. Essential fatty acid deficiency in renal failure: can supplements really help? *J Am Diet Assoc* 1997;97:5150-5153.
- Peet M. Eicosapentaenoic acid in the treatment of schizophrenia and depression: rationale and preliminary double-blind clinical trial results. *Prostaglandins Leukot Essent Fatty Acids* 2003;69(6):477-485.
- Peet M. The metabolic syndrome, omega-3 fatty acids and inflammatory processes in relation to schizophrenia. *Prostaglandins Leukot Essent Fatty Acids* 2006;75(4-5):323-327.
- Peet M, Brind J, Ramchand CN, et al. Two double-blind placebo-controlled pilot studies of eicosapentaenoic acid in the treatment of schizophrenia. *Schizophr Res* 2001;49:243-251.
- Peet M, Laugharne JD, Mellor J, et al. Essential fatty acid deficiency in erythrocyte membranes from chronic schizophrenic patients, and the clinical effects of dietary supplementation. *Prostaglandins Leukot Essent Fatty Acids* 1996;55(1-2):71-75.
- Peet M, Murphy B, Shay J, et al. Depletion of omega-3 fatty acid levels in red blood cell membranes of depressive patients. *Biol Psychiatry* 1998;43:315-319.
- Penniston KL, Tanumihardjo SA. The acute and chronic toxic effects of vitamin A. *Am J Clin Nutr* 2006;83(2):191-201. (Review)

Citations and Reference Literature: Omega-3 Fatty Acids

- Philbrick DJ, Mahadevappa VG, Ackman RG, et al. Ingestion of fish oil or a derived n-3 fatty acid concentrate containing eicosapentaenoic acid (EPA) affects fatty acid compositions of individual phospholipids of rat brain, sciatic nerve and retina. *J Nutr* 1987;117(10):1663-1670.
- Philibert A, Vanier C, Abdelouahab N, et al. Fish intake and serum fatty acid profiles from freshwater fish. *Am J Clin Nutr* 2006;84(6):1299-1307.
- Phillips MN, Chavarro J, Stampfer M, et al. A prospective study of fish, n-3 fatty acid intake, and colorectal cancer risk in men. Abstract B165. American Association for Cancer Research, Frontiers in Cancer Prevention Research meeting. Boston, MA, Nov 14, 2006.
- Phillipson BE, Rothrock DW, Connor WE, et al. Reduction of plasma lipids, lipoproteins, and apoproteins by dietary fish oils in patients with hypertriglyceridemia. *N Engl J Med* 1985;312:1210-1216.
- Picado C, Castillo JA, Schinca N, et al. Effects of a fish oil enriched diet on aspirin intolerant asthmatic patients: a pilot study. *Thorax* 1988;43:93-97.
- Pichard C, Sudre P, Karsegard V, et al. A randomized double-blind controlled study of 6 months of oral nutritional supplementation with arginine and omega-3 fatty acids in HIV-infected patients: Swiss HIV Cohort Study. *AIDS* 1998;12:53-63.
- Pouwer F, Nijpels G, Beekman AT, et al. Fat food for a bad mood: could we treat and prevent depression in type 2 diabetes by means of omega-3 polyunsaturated fatty acids? A review of the evidence. *Diabetes Med* 2005;22(11):1465-1475. (Review)
- Pradalier A, Bakouche P, Baudesson G, et al. Failure of omega-3 polyunsaturated fatty acids in prevention of migraine: a double-blind study versus placebo. *Cephalalgia* 2001;21:818-822.
- Prasad K. Dietary flax seed in prevention of hypercholesterolemic atherosclerosis. *Atherosclerosis* 1997;132(1):69-76.
- Prasad K, Mantha SV, Muir AD, et al. Reduction of hypercholesterolemic atherosclerosis by CDC-flaxseed with very low alpha-linolenic acid. *Atherosclerosis* 1998;136(2):367-375.
- Prichard BN, Smith CC, Ling KL, et al. Fish oils and cardiovascular disease. *BMJ* 1995;310(6983):819-820.
- Prisco D, Paniccia R, Bandinelli B, et al. Effect of medium term supplementation with a moderate dose of n-3 polyunsaturated fatty acid on blood pressure in mild hypertensive patients. *Thromb Res* 1998;91:105-112.
- Pugliese PT, Jordan K, Cederberg H, et al. Some biological actions of alkylglycerols from shark liver oil. *J Altern Complement Med* 1998;4(1):87-99. (Review)
- Puri BK. High-resolution magnetic resonance imaging sinc-interpolation-based subvoxel registration and semi-automated quantitative lateral ventricular morphology employing threshold computation and binary image creation in the study of fatty acid interventions in schizophrenia, depression, chronic fatigue syndrome and Huntington's disease. *Int Rev Psychiatry* 2005;18(2):149-154. (Review)
- Puri B, Richardson AJ, Horrobin DF, et al. Eicosapentaenoic acid treatment in schizophrenia associated with symptom remission, normalisation of blood fatty acids, reduced neuronal membrane phospholipid turnover and structural brain changes. *Int J Clin Pract* 2000;54(1):57-63.
- Raeder MB, Steen VM, Vollset SE, et al. Associations between cod liver oil use and symptoms of depression: the Hordaland Health Study. *J Affect Disord* 2006. Epub ahead of print.
- Raitt MH, Connor WE, Morris C, et al. Fish oil supplementation and risk of ventricular tachycardia and ventricular fibrillation in patients with implantable defibrillators: a randomized controlled trial. *JAMA* 2005;293:2884-2891.
- Rambjor GS, Walen AI, Windsor SL. Eicosapentaenoic acid is primarily responsible for hypotriglyceridemic effect of fish oil in humans. *Lipids* 1996;31(Suppl):S45-49.
- Rao ML, Hiemke C, Grasmader K, et al. [Olanzapine: pharmacology, pharmacokinetics and therapeutic drug monitoring.] *Fortschr Neurol Psychiatr* 2001;69(11):510-517. [German] (Review)
- Rasmussen BM, Vessby B, Uusitupa M, et al. Effects of dietary saturated, monounsaturated, and n3 fatty acids on blood pressure in healthy subjects. *Am J Clin Nutr* 2006;83(2):221-226.
- Ravnskov U, Rosch PJ, Sutter MC, et al. Should we lower cholesterol as much as possible? *BMJ* 2006;332(7553):1330-1332. (Letter)
- Raxwal V. Do omega-3 fatty acids/fish oil reduce mortality in patients without coronary artery disease? Abstract 914-206. Fifty-fifth Annual Meeting of the American College of Cardiology. Atlanta, GA, Mar 13, 2006.
- Rees D, Miles EA, Banerjee T, et al. Dose-related effects of eicosapentaenoic acid on innate immune function in healthy humans: a comparison of young and older men. *Am J Clin Nutr* 2006;83(2):331-342.
- Reis LC, Hibbeln JR. Cultural symbolism of fish and the psychotropic properties of omega-3 fatty acids. *Prostaglandins Leukot Essent Fatty Acids* 2006;75(4-5):227-236.
- Rhodes LE, Durham BH, Fraser WD, et al. Dietary fish oil reduces basal and ultraviolet B-generated PGE2 levels in skin and increases the threshold to provocation of polymorphic light eruption. *J Invest Dermatol* 1995;105(4):532-535.
- Rhodes LE, White SI. Dietary fish oil as a photoprotective agent in hydroa vacciniforme. *Br J Dermatol* 1998;138(1):173-178.
- Richardson AJ, Montgomery P. The Oxford-Durham Study: a randomized, controlled trial of dietary supplementation with fatty acids in children with developmental coordination disorder. *Pediatrics* 2005;115(5):1360-1366.

Citations and Reference Literature: Omega-3 Fatty Acids

- Richardson AJ, Puri BK. A randomized double-blind, placebo-controlled study of the effects of supplementation with highly unsaturated fatty acids on ADHD-related symptoms in children with specific learning difficulties. *Prog Neuropsychopharmacol Biol Psychiatry* 2002;26:233-239.
- Richardson AJ, Puri BK. The potential role of fatty acids in attention-deficit/hyperactivity disorder. *Prostaglandins Leukot Essent Fatty Acids* 2000;63(1/2):79-87.
- Ringer TV, Hughes GS, Spillers CR, et al. Fish oil blunts the pain response to cold pressor testing in normal males. *J Am Coll Nutr* 1989;8:435. (Abstract)
- Roche HM, Gibney MJ. Postprandial triacylglycerolaemia: the effect of low-fat dietary treatment with and without fish oil supplementation. *Eur J Clin Nutr* 1996;50(9):617-624.
- Rose DP, Connolly JM. Omega-3 fatty acids as cancer chemopreventive agents. *Pharmacol Ther* 1999;83(3):217-244.
- Rose DP, Connolly JM, Coleman M. Effect of omega-3 fatty acids on the progression of metastases after the surgical excision of human breast cancer cell solid tumors growing in nude mice. *Clin Cancer Res* 1996;2:1751-1756.
- Rose DP, Connolly JM, Rayburn J, et al. Influence of diets containing eicosapentaenoic or docosahexaenoic acid on growth and metastasis of breast cancer cells in nude mice. *J Natl Cancer Inst* 1995;87:587-592.
- Rosenberg IH. Fish: food to calm the heart. *N Engl J Med* 2002;346(15):1102-1103.
- Ross E. The role of marine fish oils in the treatment of ulcerative colitis. *Nutr Rev* 1993;51(2):47-49.
- Rudra PK, Krokan HE. Cell-specific enhancement of doxorubicin toxicity in human tumour cells by docosahexaenoic acid. *Anticancer Res* 2001;21(1A):29-38.
- Sacks FM, Stone PH, Gibson CM, et al. Controlled trial of fish oil for regression of human coronary atherosclerosis: HARP Research Group. *J Am Coll Cardiol* 1995;25(7):1492-1498.
- Sagduyu K, Dokucu ME, Eddy BA, et al. Omega-3 fatty acids decreased irritability of patients with bipolar disorder in an add-on, open label study. *Nutr J* 2005;4:6.
- Sakaguchi K, Morita I, Murota S. Eicosapentaenoic acid inhibits bone loss due to ovariectomy in rats. *Prostaglandins Leukot Essent Fatty Acids* 1994;50:81-84.
- Salomon P, Kornbluth AA, Janowitz HD. Treatment of ulcerative colitis with fish oil n-3-omega-fatty acid: an open trial. *J Clin Gastroenterol* 1990;12(2):157-161.
- Salonen JT, Seppanen K, Nyyssönen K, et al. Intake of mercury from fish, lipid peroxidation, and the risk of myocardial infarction and coronary, cardiovascular, and any death in eastern Finnish men. *Circulation* 1995;91:645-655.
- Salvig JD, Olsen SF, Secher NJ. Effects of fish oil supplementation in late pregnancy on blood pressure: a randomised controlled trial. *Br J Obstet Gynaecol* 1996;103(6):529-533.
- Sanders TA, Hinds A. The influence of a fish oil high in docosahexaenoic acid on plasma lipoprotein and vitamin E concentrations and haemostatic function in healthy male volunteers. *Br J Nutr* 1992;68(1):163-173.
- Sanders TA, Oakley FR, Miller GJ, et al. Influence of n-6 versus n-3 polyunsaturated fatty acids in diets low in saturated fatty acids on plasma lipoproteins and hemostatic factors. *Arterioscler Thromb Vasc Biol* 1997;17(12):3449-3460.
- Saynor R. Effects of omega-3 fatty acids on serum lipids. *Lancet* 1984;2:696-697.
- Saynor R, Gillott T. Changes in blood lipids and fibrinogen with a note on safety in a long term study on the effects of n-3 fatty acids in subjects receiving fish oil supplements and followed for seven years. *Lipids* 1992;27:533-538.
- Saynor R, Verel D, Gillott T. The long-term effect of dietary supplementation with fish lipid concentrate on serum lipids, bleeding time, platelets and angina. *Atherosclerosis* 1984;50:3-10.
- Scarmeas N, Stern Y, Mayeux R, et al. Mediterranean diet, Alzheimer disease, and vascular mediation. *Arch Neurol* 2006;10.1001/archneur.63.12.noc60109.
- Scarmeas N, Stern Y, Tang MX, et al. Mediterranean diet and risk for Alzheimer's disease. *Ann Neurol* 2006;59(6):912-921.
- Scevola D, Oberto L, Faggi A, et al. Fish oil in the treatment of wasting syndrome. *Int Conf AIDS* 1996;11:122.
- Schaefer EJ, Bongard V, Beiser AS, et al. Plasma phosphatidylcholine docosahexaenoic acid content and risk of dementia and Alzheimer disease: the Framingham Heart Study. *Arch Neurol* 2006;63:1545-1550.
- Schectman G, Kaul S, Kissebah AH. Heterogeneity of low density lipoprotein responses to fish-oil supplementation in hypertriglyceridemic subjects. *Arteriosclerosis* 1989;9:345-354.
- Schmitz PG, McCloud LK, Reikes ST, et al. Prophylaxis of hemodialysis graft thrombosis with fish oil: double-blind, randomized, prospective trial. *J Am Soc Nephrol* 2002;13:184-190.
- Seddon JM, George S, Rosner B. Cigarette smoking, fish consumption, omega-3 fatty acid intake, and associations with age-related macular degeneration: the US Twin Study of Age-Related Macular Degeneration. *Arch Ophthalmol* 2006;124:995-1001.

Citations and Reference Literature: Omega-3 Fatty Acids

- Seddon JM, Rosner B, Sperduto RD, et al. Dietary fat and risk for advanced age-related macular degeneration. *Arch Ophthalmol* 2001;119(8):1191-1199.
- Sellmayer A, Witzgall H, Lorenz RL, et al. Effects of dietary fish oil on ventricular premature complexes. *Am J Cardiol* 1995;76(12):974-977.
- Serraino M, Thompson LU. The effect of flaxseed supplementation on the initiation and promotional stages of mammary tumorigenesis. *Nutr Cancer* 1992;17:153-159.
- Shahar E, Folsom AR, Melnick SL, et al. Dietary n-3 polyunsaturated fatty acids and smoking-related chronic obstructive pulmonary disease: Atherosclerosis Risk in Communities Study Investigators. *N Engl J Med* 1994;331:228-233.
- Shaikh SR, Edidin M. Polyunsaturated fatty acids, membrane organization, T cells, and antigen presentation. *Am J Clin Nutr* 2006;84(6):1277-1289. (Review)
- Shekelle RB, Missell LV, Paul O, et al. Fish consumption and mortality from coronary heart disease. *N Engl J Med* 1985;313:820-821. (Letter)
- Shekelle RB, Shryock AM, Paul O, et al. Diet, serum cholesterol, and death from coronary heart disease: the Western Electric Study. *N Engl J Med* 1981;304:65-70.
- Shils ME, Olson JA, Shike M, et al. *Modern nutrition in health and disease*. 9th ed. Baltimore: Williams & Wilkins; 1999:90-92,1377-1378.
- Shimokawa H, Vanhoutte PM. Dietary omega 3 fatty acids and endothelium-dependent relaxations in porcine coronary arteries. *Am J Physiol* 1989;256:H968-973.
- Shimokawa H, Vanhoutte PM. Dietary omega-3 fatty acids and endothelium-dependent relaxations in porcine coronary arteries. *Am J Physiol* 1989;256:H968-H973.
- Shoda R, Matsueda K, Yamato S, et al. Therapeutic efficacy of N-3 polyunsaturated fatty acid in experimental Crohn's disease. *J Gastroenterol* 1995;30(Suppl 8):98-101.
- Silvers KM, Woolley CC, Hamilton FC, et al. Randomised double-blind placebo-controlled trial of fish oil in the treatment of depression. *Prostaglandins Leukot Essent Fatty Acids* 2005;72:211-218.
- Simon H, Scatton B, Moal ML. Dopaminergic A10 neurones are involved in cognitive functions. *Nature* 1980;286:150-151.
- Simon JA, Fong J, Bernert JT Jr, et al. Serum fatty acids and the risk of stroke. *Stroke* 1995;26(5):778-782.
- Simopoulos AP. Essential fatty acids in health and chronic disease. *Am J Clin Nutr* 1999;70(3 Suppl):560S-569S. (Review)
- Simopoulos AP. Importance of the ratio of omega-6/omega-3 essential fatty acids: evolutionary aspects. *World Rev Nutr Diet* 2003;92:1-22.
- Simopoulos AP. New products from the agri-food industry: the return of n-3 fatty acids into the food supply. *Lipids* 1999;34(Suppl):S297-S301. (Review)
- Simopoulos AP. Omega-3 fatty acids and antioxidants in edible wild plants. *Biol Res* 2004;37(2):263-277. (Review)
- Simopoulos AP. Omega-3 fatty acids in health and disease and in growth and development. *Am J Clin Nutr* 1991;54(3):438-63. (Review)
- Simopoulos AP. Omega-3 fatty acids in inflammation and autoimmune diseases. *J Am Coll Nutr* 2002;21(6):495-505. (Review)
- Simopoulos AP. Omega-3 fatty acids in the prevention-management of cardiovascular disease. *Can J Physiol Pharmacol* 1997;75(3):234-239. (Review)
- Simopoulos AP. The Mediterranean diets: what is so special about the diet of Greece? The scientific evidence. *J Nutr* 2001;131(11 Suppl):3065S-3073S. (Review)
- Simopoulos AP. Summary of the conference on the health effects of polyunsaturated fatty acids in seafoods. *J Nutr* 1986;116(12):2350-2354.
- Simopoulos AP, Salem N Jr. Egg yolk as a source of long-chain polyunsaturated fatty acids in infant feeding. *Am J Clin Nutr* 1992;55(2):411-414.
- Singer P, Jaeger W, Wirth M, et al. Lipid and blood-pressure-lowering effect of mackerel diet in man. *Atherosclerosis* 1983;49:99-108.
- Singh RB, Niaz MA, Sharma JP, et al. Randomized, double-blind, placebo-controlled trial of fish oil and mustard oil in patients with suspected acute myocardial infarction: the Indian experiment of infarct survival: 4. *Cardiovasc Drugs Ther* 1997;11(3):485-491.
- Singleton CB, Walker BD, Cambell TJ. N-3 polyunsaturated fatty acids and cardiac mortality. *Aust N Z J Med* 2000;30:246-251.
- Sirtori CR, Calabresi L. Japan: are statins still good for everybody? *Lancet* 2006;368(9542):1135-1136.
- Siscovick DS, Raghunathan TE, King I, et al. Dietary intake and cell membrane levels of long-chain n-3 polyunsaturated fatty acids and the risk of primary cardiac arrest. *JAMA* 1995;274:1363-1367.
- Skeaff CM, Holub BJ. The effect of fish oil consumption on platelet aggregation responses in washed human platelet suspensions. *Thromb Res* 1988;51(2):105-115.

Citations and Reference Literature: Omega-3 Fatty Acids

- Skoldstam L, Borjesson O, Kjallman A, et al. Effect of six months of fish oil supplementation in stable rheumatoid arthritis: a double-blind, controlled study. *Scand J Rheumatol* 1992;21(4):178-185.
- Smit EN, Oelen EA, Seerat E, et al. Breast milk docosahexaenoic acid (DHA) correlates with DHA status of malnourished infants. *Arch Dis Child* 2000;82:493-494.
- Smith W, Mitchell P, Leeder SR. Dietary fat and fish intake and age-related maculopathy. *Arch Ophthalmol* 2000;118(3):401-404.
- Smuts CM, Huang M, Mundy D, et al. A randomized trial of docosahexaenoic acid supplementation during the third trimester of pregnancy. *Obstet Gynecol* 2003;101:469-479.
- Sommerfield T, Hiatt WR. Omega-3 fatty acids for intermittent claudication. *Cochrane Database Syst Rev* 2004;(3):CD003833.
- Sontrop J, Campbell MK. Omega-3 polyunsaturated fatty acids and depression: a review of the evidence and a methodological critique. *Prev Med* 2005;42(1):4-13. (Review)
- Soyland E, Funk J, Rajka G, et al. Effect of dietary supplementation with very-long chain n-3 fatty acids in patients with psoriasis. *N Engl J Med* 1993;328(25):1812-1816.
- Sperling RI, Weinblatt M, Robin JL, et al. Effects of dietary supplementation with marine fish oil on leukocyte lipid mediator generation and function in rheumatoid arthritis. *Arthritis Rheum* 1987;30(9):988-997.
- Stampfer MJ, Hu FB, Manson JE, et al. Primary prevention of coronary heart disease in women through diet and lifestyle. *N Engl J Med* 2000;343(1):16-22.
- Stange KC, Acheson LS. Communication in the era of 'personalized' medicine. *Ann Fam Med* 2006;4(3):194-196. (Editorial)
- Stark KD, Mulvad G, Pedersen HS, et al. Fatty acid compositions of serum phospholipids of postmenopausal women: a comparison between Greenland Inuit and Canadians before and after supplementation with fish oil. *Nutrition* 2002;18(7-8):627-630.
- Stark KD, Park EJ, Maines VA, et al. Effect of a fish-oil concentrate on serum lipids in postmenopausal women receiving and not receiving hormone replacement therapy in a placebo-controlled, double-blind trial. *Am J Clin Nutr* 2000;72(2):389-394.
- Stenius-Aarniala B, Aro A, Hakulinen A, et al. Evening primrose oil and fish oil are ineffective as supplementary treatment of bronchial asthma. *Ann Allergy* 1989;62(6):534-537.
- Stenius-Aarniala B, Aro A, Hakulinen A, et al. Symptomatic effects of evening primrose oil, fish oil, and olive oil in patients with bronchial asthma. *Ann Allergy* 1985;55:330.
- Stenson WF, Cort D, Beeken W, et al. A trial of fish oil supplemented diet in ulcerative colitis. *Gastroenterology* 1990;98(Suppl):A475. (Abstract)
- Stenson WF, Cort D, Rodgers J, et al. Dietary supplementation with fish oil in ulcerative colitis. *Ann Intern Med* 1992;116(8):609-614.
- Steffen LM, Folsom AR, Cushman M, et al. Greater fish, fruit, and vegetable intakes are related to lower incidence of venous thromboembolism: the Longitudinal Investigation of Thromboembolism Etiology. *Circulation* 2006. Epub Dec 18, 2006;10.1161/CIRCULATIONAHA.106.641688.
- Sterr A, Amann B, Grunze H. [Prophylaxis of bipolar disorder.] *Psychiatr Prax* 2005;33(Suppl 1):S47-S54. [German] (Review)
- Stevens L, Zhang W, Peck L, et al. EPA supplementation in children with inattention, hyperactivity, and other disruptive behaviors. *Lipids* 2003;38:1007-1021.
- Stevens LJ, Zentall SS, Abate ML, et al. OMEGA-3 fatty acids in boys with behavior, learning and health problems. *Physiol Behav* 1996;59(4/5):915-920.
- Stevens LJ, Zentall SS, Deck JL, et al. Essential fatty acid metabolism in boys with attention-deficit hyperactivity disorder. *Am J Clin Nutr* 1995;62:761-768.
- Stoll AL. Omega 3 connection: the groundbreaking antidepressant diet and brain program. New York: Free Press; 2002.
- Stoll AL, Damico KE, Daly BP, et al. Methodological considerations in clinical studies of omega 3 fatty acids in major depression and bipolar disorder. *World Rev Nutr Diet* 2001;88:58-67. (Review)
- Stoll AL, Severus WE, Freeman MP, et al. Omega 3 fatty acids in bipolar disorder: a preliminary double-blind placebo-controlled trial. *Arch Gen Psychiatry* 1999;56(5):407-412.
- Stoll BA. Breast cancer and the Western diet: role of fatty acids and antioxidant vitamins. *Eur J Cancer* 1998;34(12):1852-1856.
- Stone NJ. Fish consumption, fish oil, lipids, and coronary heart disease. *Circulation* 1996;94(9):2337-2340.
- Storlien LH, Higgins JA, Thomas TC, et al. Diet composition and insulin action in animal models. *Br J Nutr* 2000;83:S85-S90.
- Storlien LH, Jenkins AB, Chisholm DJ, et al. Influence of dietary fat composition on development of insulin resistance in rats: relationship to muscle triglyceride and omega-3 fatty acids in muscle phospholipid. *Diabetes* 1991;40:280-289.
- Storlien LH, Kraegen EW, Chisholm DJ, et al. Fish oil prevents insulin resistance induced by high-fat feeding in rats. *Science* 1987;237:885-888.
- Strong AM, Hamill E. The effect of combined fish oil and evening primrose oil (Efamol Marine) on the remission phase of psoriasis: a 7-month double-blind randomized placebo-controlled trial. *J Derm Treatment* 1993;4:33-36.

Citations and Reference Literature: Omega-3 Fatty Acids

- Su KP, Huang SY, Chiu CC, et al. OMEGA-3 fatty acids in major depressive disorder: a preliminary double-blind, placebo-controlled trial. *Eur Neuropsychopharmacol* 2003;13:267-271.
- Sublette ME, Hibbeln JR, Galfalvy H, et al. Omega-3 polyunsaturated essential fatty acid status as a predictor of future suicide risk. *Am J Psychiatry* 2005;163(6):1100-1102.
- Sulikowska B, Nieweglowski T, Manitus J, et al. Effect of 12-month therapy with omega-3 polyunsaturated acids on glomerular filtration response to dopamine in IgA nephropathy. *Am J Nephrol* 2004;24(5):474-482.
- Szostak WB, Szostak-Wegierek D. [Health properties of shark oil.] *Przegl Lek* 2006;63(4):223-226. [Polish]
- Tanskanen A, Hibbeln JR, Hintikka J, et al. Fish consumption, depression, and suicidality in a general population. *Arch Gen Psychiatry* 2001;58(5):512-513.
- Tarpila S, Aro A, Salminen I, et al. The effect of flaxseed supplementation in processed foods on serum fatty acids and enterolactone. *Eur J Clin Nutr* 2002;56(2):157-165.
- Tatsioni A, Chung M, Sun Y, et al. Effects of fish oil supplementation on kidney transplantation: a systematic review and meta-analysis of randomized, controlled trials. *J Am Soc Nephrol* 2005;16(8):2462-2470.
- Terano T, Salmon JA, Higgs GA, et al. Eicosapentaenoic acid as a modulator of inflammation: effect on prostaglandin and leukotriene synthesis. *Biochem Pharmacol* 1986;35:779-785.
- Terry P, Lichtenstein P, Feychting M, et al. Fatty fish consumption and risk of prostate cancer. *Lancet* 2001;357(9270):1764-1766.
- Thien FC, Mencia-Huerta JM, Lee TH. Dietary fish oil effects on seasonal hay fever and asthma in pollen- sensitive subjects. *Am Rev Respir Dis* 1993;147(5):1138-1143.
- Thien FC, Woods RK, Walters EH. Oily fish and asthma-a fishy story? *Med J Aust* 1996;164:135-136.
- Thomas TR, Fischer BA, Kist WB, et al. Effects of exercise and n-3 fatty acids on postprandial lipemia. *J Appl Physiol* 2000;88:2199-2204.
- Thompson LU, Rickard SE, Orcheson LJ, et al. Flaxseed and its lignan and oil components reduce mammary tumour growth at a late stage of carcinogenesis. *Carcinogenesis* 1996;17:1373-1376.
- Tomer A, Kasey S, Connor WE, et al. Reduction of pain episodes and prothrombotic activity in sickle cell disease by dietary n-3 fatty acids. *Thromb Haemost* 2001;85:966-974.
- Torpy JM, Lynn C, Glass RM. Eating fish: health benefits and risks. *JAMA* 2006;296:1926.
- Tsai W-S, Nagawa H, Kaizaki S, et al. Inhibitory effects of n-3 polyunsaturated fatty acids on sigmoid colon cancer transformants. *J Gastroenterol* 1998;33:206-212.
- Tsujikawa T, Satoh J, Uda K, et al. Clinical importance of n-3 fatty acid-rich diet and nutritional education for the maintenance of remission in Crohn's disease. *J Gastroenterol* 2000;35(2):99-104.
- Tulleken JE, Limburg PC, Muskiet FA, et al. Vitamin E status during dietary fish oil supplementation in rheumatoid arthritis. *Arthritis Rheum* 1990;33(9):1416-1419.
- Turini ME, Powell WS, Behr SR, et al. Effects of a fish-oil and vegetable-oil formula on aggregation and ethanolamine-containing lysophospholipid generation in activated human platelets and on leukotriene production in stimulated neutrophils. *Am J Clin Nutr* 1994;60(5):717-724.
- Umhau JC, Dauphinais KM, Patel SH, et al. The relationship between folate and docosahexaenoic acid in men. *Eur J Clin Nutr* 2006;60(3):352-357.
- Vaddadi K. Essential fatty acids and mental illness. *Int Rev Psychiatry* 2005;18(2):81-84.
- Vaddadi KS, Soosai E, Chiu E, et al. A randomised, placebo-controlled, double blind study of treatment of Huntington's disease with unsaturated fatty acids. *Neuroreport* 2002;13:29-33.
- van Baak MA, Visscher TLS. Public health success in recent decades may be in danger if lifestyles of the elderly are neglected. *Am J Clin Nutr* 2006;84(6):1259-1260. (Editorial)
- van der Tempel H, Tulleken JE, Limburg PC, et al. Effects of fish oil supplementation in rheumatoid arthritis. *Ann Rheum Dis* 1990;49(2):76-80.
- Vanschoonbeek K, Feijge MA, Paquay M, et al. Variable hypocoagulant effect of fish oil intake in humans: modulation of fibrinogen level and thrombin generation. *Arterioscler Thromb Vasc Biol* 2004;24(9):1734-1740.
- Veale DJ, Torley HI, Richards IM, et al. A double-blind placebo controlled trial of Efamol Marine on skin and joint symptoms of psoriatic arthritis. *Br J Rheumatol* 1994;33:954-958.
- Veldink JH, Kalmijn S, Groeneveld G-J, et al. Intake of polyunsaturated fatty acids and vitamin E reduce the risk of developing ALS. *J Neurol Neurosurg Psychiatry*. Published online first April 28, 2006. doi:10.1136/jnnp.2005.083378.
- Ventura HO, Milani RV, Lavie CJ, et al. Cyclosporine induced hypertension: efficacy of omega-3 fatty acids in patients after cardiac transplantation. *Circulation* 1993;88(5 Pt 2):II281-II285.

Citations and Reference Literature: Omega-3 Fatty Acids

- Vessby B, Karlstrom B, Boberg M, et al. Polyunsaturated fatty acids may impair blood glucose control in type 2 diabetic patients. *Diabetic Med* 1992;9:126-133.
- Villareal DT, Miller BV III, Banks M, et al. Effect of lifestyle intervention on metabolic coronary heart disease risk factors in obese older adults. *Am J Clin Nutr* 2006;84(6):1317-1323.
- Voigt RG, Llorente AM, Jensen CL, et al. A randomized, double-blind, placebo-controlled trial of docosahexaenoic acid supplementation in children with attention-deficit/hyperactivity disorder. *J Pediatr* 2001;139:189-196.
- Volker D, Fitzgerald P, Major G, et al. Efficacy of fish oil concentrate in the treatment of rheumatoid arthritis. *J Rheumatol* 2000;27(10):2343-2346.
- Vollset SE, Heuch I, Bjelke E. Fish consumption and mortality from coronary heart disease. *N Engl J Med* 1985;313:820-821. (Letter)
- von Schacky C, Angere P, Kothny W, et al. The effect of dietary omega-3 fatty acids on coronary atherosclerosis: a randomized, double-blind, placebo-controlled trial. *Ann Intern Med* 1999;130:554-562.
- von Schacky C. Omega-3 fatty acids and cardiovascular disease. *Curr Opin Clin Nutr Metab Care* 2004;7(2):131-136.
- Voskuil DW, Feskens EJM, Katan MB, et al. Intake and sources of alpha-linolenic acid in Dutch elderly men. *Euro J Clin Nutr* 1996;50(12):784-787.
- Wagner W, Nootbaar-Wagner U. Prophylactic treatment of migraine with gamma-linolenic and alpha-linolenic acids. *Cephalalgia* 1997;17(2):127-130.
- Wainwright P. Nutrition and behaviour: the role of n-3 fatty acids in cognitive function. *Br J Nutr* 2000;83:337-339.
- Walton AJ, Snaith ML, Locniskar M, et al. Dietary fish oil and the severity of symptoms in patients with systemic lupus erythematosus. *Ann Rheum Dis* 1991;50(7):463-466.
- Wander RC, Du SH, Ketchum SO, et al. alpha-Tocopherol influences in vivo indices of lipid peroxidation in postmenopausal women given fish oil. *J Nutr* 1996;126:643-652.
- Wang C, Harris WS, Chung M, et al. n-3 Fatty acids from fish or fish-oil supplements, but not alpha-linolenic acid, benefit cardiovascular disease outcomes in primary- and secondary-prevention studies: a systematic review. *Am J Clin Nutr* 2006;84(1):5-17. (Review)
- Wang D, Taylor, KD, Smith J, et al. IL1B and TRAF6 are associated with components of low-density lipoprotein cholesterol reduction during statin therapy. Poster 3. American Heart Association Scientific Sessions 2005. Dallas, Nov 14, 2005.
- Warren G, McKendrick M, Peet M. The role of essential fatty acids in chronic fatigue syndrome. A case-controlled study of red-cell membrane essential fatty acids (EFA) and a placebo-controlled treatment study with high dose of EFA. *Acta Neurol Scand* 1999;99:112-116.
- Weaver BJ, Holub BJ. The relative incorporation of arachidonic and eicosapentaenoic acids into human platelet phospholipids. *Lipids* 1985;20(11):773-777.
- Weinstock-Guttman B, Baier M, Park Y, et al. Low fat dietary intervention with omega-3 fatty acid supplementation in multiple sclerosis patients. *Prostaglandins Leukot Essent Fatty Acids* 2005;73:397-404.
- Weiss LA, Barrett-Connor E, von Muhlen D. Ratio of n-6 to n-3 fatty acids and bone mineral density in older adults: the Rancho Bernardo Study. *Am J Clin Nutr* 2005;81(4):934-938.
- Weksler BB. Omega 3 fatty acids have multiple antithrombotic effects. *World Rev Nutr Diet* 1994;76:47-50.
- Welch AA, Bingham SA, Ive J, et al. Dietary fish intake and plasma phospholipid n-3 polyunsaturated fatty acid concentrations in men and women in the European Prospective Investigation into Cancer-Norfolk United Kingdom cohort. *Am J Clin Nutr* 2006;84(6):1330-1339.
- Werbach MR. Nutritional influences on illness. 2nd ed. Tarzana, CA: Third Line Press; 1993:13-22,655-671. (Review)
- Whelton PK, Kumanyika SK, Cook NR, et al. Efficacy of nonpharmacologic interventions in adults with high-normal blood pressure: results from phase 1 of the Trials of Hypertension Prevention. *Am J Clin Nutr* 1997;65(Suppl 2):S652-S660.
- Wilkinson T, Aukema HM, Thomas LM, et al. Marked enrichment of the alkenylacyl subclass of plasma ethanolamine glycerophospholipid with eicosapentaenoic acid in human subjects consuming a fish oil concentrate. *Lipids* 1996;31(Suppl):S211-S215.
- Wilt TJ, Lofgren RP, Nichol KL, et al. Fish oil supplementation does not lower plasma cholesterol in men with hypercholesterolaemia: results of a randomized, placebo-controlled crossover study. *Ann Intern Med* 1989;111:900-905.
- Williams CM, Burdge G. Long-chain n-3 PUFA: plant v. marine sources. *Proc Nutr Soc* 2006;65(1):42-50.
- Woodman RJ, Mori TA, Burke V, et al. Effects of purified eicosapentaenoic acid and docosahexaenoic acid on platelet, fibrinolytic and vascular function in hypertensive type 2 diabetic patients. *Atherosclerosis* 2003;166:85-93.
- Woods RK, Thien FC, Abramson MJ. Dietary marine fatty acids (fish oil) for asthma in adults and children. *Cochrane Database Syst Rev* 2002;(3):CD001283.
- Worm B, Barbier EB, Beaumont N, et al. Impacts of biodiversity loss on ocean ecosystem services. *Science* 2006;314(5800):787-790.

Citations and Reference Literature: Omega-3 Fatty Acids

- Yam D, Bott-Kanner G, Genin I, et al. The effect of omega-3 fatty acids on risk factors for cardiovascular diseases. *Harefuah* 2001;140(12):1156-1158,1230. [Hebrew]
- Yamada T, Strong JP, Ishii T, et al. Atherosclerosis and omega-3 fatty acids in the populations of a fishing village and a farming village in Japan. *Atherosclerosis* 2000;153(2):469-481.
- Yehuda S, Rabinovitz S, Carasso RL, et al. Fatty acids and brain peptides. *Peptides* 1998;19(2):407-419.
- Yeo YK, Holub BJ. Influence of dietary fish oil on the relative synthesis of triacylglycerol and phospholipids in rat liver in vivo. *Lipids* 1990;25(12):811-814.
- Yeo YK, Philbrick DJ, Holub BJ. Altered acyl chain compositions of alkylacyl, alkenylacyl, and diacyl subclasses of choline and ethanolamine glycerophospholipids in rat heart by dietary fish oil. *Biochim Biophys Acta* 1989;1001(1):25-30.
- Yeo YK, Philbrick DJ, Holub BJ. The effect of long-term consumption of fish oil on platelet-activating factor synthesis in rat renal microsomes. *Biochem Biophys Res Commun* 1989;160(3):1238-1242.
- Yokoyama M, Origasa H; JELIS investigators: effects of eicosapentaenoic acid on cardiovascular events in Japanese patients with hypercholesterolemia: rationale, design, and baseline characteristics of the Japan EPA Lipid Intervention Study (JELIS). *Am Heart J* 2003;146(4):613-620.
- Yosefy C, Viskoper JR, Laszt A, et al. The effect of fish oil on hypertension, plasma lipids and hemostasis in hypertensive, obese, dyslipidemic patients with and without diabetes mellitus. *Prostaglandins Leukot Essent Fatty Acids* 1999;61(2):83-87.
- Young-In K. Can fish oil maintain Crohn's disease in remission? *Nutr Rev* 1996;54:248-257.
- Zambón D, Sabate J, Munoz S, et al. Substituting walnuts for monounsaturated fat improves the serum lipid profile of hypercholesterolemic men and women. *Ann Intern Med* 2000;132:538-546.
- Zanarini MC, Frankenburg FR. Omega-3 fatty acid treatment of women with borderline personality disorder: a double-blind, placebo-controlled pilot study. *Am J Psychiatry* 2003;160(1):167-169.
- Zhang J, Sasaki S, Amano K, et al. Fish consumption and mortality from all causes, ischemic heart disease, and stroke: an ecological study. *Prev Med* 1999;28(5):520-529.
- Zimmerman R, Radhakrishnan J, Valeri A, et al. Advances in the treatment of lupus nephritis. *Ann Rev Med* 2001;52:63-78.
- Zock PL, Kromhout D. [Nutrition and health: fish fatty acids against fatal coronary heart disease.] *Ned Tijdschr Geneesk* 2002;146(47):2229-2233. [Dutch] (Review)