

Citations and Reference Literature: Vitamin B1 (Thiamine)

Citations

1. Wilkinson TJ, Hanger HC, George PM, Sainsbury R. Is thiamine deficiency in elderly people related to age or co-morbidity? *Age Ageing* 2000;29:111-116.
2. Cheraskin E, Ringsdorf WM Jr, Medford FH, Hicks BS. The "ideal" daily vitamin B1 intake. *J Oral Med* 1978;33:77-79.
3. Wrenn KD, Murphy F, Slovis CM. A toxicity study of parenteral thiamine hydrochloride. *Ann Emerg Med* 1989;18:867-870.
4. Dudeja PK, Tyagi S, Kavilaveetil RJ et al. Mechanism of thiamine uptake by human jejunal brush-border membrane vesicles. *Am J Physiol Cell Physiol* 2001;281:C786-C792.
5. Majoor CL, de Vries LA. [The development of cardiac beriberi with polyneuritis after protracted use of large amounts of magnesium trisilicate. An unpublished observation by Dr. JGG Borst]. *Ned Tijdschr Geneesk* 1980;124:1411-1416.
6. Deguchi Y MT, Mutai M. Comparative studies on synthesis of water-soluble vitamins among species of bifidobacteria. *Agric Biol Chem* 1985;13-19.
7. Cummings JH, Macfarlane GT. Role of intestinal bacteria in nutrient metabolism. *JPEN J Parenter Enteral Nutr* 1997;21:357-365.
8. Basu TK, Dickerson JW, Raven RW, Williams DC. The thiamine status of patients with cancer as determined by the red cell transketolase activity. *Int J Vitam Nutr Res* 1974;44:53-58.
9. Aksoy M, Basu TK, Brient J, Dickerson JW. Thiamin status of patients treated with drug combinations containing 5-fluorouracil. *Eur J Cancer* 1980;16:1041-1045.
10. Basu TK. Vitamins-cytotoxic drug interaction. *Int J Vitam Nutr Res Suppl* 1983;24:225-233.
11. Basu TK. The significance of ascorbic acid, thiamin and retinol in cancer. *Int J Vitam Nutr Res Suppl* 1983;24:105-118.
12. Heier MS, Dornish JM. Effect of the fluoropyrimidines 5-fluorouracil and doxifluridine on cellular uptake of thiamin. *Anticancer Res* 1989;9:1073-1077.
13. Boros LG, Brandes JL, Lee WN et al. Thiamine supplementation to cancer patients: a double edged sword. *Anticancer Res* 1998;18:595-602.
14. Cascante M, Centelles JJ, Veech RL et al. Role of thiamin (vitamin B-1) and transketolase in tumor cell proliferation. *Nutr Cancer* 2000;36:150-154.
15. Comin-Anduix B, Boren J, Martinez S et al. The effect of thiamine supplementation on tumour proliferation: a metabolic control analysis study. *Eur J Biochem* 2001;268:4177-4182.
16. Kasper H. [Effect of diuretics on thiamine elimination]. *Bibl Nutr Dieta* 1969;11:23-29.
17. Seligmann H, Halkin H, Rauchfleisch S et al. Thiamine deficiency in patients with congestive heart failure receiving long-term furosemide therapy: a pilot study. *Am J Med* 1991;91:151-155.
18. Shimon I, Almog S, Vered Z et al. Improved left ventricular function after thiamine supplementation in patients with congestive heart failure receiving long-term furosemide therapy. *Am J Med* 1995;98:485-490.
19. Brady JA, Rock CL, Horneffer MR. Thiamin status, diuretic medications, and the management of congestive heart failure. *J Am Diet Assoc* 1995;95:541-544.
20. Suter PM, Haller J, Hany A, Vetter W. Diuretic use: a risk for subclinical thiamine deficiency in elderly patients. *J Nutr Health Aging* 2000;4:69-71.
21. Suter PM, Vetter W. Diuretics and vitamin B1: are diuretics a risk factor for thiamin malnutrition? *Nutr Rev* 2000;58:319-323.
22. Rieck J, Halkin H, Almog S et al. Urinary loss of thiamine is increased by low doses of furosemide in healthy volunteers. *J Lab Clin Med* 1999;134:238-243.
- 22a. da Cunha S, Albanesi Filho FM, da Cunha Bastos VL, et al. Thiamin, selenium, and copper levels in patients with idiopathic dilated cardiomyopathy taking diuretics. *Arq Bras Cardiol* 2002;79(5):454-465. (English, Portuguese)
23. Bohmer T. How prevalent is thiamin deficiency in heart failure patients? *Nutr Rev* 2001;59:342-344.
24. Hardig L, Daae C, Dellborg M et al. Reduced thiamine phosphate, but not thiamine diphosphate, in erythrocytes in elderly patients with congestive heart failure treated with furosemide. *J Intern Med* 2000;247:597-600.
25. Zenuk C, Healey J, Donnelly J et al. Thiamine deficiency in congestive heart failure patients receiving long term furosemide therapy. *Can J Clin Pharmacol* 2003;10:184-188.
26. Hintikka J, Tolmunen T, Tanskanen A, Viinamaki H. High vitamin B12 level and good treatment outcome may be associated in major depressive disorder. *BMC Psychiatry* 2003;3:17.
27. Bell IR, Edman JS, Morrow FD et al. Brief communication. Vitamin B1, B2, and B6 augmentation of tricyclic antidepressant treatment in geriatric depression with cognitive dysfunction. *J Am Coll Nutr* 1992;11:159-163.
28. Thorp VJ. Effect of oral contraceptive agents on vitamin and mineral requirements. *J Am Diet Assoc* 1980;76:581-584.
29. Wynn V. Vitamins and oral contraceptive use. *Lancet* 1975;1:561-564.

Citations and Reference Literature: Vitamin B1 (Thiamine)

30. Briggs MH, Briggs M. Thiamine status and oral contraceptives. *Contraception* 1975;11:151-154.
31. Ahmed F, Bamji MS. Vitamin supplements to women using oral contraceptives (studies of vitamins B1, B2, B6 and A). *Contraception* 1976;14:309-318.
32. Egoramaiphol S, Migasena P, Supawan V. Effect of oral contraceptive agents on thiamine status. *J Med Assoc Thai* 1985;68:19-23.
33. Vir SC, Love AH. Effect of oral contraceptive agents on thiamin status. *Int J Vitam Nutr Res* 1979;49:291-295.
34. Lewis CM, King JC. Effect of oral contraceptives agents on thiamin, riboflavin, and pantothenic acid status in young women. *Am J Clin Nutr* 1980;33:832-838.
35. Prasad AS, Oberleas D, Moghissi KS et al. Effect of oral contraceptive agents on nutrients. II. Vitamins. *Am J Clin Nutr* 1975;28:385-391.
36. Patrini C, Perucca E, Reggiani C, Rindi G. Effects of phenytoin on the in vivo kinetics of thiamine and its phosphoesters in rat nervous tissues. *Brain Res* 1993;628:179-186.
37. Botez MI, Joyal C, Maag U, Bachevalier J. Cerebrospinal fluid and blood thiamine concentrations in phenytoin-treated epileptics. *Can J Neurol Sci* 1982;9:37-39.
38. Botez MI, Young SN. Effects of anticonvulsant treatment and low levels of folate and thiamine on amine metabolites in cerebrospinal fluid. *Brain* 1991;114(Pt 1A):333-348.
39. Botez MI, Botez T, Ross-Chouinard A, Lalonde R. Thiamine and folate treatment of chronic epileptic patients: a controlled study with the Wechsler IQ scale. *Epilepsy Res* 1993;16:157-163.
40. Meador KJ, Nichols ME, Franke P et al. Evidence for a central cholinergic effect of high-dose thiamine. *Ann Neurol* 1993;34:724-726.
41. Marra A, Lewi D, Lanzoni V et al. Lactic acidosis and antiretroviral therapy: a case report and literature review. *Braz J Infect Dis* 2000;4:151-155.
42. Megarbane B, Goldgran-Toledano D, Guerin JM, Baud F. [Fatal lactic acidosis in a patient infected by HIV and treated with stavudine and didanosine]. *Pathol Biol (Paris)* 2000;48:505-507.
43. Ter Hofstede HJ, de Marie S, Foudraire NA et al. Clinical features and risk factors of lactic acidosis following long-term antiretroviral therapy: 4 fatal cases. *Int J STD AIDS* 2000;11:611-616.
44. Mokrzycki MH, Harris C, May H et al. Lactic acidosis associated with stavudine administration: a report of five cases. *Clin Infect Dis* 2000;30:198-200.
45. Rey C, Prieto S, Medina A et al. Fatal lactic acidosis during antiretroviral therapy. *Pediatr Crit Care Med* 2003;4:485-487.
46. Robinson BH. Lactic acidemia (disorders of pyruvate carboxylase, pyruvate dehydrogenase). In: Scriver C, ed. *The Metabolic and Molecular Bases of Inherited Disease*. 7th ed. New York: McGraw-Hill; 1995:1479-1499.
47. Schramm C, Wanitschke R, Galle PR. Thiamine for the treatment of nucleoside analogue-induced severe lactic acidosis. *Eur J Anaesthesiol* 1999;16:733-735.
48. Arici C, Tebaldi A, Quinzan GP et al. Severe lactic acidosis and thiamine administration in an HIV-infected patient on HAART. *Int J STD AIDS* 2001;12:407-409.
49. Omay A, Varma KC. Evaluation of pharmacokinetic parameters of tetracycline hydrochloride upon oral administration with vitamin C and vitamin B complex. *Hindustan Antibiot Bull* 1981;23:33-37.
50. Ames BN, Elson-Schwab I, Silver EA. High-dose vitamin therapy stimulates variant enzymes with decreased coenzyme binding affinity (increased K(m)): relevance to genetic disease and polymorphisms. *Am J Clin Nutr* 2002;75:616-658.

Reference Literature

- [No authors listed.] Thiamine: monograph. *Altern Med Rev* 2003;8(1):59-62. (Review)
- Akpan T, Peschard S, Brinkane AH, et al. [Right heart failure caused by thiamine deficiency (cardiac beriberi).] *Presse Med* 2000;29(5): 240-241. [French]
- Alston TA. Does metformin interfere with thiamine? *Arch Intern Med* 2003;163(8):983.
- Ames BN, Elson-Schwab I, Silver EA. High-dose vitamin therapy stimulates variant enzymes with decreased coenzyme binding affinity (increased K(m)): relevance to genetic disease and polymorphisms. *Am J Clin Nutr* 2002;75(4):616-658. (Review)
- Baker H, Thomson AD, Frank O, et al. Absorption and passage of fat- and water-soluble thiamin derivatives into erythrocytes and cerebrospinal fluid of man. *Am J Clin Nutr* 1974;27(7):676-680.
- Basu TK, Dickerson JW, Raven RW, et al. The thiamine status of patients with cancer as determined by the red cell transketolase activity. *Int J Vitam Nutr Res* 1974;44(1):53-58.
- Basu TK. Vitamins: cytotoxic drug interaction. *Int J Vitam Nutr Res Suppl* 1983;24:225-233.

Citations and Reference Literature: Vitamin B1 (Thiamine)

- Bettendorff L, Mastrogiacono F, Wins P, et al. Low thiamine diphosphate levels in brains of patients with frontal lobe degeneration of the non-Alzheimer's type. *J Neurochem* 1997;69:2005-2010.
- Blanc P, Boussuges A. [Cardiac beriberi.] *Arch Mal Coeur Vaiss* 2000;93(4):371-379. [French]
- Blanc P, Boussuges A. [In process citation.] *Ann Cardiol Angeiol (Paris)* 2001;50(3):160-168. [French]
- Bohmer T. How prevalent is thiamin deficiency in heart failure patients? *Nutr Rev* 2001;59(10):342-344.
- Bønaa KH, Njølstad I, Ueland PM, et al. Homocysteine lowering and cardiovascular events after acute myocardial infarction. *N Engl J Med* 2006;354(15):1578-1588.
- Boros LG, Brandes JL, Lee WN, et al. Thiamine supplementation to cancer patients: a double edged sword. *Anticancer Res* 1998;18(1B):595-602. (Review)
- Brady JA, Rock CL, Horneffer MR. Thiamin status, diuretic medications, and the management of congestive heart failure. *J Am Diet Assoc* 1995;95(5):541-544.
- Briggs MH, Briggs M. Thiamine status and oral contraceptives. *Contraception* 1975;11(2):151-154.
- Brozek. Psychologic effects of B1 restriction and deprivation in normal young men. *Am J Clin Nutr* 1957;5(2):109-120.
- Chen MF, Chen LT, Gold M, et al. Plasma and erythrocyte thiamin concentrations in geriatric outpatients. *J Am Coll Nutr* 1996;15(3):231-236.
- Cheraskin E, Ringsdorf WM Jr. Predictive medicine: IX: diet. *J Am Geriatr Soc* 1971;19(11):962-968.
- Cheraskin E, Ringsdorf WM Jr, Setyaadmadja AT, et al. Thiamin consumption and cardiovascular complaints. *J Am Geriatr Soc* 1967;15(11):1074-1079.
- Cummings JH, Macfarlane G. Role of intestinal bacteria in nutrient metabolism. *J Parenter Enteral Nutr* 1997;21(6):357-365.
- Davis RE, Icke GC. Clinical chemistry of thiamin. *Adv Clin Chem* 1983;23:93-140. (Review)
- Doyon S, Roberts JR. Reappraisal of the "coma cocktail": dextrose, flumazenil, naloxone, and thiamine. *Emerg Med Clin North Am* 1994;12(2):301-316.
- Drewe J, Delco F, Kissel T, et al. Effect of intravenous infusions of thiamine on the disposition kinetics of thiamine and its pyrophosphate. *J Clin Pharm Ther* 2003;28(1):47-51.
- Getz L, Sigurdsson JA, Hetlevik I, et al. Estimating the high risk group for cardiovascular disease in the Norwegian HUNT 2 population according to the 2003 European guidelines: modelling study. *BMJ* 2005;331(7516):551.
- Goldfarb-Rumyantzev AS, Jeyakumar A, Gumpeni R, et al. Lactic acidosis associated with nucleoside analog therapy in an HIV-positive patient. *AIDS Patient Care STDS* 2000;14(7):339-342.
- Goldman RE, Parker DR, Eaton CB, et al. Patients' perceptions of cholesterol, cardiovascular disease risk, and risk communication strategies. *Ann Fam Med* 2006;4(3):205-212.
- Grant JE, Veldee MS, Buchwald D. Analysis of dietary intake and selected nutrient concentrations in patients with chronic fatigue syndrome. *J Am Diet Assoc* 1996;96:383-386.
- Hathcock JN. Metabolic mechanisms of drug-nutrient interactions. *Fed Proc* 1985;44(1 Pt 1):124-129. (Review)
- Heap LC, Peters TJ, Wessely S. Vitamin B status in patients with chronic fatigue syndrome. *J R Soc Med* 1999;92:183-185.
- Hoffman RS, Goldfrank LR. The poisoned patient with altered consciousness. Controversies in the use of a "coma cocktail." *JAMA* 1995;274(7):562-569.
- Hoyumpa AM Jr. Mechanisms of thiamin deficiency in chronic alcoholism. *Am J Clin Nutr* 1980;33(12):2750-2761. (Review)
- Hung SC, Hung SH, Tarng DC, et al. Thiamine deficiency and unexplained encephalopathy in hemodialysis and peritoneal dialysis patients. *Am J Kidney Dis* 2001;38:941-947.
- Knopp RH, d'Emden M, Smilde JG, et al. Efficacy and safety of atorvastatin in the prevention of cardiovascular end points in subjects with type 2 diabetes: the Atorvastatin Study for Prevention of Coronary Heart Disease Endpoints in Non-Insulin-Dependent Diabetes Mellitus (ASPEN). *Diabetes Care* 2006;29(7):1478-1485.
- Kositawattanakul T, Tosukhowong P, Vimokesant SL, et al. Chemical interactions between thiamin and tannic acid: II: separation of products. *Am J Clin Nutr* 1977;30(10):1686-1691.
- Kuba H, Inamura T, Ikezaki K, et al. Thiamine-deficient lactic acidosis with brain tumor treatment: report of three cases. *J Neurosurg* 1998;89(6):1025-1028.
- Liu S, Huang H, Lu X, et al. Down-regulation of thiamine transporter THTR2 gene expression in breast cancer and its association with resistance to apoptosis. *Mol Cancer Res* 2003;1(9):665-673.
- Lonsdale D. A review of the biochemistry, metabolism and clinical benefits of thiamin(e) and its derivatives. *eCAM* 2006;3:49-59. (Review)
- Lorber A, Gazit AZ, Khoury A, et al. Cardiac manifestations in thiamine-responsive megaloblastic anemia syndrome. *Pediatr Cardiol* 2003;24(5):476-481. (Review)

Citations and Reference Literature: Vitamin B1 (Thiamine)

- Majumdar SK, Shaw GK, O’Gorman P, et al. Blood vitamin status (B1, B2, B6, folic acid and B12) in patients with alcoholic liver disease. *Int J Vitam Nutr Res* 1982;52(3):266-271.
- Mandel H, Berant M, Hazani A, et al. Thiamine-dependent beriberi in the “thiamine-responsive anemia syndrome.” *N Engl J Med* 1984;311(13):836-838.
- Mendoza CE, Rodriguez F, Rosenberg DG. Reversal of refractory congestive heart failure after thiamine supplementation: report of a case and review of literature. *J Cardiovasc Pharmacol Ther* 2003;8(4):313-316.
- Meyer P. Thiaminase activities and thiamine content of *Pteridium aquilinum*, *Equisetum ramosissimum*, *Malva parviflora*, *Pennisetum clandestinum* and *Medicago sativa*. *Onderstepoort J Vet Res* 1989;56(2):145-146.
- Mimori Y, Katsuoka H, Nakamura S. Thiamine therapy in Alzheimer’s disease. *Metab Brain Dis* 1996;11:89-94.
- Morinville V, Jeannot-Peter N, Hauser C. Anaphylaxis to parenteral thiamine (vitamin B1). *Schweiz Med Wochenschr* 1998;128(44):1743-1744.
- Murata K. Actions of two types of thiaminase on thiamin and its analogues. *Ann N Y Acad Sci* 1982;378:146-156. (Review)
- Nolan KA, Black RS, Sheu KF, et al. A trial of thiamine in Alzheimer’s disease. *Arch Neurol* 1991;48:81-83.
- Ordovas JM. Nutrigenetics, plasma lipids, and cardiovascular risk. *J Am Diet Assoc* 2006;106(7):1074-1081. (Review)
- Petrie WM, Ban TA. Vitamins in psychiatry: do they have a role? *Drugs* 1985;30(1):58-65.
- Pinedo HM, Peters GFJ. Fluorouracil: biochemistry and pharmacology. *J Clin Oncol* 1988;6:1653-1664.
- Porter FS, Rogers LE, Sidbury JB Jr. Thiamine-responsive megaloblastic anemia. *J Pediatr* 1969;74(4):494-504.
- Proebstle TM, Gall H, Jugert FK. Specific IgE and IgG serum antibodies to thiamine associated with anaphylactic reaction. *J Allergy Clin Immunol* 1995;95(5 Pt 1):1059-1060.
- Reaves L, Steffen LM, Dwyer JT, et al. Vitamin supplement intake is related to dietary intake and physical activity: the Child and Adolescent Trial for Cardiovascular Health (CATCH). *J Am Diet Assoc* 2006;106(12):2018-2023.
- Reuler JB, Girard DE, Cooney TG. Current concepts: Wernicke’s encephalopathy. *N Engl J Med* 1985;312(16):1035-1039.
- Ridker PM, Torres J. Reported outcomes in major cardiovascular clinical trials funded by for-profit and not-for-profit organizations: 2000-2005. *JAMA* 2006;295:2270-2274.
- Rungruangsak K, Tosukhowong P, Panijpan B, et al. Chemical interactions between thiamin and tannic acid: I: kinetics, oxygen dependence and inhibition by ascorbic acid. *Am J Clin Nutr* 1977;30(10):1680-1685.
- Saif MW. Is there a role for thiamine in the management of congestive heart failure? *South Med J* 2003;96(1):114-115.
- Sandoval E, Borja H, Gatica A. [Wernicke’s encephalopathy as a complication of chronic hemodialysis: report of one case.] *Rev Med Chile* 1997;125(5):582-585. [Spanish]
- Shamir R, Dagan O, Abramovitch D, et al. Thiamine deficiency in children with congenital heart disease before and after corrective surgery. *JPEN J Parenter Enteral Nutr* 2000;24:154-158.
- Shangari N, Bruce WR, Poon R, et al. Toxicity of glyoxals--role of oxidative stress, metabolic detoxification and thiamine deficiency. *Biochem Soc Trans* 2003;31(Pt 6):1390-1393.
- Shivalkar B, Engelmann I, Carp L, et al. Shoshin syndrome: two case reports representing opposite ends of the same disease spectrum. *Acta Cardiol* 1998;53(4):195-199.
- Singleton CK, Martin PR. Molecular mechanisms of thiamine utilization. *Curr Mol Med* 2001;1(2):197-207. (Review)
- Stephen JM, Grant R, Veh CS. Anaphylaxis from administration of intravenous thiamine. *Am J Emerg Med* 1992;10(1):61-63.
- Subramanian VS, Marchant JS, Parker I, et al. Cell biology of the human thiamine transporter-1 (hTHTR1): intracellular trafficking and membrane targeting mechanisms. *J Biol Chem* 2003;278(6):3976-3984.
- Van Haecke P, Ramaekers D, Vanderwegen L, et al. Thiamine-induced anaphylactic shock. *Am J Emerg Med* 1995;13(3):371-372.
- Vir SC, Love AH. Thiamin, riboflavin and vitamin B6 status of aged living at home and in institutions. *Ir J Med Sci* 1980;149(3):107-116.
- Wei L, Murphy MJ, MacDonald TM. Impact on cardiovascular events of increasing high density lipoprotein cholesterol with and without lipid lowering drugs. *Heart* 2006;92(6):746-751.
- Wilkinson TJ, Hanger HC, Elmslie J, et al. The response to treatment of subclinical thiamine deficiency in the elderly. *Am J Clin Nutr* 1997;66(4):925-928.
- Wilkinson TJ, Hanger HC, George PM, et al. Is thiamine deficiency in elderly people related to age or co-morbidity? *Age Ageing* 2000;29:111-116.
- Wrenn KD, Murphy F, Slovis CM. A toxicity study of parenteral thiamine hydrochloride. *Ann Emerg Med* 1989;18(8):867-870.
- Yagi N, Itokawa Y. Cleavage of thiamine by chlorine in tap water. *J Nutr Sci Vitaminol (Tokyo)* 1979;25(4):281-287.