

### Citations

1. Wilson A, Leclerc D, Rosenblatt DS, Gravel RA. Molecular basis for methionine synthase reductase deficiency in patients belonging to the cblE complementation group of disorders in folate/cobalamin metabolism. *Hum Mol Genet* 1999;8:2009-2016.
2. Fong TL, Dooley CP, Dehesa M et al. Helicobacter pylori infection in pernicious anemia: a prospective controlled study. *Gastroenterology* 1991;100:328-332.
3. Perez-Perez GI. Role of Helicobacter pylori infection in the development of pernicious anemia. *Clin Infect Dis* 1997;25:1020-1022.
4. Avcu N, Avcu F, Beyan C et al. The relationship between gastric-oral Helicobacter pylori and oral hygiene in patients with vitamin B12-deficiency anemia. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2001;92:166-169.
5. Tamura A, Fujioka T, Nasu M. Relation of Helicobacter pylori infection to plasma vitamin B12, folic acid, and homocysteine levels in patients who underwent diagnostic coronary arteriography. *Am J Gastroenterol* 2002;97:861-866.
6. Serin E, Gumurdulu Y, Ozer B et al. Impact of Helicobacter pylori on the development of vitamin B12 deficiency in the absence of gastric atrophy. *Helicobacter* 2002;7:337-341.
7. Annibale B, Capurso G, Delle Fave G. Consequences of Helicobacter pylori infection on the absorption of micronutrients. *Dig Liver Dis* 2002;34 Suppl 2:S72-S77.
8. Gumurdulu Y, Serin E, Ozer B et al. Predictors of vitamin B12 deficiency: age and Helicobacter pylori load of antral mucosa. *Turk J Gastroenterol* 2003;14:44-49.
9. Dierkes J, Ebert M, Malfertheiner P, Luley C. Helicobacter pylori infection, vitamin B12 and homocysteine: a review. *Dig Dis* 2003;21:237-244.
10. Yakoob J, Jafri W, Abid S. Helicobacter pylori infection and micronutrient deficiencies. *World J Gastroenterol* 2003;9:2137-2139.
11. Shuval-Sudai O, Granot E. An association between Helicobacter pylori infection and serum vitamin B12 levels in healthy adults. *J Clin Gastroenterol* 2003;36:130-133.
12. Kaptan K, Beyan C, Ural AU et al. Helicobacter pylori--is it a novel causative agent in Vitamin B12 deficiency? *Arch Intern Med* 2000;160:1349-1353.
13. Eussen SJ, de Groot LC, Clarke R et al. Oral cyanocobalamin supplementation in older people with vitamin B12 deficiency: a dose-finding trial. *Arch Intern Med* 2005;165:1167-1172.
14. Rauma AL, Torronen R, Hanninen O, Mykkanen H. Vitamin B-12 status of long-term adherents of a strict uncooked vegan diet ("living food diet") is compromised. *J Nutr* 1995;125:2511-2515.
15. Takenaka S, Sugiyama S, Ebara S et al. Feeding dried purple laver (nori) to vitamin B12-deficient rats significantly improves vitamin B12 status. *Br J Nutr* 2001;85:699-703.
16. Kaufman W. The use of vitamin therapy to reverse certain concomitants of aging. *J Am Geriatr Soc* 1955;3:927-936.
17. Lindenbaum J, Rosenberg IH, Wilson PW et al. Prevalence of cobalamin deficiency in the Framingham elderly population. *Am J Clin Nutr* 1994;60:2-11.
18. Carmel R. Cobalamin, the stomach, and aging. *Am J Clin Nutr* 1997;66:750-759.
19. Dharmarajan TS, Adiga GU, Norkus EP. Vitamin B12 deficiency: recognizing subtle symptoms in older adults. *Geriatrics* 2003;58:30-34, 37-38.
20. Waife SO, Jansen CJ Jr, Crabtree RE et al. Oral vitamin B12 without intrinsic factor in the treatment of pernicious anemia. *Ann Intern Med* 1963;58:810-817.
21. Crosby WH. Improvisation revisited. Oral cyanocobalamin without intrinsic factor for pernicious anemia. *Arch Intern Med* 1980;140:1582.
22. Lederle FA. Oral cobalamin for pernicious anemia: medicine's best kept secret? *JAMA* 1991;265:94-95.
23. Goldberg TH. Oral vitamin B12 supplementation for elderly patients with B12 deficiency. *J Am Geriatr Soc* 1995;43:SA73 (abstract P258).
24. Kondo H. Haematological effects of oral cobalamin preparations on patients with megaloblastic anaemia. *Acta Haematol* 1998;99:200-205.
25. Lederle FA. Oral cobalamin for pernicious anemia: back from the verge of extinction. *J Am Geriatr Soc* 1998;46:1125-1127.
26. Braun-Falco O, Lincke H. [The problem of vitamin B6/B12 acne: a contribution on acne medicamentosa (author's translation)]. *MMW Munch Med Wochenschr* 1976;118:155-160.
27. Sherertz EF. Acneiform eruption due to "megadose" vitamins B6 and B12. *Cutis* 1991;48:119-120.
28. Jansen T, Romiti R, Kreuter A, Altmeyer P. Rosacea fulminans triggered by high-dose vitamins B6 and B12. *J Eur Acad Dermatol Venereol* 2001;15:484-485.
29. Hovding G. Anaphylactic reaction after injection of vitamin B12. *Br Med J* 1968;3:102.
30. Snowden JA, Chan-Lam D, Thomas SE, Ng JP. Oral or parenteral therapy for vitamin B12 deficiency. *Lancet* 1999;353:411.

31. Frieling T. [The enteric nervous system as the “little brain” of the gastrointestinal tract]. *Z Gastroenterol* 1993;31 Suppl 5:10-12.
32. McMillin DL, Richards DG, Mein EA, Nelson CD. The abdominal brain and enteric nervous system. *J Altern Complement Med* 1999;5:575-586.
33. Gershon MD. The enteric nervous system: a second brain. *Hosp Pract (Off Ed)* 1999;34:31-32, 35-38, 41-32 passim.
34. Sternini C. Receptors and transmission in the brain-gut axis: potential for novel therapies. III. Mu-opioid receptors in the enteric nervous system. *Am J Physiol Gastrointest Liver Physiol* 2001;281:G8-G15.
35. Yuan PQ, Yang H. Neuronal activation of brain vagal-regulatory pathways and upper gut enteric plexuses by insulin hypoglycemia. *Am J Physiol Endocrinol Metab* 2002;283:E436-E448.
36. Bottiglieri T, Diaz-Arrastia R. Hyperhomocysteinemia and cognitive function: more than just a casual link? *Am J Clin Nutr* 2005;82:493-494.
37. Tucker KL, Qiao N, Scott T et al. High homocysteine and low B vitamins predict cognitive decline in aging men: the Veterans Affairs Normative Aging Study. *Am J Clin Nutr* 2005;82:627-635.
38. Ramos MI, Allen LH, Mungas DM et al. Low folate status is associated with impaired cognitive function and dementia in the Sacramento Area Latino Study on Aging. *Am J Clin Nutr* 2005;82:1346-1352.
39. Ravaglia G, Forti P, Maioli F et al. Homocysteine and folate as risk factors for dementia and Alzheimer disease. *Am J Clin Nutr* 2005;82:636-643.
40. Ravaglia G, Forti P, Maioli F et al. Folate, but not homocysteine, predicts the risk of fracture in elderly persons. *J Gerontol A Biol Sci Med Sci* 2005;60:1458-1462.
41. Gjesdal CG, Vollset SE, Ueland PM et al. Plasma total homocysteine level and bone mineral density: the Hordaland Homocysteine Study. *Arch Intern Med* 2006;166:88-94.
42. Durga J, van Boxtel MP, Schouten EG et al. Folate and the methylenetetrahydrofolate reductase 677C→T mutation correlate with cognitive performance. *Neurobiol Aging* 2006;27:334-343.
43. Spence JD, Bang H, Chambless LE, Stampfer MJ. Vitamin Intervention for Stroke Prevention trial: an efficacy analysis. *Stroke* 2005;36:2404-2409.
44. Bønaa KH, Njølstad I, Ueland PM et al. Homocysteine lowering and cardiovascular events after acute myocardial infarction. *N Engl J Med* 2006;354:1578-1588.
45. Bønaa KH. NORVIT: Norwegian Study of Homocysteine Lowering with B Vitamins in Myocardial Infarction. European Society of Cardiology 2005 Congress. Stockholm, Sweden; 2005.
46. Lonn E, Held C, Arnold JM et al. Homocysteine lowering with folic acid and B vitamins in vascular disease. *N Engl J Med* 2006;354:1567-1577.
47. Kliewer SA, Goodwin B, Willson TM. The nuclear pregnane X receptor: a key regulator of xenobiotic metabolism. *Endocr Rev* 2002;23:687-702.
48. Traber MG. Vitamin E, nuclear receptors and xenobiotic metabolism. *Arch Biochem Biophys* 2003;423:6-11.
49. Davis RL, Macintyre SB, Lawton AH. Effect of neomycin and kanamycin on bacterial surface sites adsorbing Co60 and vitamin B12. *Antibiot Annu* 1959;7:330-336.
50. Roe DA. *Drug-Induced Nutritional Deficiencies*. Westport, Conn: Avi Publishing; 1985.
51. Deguchi Y, Morishita, T., Mutai, M. Comparative studies on synthesis of water-soluble vitamins among species of bifidobacteria. *Agric Biol Chem* 1985;49:13-19.
52. Cummings JH, Macfarlane GT. Role of intestinal bacteria in nutrient metabolism. *JPEN J Parenter Enteral Nutr* 1997;21:357-365.
53. De Jager P, van Altena R. Hearing loss and nephrotoxicity in long-term aminoglycoside treatment in patients with tuberculosis. *Int J Tuberc Lung Dis* 2002;6:622-627.
54. Bates DE. Aminoglycoside ototoxicity. *Drugs Today (Barc)* 2003;39:277-285.
55. Reiss M, Reiss G. [Ototoxicity of aminoglycoside antibiotics]. *Schweiz Rundsch Med Prax* 2003;92:127-133.
56. Moore RD, Smith CR, Lietman PS. Risk factors for the development of auditory toxicity in patients receiving aminoglycosides. *J Infect Dis* 1984;149:23-30.
57. Casano RA, Johnson DF, Bykhovskaya Y et al. Inherited susceptibility to aminoglycoside ototoxicity: genetic heterogeneity and clinical implications. *Am J Otolaryngol* 1999;20:151-156.
58. Niedzielska G, Katska E. [Familial occurrence of hearing loss following streptomycin (SM) treatment]. *Otolaryngol Pol* 2001;55:313-315.
59. Tang HY, Hutcheson E, Neill S et al. Genetic susceptibility to aminoglycoside ototoxicity: how many are at risk? *Genet Med* 2002;4:336-345.

## Citations and Reference Literature: Vitamin B12

60. Gallo-Teran J, Morales-Angulo C, del Castillo I et al. [Familial susceptibility to aminoglycoside ototoxicity due to the A1555G mutation in the mitochondrial DNA]. *Med Clin (Barc)* 2003;121:216-218.
61. Walker PD, Barri Y, Shah SV. Oxidant mechanisms in gentamicin nephrotoxicity. *Ren Fail* 1999;21:433-442.
62. Lopez-Gonzalez MA, Delgado F, Lucas M. Aminoglycosides activate oxygen metabolites production in the cochlea of mature and developing rats. *Hear Res* 1999;136:165-168.
63. Takumida M, Anniko M, Shimizu A, Watanabe H. Neuroprotection of vestibular sensory cells from gentamicin ototoxicity obtained using nitric oxide synthase inhibitors, reactive oxygen species scavengers, brain-derived neurotrophic factors and calpain inhibitors. *Acta Otolaryngol* 2003;123:8-13.
64. Klemens JJ, Meech RP, Hughes LF et al. Antioxidant enzyme levels inversely covary with hearing loss after amikacin treatment. *J Am Acad Audiol* 2003;14:134-143.
65. Jin X, Sheng X. Methylcobalamin as antagonist to transient ototoxic action of gentamicin. *Acta Otolaryngol* 2001;121:351-354.
66. Shemesh Z, Attias J, Ornan M et al. Vitamin B12 deficiency in patients with chronic-tinnitus and noise-induced hearing loss. *Am J Otolaryngol* 1993;14:94-99.
67. Fetoni AR, Sergi B, Scarano E et al. Protective effects of alpha-tocopherol against gentamicin-induced oto-vestibulo toxicity: an experimental study. *Acta Otolaryngol* 2003;123:192-197.
68. Reynolds EH, Wrighton RJ, Johnson AL et al. Inter-relations of folic acid and vitamin B12 in drug-treated epileptic patients. *Epilepsia* 1971;12:165-171.
69. Latham J, Gill DS, Wickramasinghe SN. Effects of phenytoin sodium on doubling time, deoxyuridine suppression, 3H-methotrexate uptake and 57Co-cyanocobalamin uptake in HL60 cells. *Clin Lab Haematol* 1990;12:67-75.
70. Apeland T, Mansoor MA, Strandjord RE. Antiepileptic drugs as independent predictors of plasma total homocysteine levels. *Epilepsy Res* 2001;47:27-35.
71. Apeland T, Mansoor MA, Strandjord RE, Kristensen O. Homocysteine concentrations and methionine loading in patients on antiepileptic drugs. *Acta Neurol Scand* 2000;101:217-223.
72. Kanner AM. Antiepileptic drugs and homocysteine levels. *Epilepsy Currents* 2002;2:41-42.
73. Morrell MJ. Folic acid and epilepsy. *Epilepsy Currents* 2002;2:31-34.
74. Hendel J, Dam M, Gram L et al. The effects of carbamazepine and valproate on folate metabolism in man. *Acta Neurol Scand* 1984;69:226-231.
75. Lewis DP, Van Dyke DC, Willhite LA et al. Phenytoin-folic acid interaction. *Ann Pharmacother* 1995;29:726-735.
76. Kishi T, Fujita N, Eguchi T, Ueda K. Mechanism for reduction of serum folate by antiepileptic drugs during prolonged therapy. *J Neurol Sci* 1997;145:109-112.
77. Frenkel EP, McCall MS, Sheehan RG. Cerebrospinal fluid folate, and vitamin B12 in anticonvulsant-induced megaloblastosis. *J Lab Clin Med* 1973;81:105-115.
78. Schwaninger M, Ringleb P, Winter R et al. Elevated plasma concentrations of homocysteine in antiepileptic drug treatment. *Epilepsia* 1999;40:345-350.
79. Deda G, Caksen H, Icagasioglu D. Serum lipids, vitamin B12 and folic acid levels in children receiving long-term valproate therapy. *Acta Neurol Belg* 2002;102:122-126.
80. Biancheri R, Cerone R, Rossi A et al. Early-onset cobalamin C/D deficiency: epilepsy and electroencephalographic features. *Epilepsia* 2002;43:616-622.
81. Hamadeh HK, Bushel PR, Jayadev S et al. Gene expression analysis reveals chemical-specific profiles. *Toxicol Sci* 2002;67:219-231.
82. Ghadirian AM, Ananth J, Engelsmann F. Folic acid deficiency and depression. *Psychosomatics* 1980;21:926-929.
83. Abou-Saleh MT, Coppen A. Serum and red blood cell folate in depression. *Acta Psychiatr Scand* 1989;80:78-82.
84. Carney MW, Chary TK, Laundry M et al. Red cell folate concentrations in psychiatric patients. *J Affect Disord* 1990;19:207-213.
85. Fava M, Borus JS, Alpert JE et al. Folate, vitamin B12, and homocysteine in major depressive disorder. *Am J Psychiatry* 1997;154:426-428.
86. Tiemeier H, van Tuijl HR, Hofman A et al. Vitamin B12, folate, and homocysteine in depression: the Rotterdam Study. *Am J Psychiatry* 2002;159:2099-2101.
87. Bjelland I, Tell GS, Vollset SE et al. Folate, vitamin B12, homocysteine, and the MTHFR 677C→T polymorphism in anxiety and depression: the Hordaland Homocysteine Study. *Arch Gen Psychiatry* 2003;60:618-626.
88. Wesson VA, Levitt AJ, Joffe RT. Change in folate status with antidepressant treatment. *Psychiatry Res* 1994;53:313-322.
89. Alpert M, Silva RR, Pouget ER. Prediction of treatment response in geriatric depression from baseline folate level: interaction with an SSRI or a tricyclic antidepressant. *J Clin Psychopharmacol* 2003;23:309-313.

## Citations and Reference Literature: Vitamin B12

90. Bell IR, Edman JS, Morrow FD et al. Brief communication. Vitamin B1, B2, and B6 augmentation of tricyclic antidepressant treatment in geriatric depression with cognitive dysfunction. *J Am Coll Nutr* 1992;11:159-163.
91. Hintikka J, Tolmunen T, Tanskanen A, Viinamäki H. High vitamin B12 level and good treatment outcome may be associated in major depressive disorder. *BMC Psychiatry* 2003;3:17.
92. Coronato A, Glass GB. Depression of the intestinal uptake of radio-vitamin B12 by cholestyramine. *Proc Soc Exp Biol Med* 1973;142:1341-1344.
93. Watkins DW, Khalafi R, Cassidy MM, Vahouny GV. Alterations in calcium, magnesium, iron, and zinc metabolism by dietary cholestyramine. *Dig Dis Sci* 1985;30:477-482.
94. Hathcock JN. Metabolic mechanisms of drug-nutrient interactions. *Fed Proc* 1985;44:124-129.
95. Andersen KJ, Schjomsby H. Intrinsic factor-mediated binding of cyanocobalamin to cholestyramine. *J Pharm Sci* 1978;67:1626-1627.
96. West RJ, Lloyd JK. The effect of cholestyramine on intestinal absorption. *Gut* 1975;16:93-98.
97. Leonard JP, Desager JP, Beckers C, Harvenge C. In vitro binding of various biological substances by two hypocholesterolaemic resins: cholestyramine and colestipol. *Arzneimittelforschung* 1979;29:979-981.
98. Teo NH, Scott JM, Reed B et al. Bile acid inhibition of vitamin B12 binding by intrinsic factor in vitro. *Gut* 1981;22:270-276.
99. Rigdon RH, Crass G, Martin N. Anemia produced by chloramphenicol (chloromycetin) in the duck. *AMA Arch Pathol* 1954;58:85-93.
100. Saidi P, Wallerstein RO, Aggeler PM. Effect of chloramphenicol on erythropoiesis. *J Lab Clin Med* 1961;57:247-256.
101. Jiji RM, Gangarosa EJ, de la Macorra F. Chloramphenicol and its sulfamoyl analogue: report of reversible erythropoietic toxicity in healthy volunteers. *Arch Intern Med* 1963;111:116-128.
102. Cocke JG Jr. Chloramphenicol optic neuritis: apparent protective effects of very high daily doses of pyridoxine and cyanocobalamin. *Am J Dis Child* 1967;114:424-426.
103. Scott JL, Finegold SM, Belkin GA, Lawrence JS. A controlled double-blind study of the hematologic toxicity of chloramphenicol. *N Engl J Med* 1965;272:1137-1142.
104. Robinson C, Weigly E. Clofibrate inhibits absorption of vitamin B12. *Basic Nutrition and Diet Therapy*. New York: Macmillan; 1984:46-54.
105. Dierkes J, Westphal S, Luley C. Serum homocysteine increases after therapy with fenofibrate or bezafibrate. *Lancet* 1999;354:219-220.
106. Westphal S, Dierkes J, Luley C. Effects of fenofibrate and gemfibrozil on plasma homocysteine. *Lancet* 2001;358:39-40.
107. Dierkes J, Westphal S, Luley C. Fenofibrate-induced hyperhomocysteinaemia: clinical implications and management. *Drug Saf* 2003;26:81-91.
108. Frick MH, Elo O, Haapa K et al. Helsinki Heart Study: primary-prevention trial with gemfibrozil in middle-aged men with dyslipidemia. Safety of treatment, changes in risk factors, and incidence of coronary heart disease. *N Engl J Med* 1987;317:1237-1245.
109. Webb DI, Chodos RB, Mahar CQ, Faloow WW. Mechanism of vitamin B12 malabsorption in patients receiving colchicine. *N Engl J Med* 1968;279:845-850.
110. Race TF, Paes IC, Faloow WW. Intestinal malabsorption induced by oral colchicine: comparison with neomycin and cathartic agents. *Am J Med Sci* 1970;259:32-41.
111. Kendall MJ, Chan K. Drug-induced malabsorption. *Xenobiotica* 1973;3:727-744.
112. Davis RE. Clinical chemistry of vitamin B12. *Adv Clin Chem* 1985;24:163-216.
113. Stopa EG, O'Brien R, Katz M. Effect of colchicine on guinea pig intrinsic factor-vitamin B12 receptor. *Gastroenterology* 1979;76:309-314.
114. Ehrenfeld M, Levy M, Sharon P et al. Gastrointestinal effects of long-term colchicine therapy in patients with recurrent polyserositis (familial Mediterranean fever). *Dig Dis Sci* 1982;27:723-727.
115. Kuncel RW, Duncan G, Watson D et al. Colchicine myopathy and neuropathy. *N Engl J Med* 1987;316:1562-1568.
116. Palopoli JJ, Waxman J. Colchicine neuropathy or vitamin B12 deficiency neuropathy? *N Engl J Med* 1987;317:1290-1291.
117. Salom IL, Silvis SE, Doscherholmen A. Effect of cimetidine on the absorption of vitamin B12. *Scand J Gastroenterol* 1982;17:129-131.
118. Streeter AM, Goulston KJ, Bathur FA et al. Cimetidine and malabsorption of cobalamin. *Dig Dis Sci* 1982;27:13-16.
119. Greene W. Drug interactions involving cimetidine: mechanisms, documentation, implications. *Q Rev Drug Metab Drug Interact* 1984;5:25-51.
120. Walan A, Strom M. Metabolic consequences of reduced gastric acidity. *Scand J Gastroenterol Suppl* 1985;111:24-30.

## Citations and Reference Literature: Vitamin B12

121. Thorens J, Froehlich F, Schwizer W et al. Bacterial overgrowth during treatment with omeprazole compared with cimetidine: a prospective randomised double blind study. *Gut* 1996;39:54-59.
122. Kirch W, Hoensch H, Janisch HD. Interactions and non-interactions with ranitidine. *Clin Pharmacokinet* 1984;9:493-510.
123. Aymard JP, Aymard B, Netter P et al. Haematological adverse effects of histamine H2-receptor antagonists. *Med Toxicol Adverse Drug Exp* 1988;3:430-448.
124. Force RW, Nahata MC. Effect of histamine H2-receptor antagonists on vitamin B12 absorption. *Ann Pharmacother* 1992;26:1283-1286.
125. Melchior WR, Jaber LA. Metformin: an antihyperglycemic agent for treatment of type II diabetes. *Ann Pharmacother* 1996;30:158-164.
126. Ruscin JM, Page RL 2nd, Valuck RJ. Vitamin B(12) deficiency associated with histamine(2)-receptor antagonists and a proton-pump inhibitor. *Ann Pharmacother* 2002;36:812-816.
127. Adams JF, Clark JS, Ireland JT et al. Malabsorption of vitamin B12 and intrinsic factor secretion during biguanide therapy. *Diabetologia* 1983;24:16-18.
128. Bauman WA, Shaw S, Jayatilleke E et al. Increased intake of calcium reverses vitamin B12 malabsorption induced by metformin. *Diabetes Care* 2000;23:1227-1231.
129. Carpentier JL, Bury J, Luyckx A, Lefebvre P. Vitamin B12 and folic acid serum levels in diabetics under various therapeutic regimens. *Diabete Metab* 1976;2:187-190.
130. Carlsen SM, Folling I, Grill V et al. Metformin increases total serum homocysteine levels in non-diabetic male patients with coronary heart disease. *Scand J Clin Lab Invest* 1997;57:521-527.
131. Wulffele MG, Kooy A, Leher P et al. Effects of short-term treatment with metformin on serum concentrations of homocysteine, folate and vitamin B12 in type 2 diabetes mellitus: a randomized, placebo-controlled trial. *J Intern Med* 2003;254:455-463.
132. Ting RZ, Szeto CC, Chan MH et al. Risk factors of vitamin B(12) deficiency in patients receiving metformin. *Arch Intern Med* 2006;166:1975-1979.
133. Caspary WF, Zavada I, Reimold W et al. Alteration of bile acid metabolism and vitamin-B12-absorption in diabetics on biguanides. *Diabetologia* 1977;13:187-193.
134. Leeb BF, Witzmann G, Ogris E et al. Folic acid and cyanocobalamin levels in serum and erythrocytes during low-dose methotrexate therapy of rheumatoid arthritis and psoriatic arthritis patients. *Clin Exp Rheumatol* 1995;13:459-463.
135. Miasishcheva NV, Gerasimova GK, Il'ina NS, Sof'ina ZP. [Effect of methylcobalamin on methotrexate transport in normal and tumorous tissues]. *Biull Eksp Biol Med* 1985;99:736-738.
136. Kroes AC, Lindemans J, Abels J. [Interaction between nitrous oxide and vitamin B12]. *Ned Tijdschr Geneesk* 1985;129:2243-2247.
137. Nunn JF. Clinical aspects of the interaction between nitrous oxide and vitamin B12. *Br J Anaesth* 1987;59:3-13.
138. Ermens AA, Refsum H, Ruprecht J et al. Monitoring cobalamin inactivation during nitrous oxide anesthesia by determination of homocysteine and folate in plasma and urine. *Clin Pharmacol Ther* 1991;49:385-393.
139. Flippo TS, Holder WD Jr. Neurologic degeneration associated with nitrous oxide anesthesia in patients with vitamin B12 deficiency. *Arch Surg* 1993;128:1391-1395.
140. Koblin DD, Tomerson BW, Waldman FM et al. Effect of nitrous oxide on folate and vitamin B12 metabolism in patients. *Anesth Analg* 1990;71:610-617.
141. Salo M, Rajamaki A, Nikoskelainen J. Absence of signs of vitamin B12-nitrous oxide interaction in operating theatre personnel. *Acta Anaesthesiol Scand* 1984;28:106-108.
142. Nunn JF, Chanarin I, Tanner AG, Owen ER. Megaloblastic bone marrow changes after repeated nitrous oxide anaesthesia: reversal with folic acid. *Br J Anaesth* 1986;58:1469-1470.
143. Kroes AC, Lindemans J, Schoester M, Abels J. Enhanced therapeutic effect of methotrexate in experimental rat leukemia after inactivation of cobalamin (vitamin B12) by nitrous oxide. *Cancer Chemother Pharmacol* 1986;17:114-120.
144. O'Leary PW, Combs MJ, Schilling RF. Synergistic deleterious effects of nitrous oxide exposure and vitamin B12 deficiency. *J Lab Clin Med* 1985;105:428-431.
145. Amos RJ, Amess JA, Hinds CJ, Mollin DL. Incidence and pathogenesis of acute megaloblastic bone-marrow change in patients receiving intensive care. *Lancet* 1982;2:835-838.
146. Wertalik LF, Metz EN, Lobuglio AF, Balcerzak SP. Decreased serum B12 levels with oral contraceptive use. *J Am Med Assoc* 1972;221:1371-1374.
147. Larsson-Cohn U. Oral contraceptives and vitamins: a review. *Am J Obstet Gynecol* 1975;121:84-90.
148. Shojania AM. Oral contraceptives: effect of folate and vitamin B12 metabolism. *Can Med Assoc J* 1982;126:244-247.

## Citations and Reference Literature: Vitamin B12

149. Wynn V. Vitamins and oral contraceptive use. *Lancet* 1975;1:561-564.
150. Hjelt K, Brynkvog J, Hippe E et al. Oral contraceptives and the cobalamin (vitamin B12) metabolism. *Acta Obstet Gynecol Scand* 1985;64:59-63.
151. Steegers-Theunissen RP, Van Rossum JM, Steegers EA et al. Sub-50 oral contraceptives affect folate kinetics. *Gynecol Obstet Invest* 1993;36:230-233.
152. Briggs M. Oral contraceptives and vitamin requirements [letter]. *Med J Aust* 1975;1:407.
153. Palva IP, Rytönen U, Alatalo M, Palva HL. Drug-induced malabsorption of vitamin B12. V. Intestinal pH and absorption of vitamin B12 during treatment with para-aminosalicylic acid. *Scand J Haematol* 1972;9:5-7.
154. Niyikiza C, Hanauske AR, Rusthoven JJ et al. Pemetrexed safety and dosing strategy. *Semin Oncol* 2002;29:24-29.
155. Niyikiza C, Baker SD, Seitz DE et al. Homocysteine and methylmalonic acid: markers to predict and avoid toxicity from pemetrexed therapy. *Mol Cancer Ther* 2002;1:545-552.
156. Vogelzang NJ, Rusthoven JJ, Symanowski J et al. Phase III study of pemetrexed in combination with cisplatin versus cisplatin alone in patients with malignant pleural mesothelioma. *J Clin Oncol* 2003;21:2636-2644.
157. Marcuard SP, Albernaz L, Khazanie PG. Omeprazole therapy causes malabsorption of cyanocobalamin (vitamin B12). *Ann Intern Med* 1994;120:211-215.
158. Saltzman JR, Kemp JA, Golner BB et al. Effect of hypochlorhydria due to omeprazole treatment or atrophic gastritis on protein-bound vitamin B12 absorption. *J Am Coll Nutr* 1994;13:584-591.
159. Schenk BE, Kuipers EJ, Klinkenberg-Knol EC et al. Atrophic gastritis during long-term omeprazole therapy affects serum vitamin B12 levels. *Aliment Pharmacol Ther* 1999;13:1343-1346.
160. Howden CW. Vitamin B12 levels during prolonged treatment with proton pump inhibitors. *J Clin Gastroenterol* 2000;30:29-33.
161. Dutta SK. Vitamin B12 malabsorption and omeprazole therapy. *J Am Coll Nutr* 1994;13:544-545.
162. Termanini B, Gibril F, Sutcliffe VE et al. Effect of long-term gastric acid suppressive therapy on serum vitamin B12 levels in patients with Zollinger-Ellison syndrome. *Am J Med* 1998;104:422-430.
163. Bradford GS, Taylor CT. Omeprazole and vitamin B12 deficiency. *Ann Pharmacother* 1999;33:641-643.
164. Koop H. Review article: metabolic consequences of long-term inhibition of acid secretion by omeprazole. *Aliment Pharmacol Ther* 1992;6:399-406.
165. Sanduleanu S, Jonkers D, de Bruine A et al. Changes in gastric mucosa and luminal environment during acid-suppressive therapy: a review in depth. *Dig Liver Dis* 2001;33:707-719.
166. Brieva L, Ara JR, Bertol V et al. [Polyneuropathy caused by vitamin B12 deficiency secondary to chronic atrophic gastritis and giardiasis]. *Rev Neurol* 1998;26:1019-1020.
167. Sagar M, Janczewska I, Ljungdahl A et al. Effect of CYP2C19 polymorphism on serum levels of vitamin B12 in patients on long-term omeprazole treatment. *Aliment Pharmacol Ther* 1999;13:453-458.
168. Bellou A, Aimone-Gastin I, De Korwin JD et al. Cobalamin deficiency with megaloblastic anaemia in one patient under long-term omeprazole therapy. *J Intern Med* 1996;240:161-164.
169. Rule SA, Hooker M, Costello C et al. Serum vitamin B12 and transcobalamin levels in early HIV disease. *Am J Hematol* 1994;47:167-171.
170. Richman DD, Fischl MA, Grieco MH et al. The toxicity of azidothymidine (AZT) in the treatment of patients with AIDS and AIDS-related complex: a double-blind, placebo-controlled trial. *N Engl J Med* 1987;317:192-197.
171. Snower DP, Weil SC. Changing etiology of macrocytosis: zidovudine as a frequent causative factor. *Am J Clin Pathol* 1993;99:57-60.
172. Paltiel O, Falutz J, Veilleux M et al. Clinical correlates of subnormal vitamin B12 levels in patients infected with the human immunodeficiency virus. *Am J Hematol* 1995;49:318-322.
173. Falguera M, Perez-Mur J, Puig T, Cao G. Study of the role of vitamin B12 and folic acid supplementation in preventing hematologic toxicity of zidovudine. *Eur J Haematol* 1995;55:97-102.
174. Goh J, O'Morain CA. Review article: nutrition and adult inflammatory bowel disease. *Aliment Pharmacol Ther* 2003;17:307-320.
175. Gajcy H. Vitamin B12 levels in drug-treated bacterial cells. *Biochem Pharmacol* 1975;24:1359-1361.
176. Montenero AS. Drugs producing vitamin deficiencies. *Acta Vitaminol Enzymol* 1980;2:27-45.
177. Postle K. TonB and the gram-negative dilemma. *Mol Microbiol* 1990;4:2019-2025.
178. Tomkins AM, Smith T, Wright SG. Assessment of early and delayed responses in vitamin B12 absorption during antibiotic therapy in tropical malabsorption. *Clin Sci Mol Med Suppl* 1978;55:533-539.
179. Holt GA. Food and Drug Interactions. Chicago: Precept Press; 1998.

## Citations and Reference Literature: Vitamin B12

180. MacMahon M, Kirkpatrick C, Cummings CE et al. A pilot study with simvastatin and folic acid/vitamin B12 in preparation for the Study of the Effectiveness of Additional Reductions in Cholesterol and Homocysteine (SEARCH). *Nutr Metab Cardiovasc Dis* 2000;10:195-203.
181. Palva IP, Salokannel SJ, Timonen T, Palva HL. Drug-induced malabsorption of vitamin B12. IV. Malabsorption and deficiency of B12 during treatment with slow-release potassium chloride. *Acta Med Scand* 1972;191:355-357.
182. Sato Y, Honda Y, Iwamoto J et al. Effect of folate and mecobalamin on hip fractures in patients with stroke: a randomized controlled trial. *JAMA* 2005;293:1082-1088.
183. Sato Y, Honda Y, Iwamoto J et al. Homocysteine as a predictive factor for hip fracture in stroke patients. *Bone* 2005;36:721-726.

## Reference Literature

- [No authors listed.] Common vitamin B complex agents and folic acid: part II: hydroxocobalamin (vitamin B12a [AlphaRedisor; Codroxomin; Droxomin]) and folic acid (vitamin B complex [Folvite]). *Gastroenterol Nurs* 1997;20(1):23-24. (Review)
- [No authors listed.] Neurologic impairment in children associated with maternal dietary deficiency of cobalamin: Georgia, 2001. *MMWR Morb Mortal Wkly Rep* 2003;52(4):61-64.
- [No authors listed.] Nutrition classics: the New England Journal of Medicine 239:911-913, 1948: observations on the etiologic relationship of achylia gastrica to pernicious anemia: X: activity of vitamin B12 as food (extrinsic) factor: by Lionel Berk, William B. Castle, Arnold D. Welch, Robert W. Heinle, Rudolf Anker, and Martin Epstein. *Nutr Rev* 1978;36(4):113-115.
- Aarsand AK, Carlsen SM. Folate administration reduces circulating homocysteine levels in NIDDM patients on long-term metformin treatment. *J Intern Med* 1998;244:169-174.
- Abalan F, Delile JM. B12 deficiency in presenile dementia. *Biol Psychiatry* 1985;20(11):1251.
- Abdulla M, Aly KO, Andersson I, et al. Nutrient intake and health status of lactovegetarians: chemical analyses of diets using the duplicate portion sampling technique. *Am J Clin Nutr* 1984;40(2):325-338.
- Adams JF, Clark JS, Ireland JT, et al. Malabsorption of vitamin B12 and intrinsic factor secretion during biguanide therapy. *Diabetologia* 1983;24(1):16-18.
- al-Awami M, Schillinger M, Maca T, et al. Homocysteine levels in patients with Raynaud's phenomenon. *Vasa* 2002;31(2):87-90.
- Allen LH. Impact of vitamin B-12 deficiency during lactation on maternal and infant health. *Adv Exp Med Biol* 2002;503:57-67. (Review)
- Ames BN. DNA damage from micronutrient deficiencies is likely to be a major cause of cancer. *Mutat Res* 2001;475(1-2):7-20. (Review)
- Ames BN. Increasing longevity by tuning up metabolism: to maximize human health and lifespan, scientists must abandon outdated models of micronutrients. *EMBO Rep* 2005;6(Suppl 1):S20-24. (Review)
- Ames BN. Micronutrient deficiencies: a major cause of DNA damage. *Ann N Y Acad Sci* 1999;889:87-106. (Review)
- Ames BN. The metabolic tune-up: metabolic harmony and disease prevention. *J Nutr* 2003;133(5):1544S-1548S.
- Ames BN, Atamna H, Killilea DW. Mineral and vitamin deficiencies can accelerate the mitochondrial decay of aging. *Mol Aspects Med* 2005;26(4-5):363-378. (Review)
- Ames BN, Elson-Schwab I, Silver EA. High-dose vitamin therapy stimulates variant enzymes with decreased coenzyme binding affinity (increased K(m)): relevance to genetic disease and polymorphisms. *Am J Clin Nutr* 2002;75(4):616-658. (Review)
- Anibarro B, Caballero T, Garcia-Ara C. Asthma with sulfite intolerance in children: a blocking study with cyanocobalamin. *J Allergy Clin Immunol* 1992;90(1):103-109.
- Andrès E, Noel E, Goichot B. Metformin-associated vitamin B12 deficiency. *Arch Intern Med* 2002;162:2251-2252.
- Andres E, Noel E, Kaltenbach G, et al. [Vitamin B12 deficiency with normal Schilling test or non-dissociation of vitamin B12 and its carrier proteins in elderly patients: a study of 60 patients.] *Rev Med Interne* 2003;24(4):218-223. [French]
- Andrès E, Perrin A-E, Demangeat C, et al. The syndrome of food-cobalamin malabsorption revisited in a department of internal medicine: a monocentric cohort study of 80 patients. *Eur J Intern Med* 2003;14:221-226.
- Apeland T, Mansoor MA, Pentieva K, et al. Fasting and post-methionine loading concentrations of homocysteine, vitamin B2, and vitamin B6 in patients on antiepileptic drugs. *Clin Chem* 2003;49(6 Pt 1):1005-1008.
- Apeland T, Mansoor MA, Strandjord RE. Antiepileptic drugs as independent predictors of plasma total homocysteine levels. *Epilepsy Res* 2001;47(1-2):27-35.
- Apeland T, Mansoor MA, Strandjord RE, et al. Homocysteine concentrations and methionine loading in patients on antiepileptic drugs. *Acta Neurol Scand* 2000;101(4):217-223.
- Avcu N, Avcu F, Beyan C, et al. The relationship between gastric-oral *Helicobacter pylori* and oral hygiene in patients with vitamin B12-deficiency anemia. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2001;92(2):166-169.

## Citations and Reference Literature: Vitamin B12

- Aymard JP, Aymard B, Netter P, et al. Haematological adverse effects of histamine H2-receptor antagonists. *Med Toxicol Adverse Drug Exp* 1988;3(6):430-448.
- Bagree R, Gibby OM, Penney MD, et al. Prevalence of vit.B12 deficiency with metformin treatment. *Diabetic Med* 1999;16(suppl 1):P61.
- Baik HW, Russell RM. Vitamin B12 deficiency in the elderly. *Annu Rev Nutr* 1999;19:357-377.
- Baldewicz TT, Goodkin K, Blaney NT, et al. Cobalamin level is related to self-reported and clinically rated mood and to syndromal depression in bereaved HIV-1(+) and HIV-1(-) homosexual men. *J Psychosom Res* 2000;48(2):177-185.
- Ballal RS, Jacobsen DW, Robinson K. Homocysteine: update on a new risk factor. *Cleve Clin J Med* 1997;64:543-549.
- Bartali B, Semba RD, Frongillo EA, et al. Low micronutrient levels as a predictor of incident disability in older women. *Arch Intern Med* 2006;166:2335-2340.
- Bartoszyk GD. [The interactions of vitamins B1, B6 and B12 with non-steroidal antirheumatic and analgesic drugs: animal experiment results.] *Klin Wochenschr* 1990;68(2):121-124. (Review) [German]
- Baum MK, Shor-Posner G, Lu Y, et al. Micronutrients and HIV-1 disease progression. *AIDS* 1995;9(9):1051-1056.
- Bauman WA, Shaw S, Jayatilake E, et al. Increased intake of calcium reverses vitamin B12 malabsorption induced by metformin. *Diabetes Care* 2000;23:1227-1231.
- Bays HE, Dujovne CA. Drug interactions of lipid-altering drugs. *Drug Safety* 1998;19(5):355-371. (Review)
- Bazzano LA, Reynolds K, Holder KN, et al. Effect of folic acid supplementation on risk of cardiovascular diseases: a meta-analysis of randomized controlled trials. *JAMA* 2006;296:2720-2726. (Meta-analysis)
- Bellou A, Aimone-Gastin I, De Korwin JD, et al. Cobalamin deficiency with megaloblastic anaemia in one patient under long-term omeprazole therapy. *J Intern Med* 1996;240(3):161-164.
- Benzinger P, Alscher DM. [Untreated homocystinuria in adulthood.] *Dtsch Med Wochenschr* 2005;130(43):2439-2443. [German]
- Berger W. Incidence of severe side effects during therapy with sulfonylureas and biguanides. *Horm Metab Res Suppl* 1985;15:111-115.
- Beri R, Chandra R. Chemistry and biology of heme: effect of metal salts, organometals, and metalloporphyrins on heme synthesis and catabolism, with special reference to clinical implications and interactions with cytochrome P-450. *Drug Metab Rev* 1993;25(1-2):49-152. (Review)
- Berlin H, Berlin R, Brante G. Oral treatment of pernicious anemia with high doses of vitamin B12 without intrinsic factor. *Acta Med Scand* 1968;184:247-258.
- Biancheri R, Cerone R, Rossi A, et al. Early-onset cobalamin C/D deficiency: epilepsy and electroencephalographic features. *Epilepsia* 2002;43(6):616-622.
- Børnaa KH. NORVIT: Norwegian Study of Homocysteine Lowering With B Vitamins in Myocardial Infarction. Hot Line Session II, European Society of Cardiology 2005 Congress: Stockholm, Sweden, Sept 5, 2005.
- Børnaa KH, Njølstad I, Ueland PM, et al. Homocysteine lowering and cardiovascular events after acute myocardial infarction. *N Engl J Med* 2006;354(15):1578-1588.
- Bottiglieri T, Diaz-Arrastia R. Hyperhomocysteinemia and cognitive function: more than just a casual link? *Am J Clin Nutr* 2005;82(3):493-494.
- Bradford GS, Taylor CT. Omeprazole and vitamin B12 deficiency. *Ann Pharmacother* 1999;33(5):641-643. (Review)
- Brattstrom L, Israelsson B, Olsson A, et al. Plasma homocysteine in women on oral oestrogen-containing contraceptives and in men with oestrogen-treated prostatic carcinoma. *Scand J Clin Lab Invest* 1992;52(4):283-287.
- Bremenep SM, Alferova VA, Zgurskaia GN, et al. [Changes in metabolism of vitamins B6, B12, PP, pantothenic acid and vitamin C in patients with chronic colitis of various etiology treated with tetracycline.] *Antibiotiki* 1967;12(4):343-347. [Russian]
- Brieva L, Ara JR, Bertol V, et al. [Polyneuropathy caused by vitamin B12 deficiency secondary to chronic atrophic gastritis and giardiasis.] *Rev Neurol* 1998;26(154):1019-1020. [Spanish]
- Brosnan JT. Homocysteine and cardiovascular disease: interactions between nutrition, genetics and lifestyle. *Can J Appl Physiol* 2004;29(6):773-780.
- Callaghan TS, Hadden DR, Tomkin GH. Megaloblastic anaemia due to vitamin B12 malabsorption associated with long-term metformin treatment. *BMJ* 1980;280:1214-1215.
- Calvaresi E, Bryan J. B vitamins, cognition, and aging: a review. *J Gerontol B Psychol Sci Soc Sci* 2001;56(6):P327-339.
- Campbell P. Vitamin B-12 in the treatment of viral hepatitis. *Am J Med Sci* 1952;224:252.
- Cannon MJ, Myszkowski DG, Bagnato JD, et al. Equilibrium and kinetic analyses of the interactions between vitamin B(12) binding proteins and cobalamins by surface plasmon resonance. *Anal Biochem* 2002;305(1):1-9.
- Carlsen SM, Folling I, Grill V, et al. Metformin increases total serum homocysteine levels in non-diabetic male patients with coronary heart disease. *Scand J Clin Lab Invest* 1997;57(6):521-527.

## Citations and Reference Literature: Vitamin B12

- Carmel R. Anemia and aging: an overview of clinical, diagnostic and biological issues. *Blood Rev* 2001;15(1):9-18. (Review)
- Carmel R. Approach to a low vitamin B12 level. *JAMA* 1994; 272(16):1233.
- Carmel R. Cobalamin, the stomach, and aging. *Am J Clin Nutr* 1997;66(4):750-759. (Review)
- Carmel R. Current concepts in cobalamin deficiency. *Annu Rev Med* 2000;51:357-375. (Review)
- Carmel R. Mild transcobalamin I (haptocorrin) deficiency and low serum cobalamin concentrations. *Clin Chem* 2003;49(8):1367-1374.
- Carmel R. Requesting vitamin B12 and folate assays. *Lancet* 1995; 346(8980): 973.
- Carmel R. Subtle and atypical cobalamin deficiency states. *Am J Hematol* 1990;34(2):108-114. (Review)
- Carmel R, Aurangzeb I, Qian D. Associations of food-cobalamin malabsorption with ethnic origin, age, *Helicobacter pylori* infection, and serum markers of gastritis. *Am J Gastroenterol* 2001;96(1):63-70.
- Carmel R, Brar S, Agrawal A, et al. Failure of assay to identify low cobalamin concentrations. *Clin Chem* 2000;46(12):2017-2018.
- Carmel R, Green R, Jacobsen DW, et al. Serum cobalamin, homocysteine, and methylmalonic acid concentrations in a multiethnic elderly population: ethnic and sex differences in cobalamin and metabolite abnormalities. *Am J Clin Nutr* 1999;70(5):904-910.
- Carmel R, Green R, Rosenblatt DS, et al. Update on cobalamin, folate, and homocysteine. *Hematology (Am Soc Hematol Educ Program)* 2003:62-81.
- Carmel R, Melnyk S, James SJ. Cobalamin deficiency with and without neurologic abnormalities: differences in homocysteine and methionine metabolism. *Blood* 2003;101(8):3302-3308.
- Carmel R, Pullarkat V. Gene polymorphisms associated with diminished activity of 5,10-methylenetetrahydrofolate reductase do not explain the clinical manifestations of cobalamin deficiency. *Br J Haematol* 2003;120(5):907-909.
- Carmel R, Vasireddy H, Aurangzeb I, et al. High serum cobalamin levels in the clinical setting--clinical associations and holo-transcobalamin changes. *Clin Lab Haematol* 2001;23(6):365-371.
- Carlsaw N. Vitamin B-12 in psoriasis. *BMJ* 1963;1:611. (Letter)
- Cervantes P, Ghadirian AM, Vida S. Vitamin B12 and folate levels and lithium administration in patients with affective disorders. *Biol Psychiatry* 1999;45(2):214-221.
- Chanarin I, Deacon R, Lumb M, et al. Cobalamin-folate interrelations: a critical review. *Blood* 1985;66(3):479-489. (Review)
- Charlton KE, Kolbe-Alexander TL, Nel JH. Development of a novel nutrition screening tool for use in elderly South Africans. *Public Health Nutr* 2005;8(5):468-479.
- Chen J, Stampfer MJ, Ma J, et al. Influence of a methionine synthase (D919G) polymorphism on plasma homocysteine and folate levels and relation to risk of myocardial infarction. *Atherosclerosis* 2001;154:667-672.
- Chui CH, Lau FY, Wong R, et al. Vitamin B12 deficiency: need for a new guideline. *Nutrition* 2001;17(11-12):917-920.
- Clarke R. Vitamin B12, folic acid, and the prevention of dementia. *N Engl J Med* 2006;354:2817-2819. (Editorial)
- Clarke R, Armitage J. Vitamin supplements and cardiovascular risk: review of the randomized trials of homocysteine-lowering vitamin supplements. *Semin Thromb Hemost* 2000;26(3):341-348. (Review)
- Clarke R, Refsum H, Birks J, et al. Screening for vitamin B-12 and folate deficiency in older persons. *Am J Clin Nutr* 2003;77(5): 1241-1247.
- Claussen DW. Common vitamin B complex agents and folic acid: part I: cyanocobalamin (vitamin B12) (kaybovite [parenteral]; berubigen; betalin-12; kaybovite-1000; rubramin-pc). *Gastroenterol Nurs* 1996;19(6):221-222. (Review)
- Cohen H, Weinstein WM, Carmel R. Heterogeneity of gastric histology and function in food cobalamin malabsorption: absence of atrophic gastritis and achlorhydria in some patients with severe malabsorption. *Gut* 2000;47(5):638-645.
- Coronato A, Glass GB. Depression of the intestinal uptake of radio-vitamin B 12 by cholestyramine. *Proc Soc Exp Biol Med* 1973;142(4):1341-1344.
- Cottrell JE, Casthely P, Brodie JD, et al. Prevention of nitroprusside-induced cyanide toxicity with hydroxocobalamin. *N Engl J Med* 1978;298(15):809-811.
- Crane AM, Jansen R, Andrews ER, et al. Cloning and expression of a mutant methylmalonyl coenzyme A mutase with altered cobalamin affinity that causes mut-methylmalonic aciduria. *J Clin Invest* 1992;89:385-391.
- Crane AM, Ledley FD. Clustering of mutations in methylmalonyl CoA mutase associated with mut-methylmalonic acidemia. *Am J Hum Genet* 1994;55:42-50.
- Cravo ML, Camilo ME. Hyperhomocysteinemia in chronic alcoholism: relations to folic acid and vitamins B(6) and B(12) status. *Nutrition* 2000;16:296-302. (Review)
- Crosby WH. Oral cyanocobalamin without intrinsic factor for pernicious anemia. *Arch Intern Med* 1980;140:1582.
- Cullen RW, Oace SM. Neomycin has no persistent sparing effect on vitamin B-12 status in pectin-fed rats. *J Nutr* 1989;119(10): 1399-1403.

## Citations and Reference Literature: Vitamin B12

- Curry SC, Connor DA, Raschke RA. Effect of the cyanide antidote hydroxocobalamin on commonly ordered serum chemistry studies. *Ann Emerg Med* 1994;24(1):65-67.
- D'Angelo A, Coppola A, Madonna P, et al. The role of vitamin B12 in fasting hyperhomocysteinemia and its interaction with the homozygous C677T mutation of the methylenetetrahydrofolate reductase (MTHFR) gene: a case-control study of patients with early-onset thrombotic events. *Thromb Haemost* 2000;83(4):563-570.
- Dastur D, Dave U. Effect of prolonged anticonvulsant medication in epileptic patients: serum lipids, vitamins B6, B12 and folic acid, proteins and fine structure of liver. *Epilepsia* 1987;28:147-159.
- de Bree A, Verschuren WM, Blom HJ, et al. Coronary heart disease mortality, plasma homocysteine, and B-vitamins: a prospective study. *Atherosclerosis* 2003;166(2):369-377.
- DeFronzo RA, Goodman A, Metformin Investigator Group. Efficacy of metformin in patients with non-insulin-dependent diabetes mellitus. *N Engl J Med* 1995;333:541-549.
- Delpre G, Stark U, Niv Y. Sublingual therapy for cobalamin deficiency as an alternative to oral and parenteral cobalamin supplementation. *Lancet* 1999;354:740-741. (Letter)
- Desouza C, Keebler M, McNamara DB, et al. Drugs affecting homocysteine metabolism: impact on cardiovascular risk. *Drugs* 2002;62:605-616.
- Dharmarajan TS, Adiga GU, Norkus EP. Vitamin B12 deficiency: recognizing subtle symptoms in older adults. *Geriatrics* 2003;58(3):30-34, 37-38. (Review)
- Dierkes J, Westphal S, Kunstmann S, et al. Vitamin supplementation can markedly reduce the homocysteine elevation induced by fenofibrate. *Atherosclerosis* 2001;158(1):161-164.
- Donaldson MS. Metabolic vitamin B12 status on a mostly raw vegan diet with follow-up using tablets, nutritional yeast, or probiotic supplements. *Ann Nutr Metab* 2000;44(5-6):229-234.
- Drennan CL, Matthews RG, Rosenblatt DS, et al. Molecular basis for dysfunction of some mutant forms of methylmalonyl-CoA mutase: deductions from the structure of methionine synthase. *Proc Natl Acad Sci U S A* 1996;93:5550-5555.
- Duell PB, Malinow MR. Homocyst(e)ine: an important risk factor for atherosclerotic vascular disease. *Curr Opin Lipidol* 1997;8(1):28-34. (Review)
- Durga J, van Boxtel MP, Schouten EG, et al. Folate and the methylenetetrahydrofolate reductase 677C→T mutation correlate with cognitive performance. *Neurobiol Aging* 2006;27(2):334-343.
- Durga J, van Tits LJ, Schouten EG, et al. Effect of lowering of homocysteine levels on inflammatory markers: a randomized controlled trial. *Arch Intern Med* 2005;165(12):1388-1394.
- Ekhard ZE, Filer LJ, eds. Present knowledge in nutrition. 7th ed. Washington, DC: ILSI Press; 1996:191-201. (Review)
- Elia M. Oral or parenteral therapy for B12 deficiency. *Lancet* 1998;352(9142):1721-1722.
- Elias MF, Robbins MA, Budge MM, et al. Homocysteine, folate, and vitamins B6 and B12 blood levels in relation to cognitive performance: the Maine-Syracuse study. *Psychosom Med* 2006;68(4):547-554.
- Elias MF, Sullivan LM, D'Agostino RB, et al. Homocysteine and cognitive performance in the Framingham offspring study: age is important. *Am J Epidemiol* 2005;162(7):644-653.
- Ellis FR, Nasser S. A pilot study of vitamin B12 in the treatment of tiredness. *Br J Nutr* 1973;30(2):277-283.
- Elsborg L. Vitamin B12 and folic acid in Crohn's disease. *Dan Med Bull* 1982;29:362-365.
- Farmer JA, Gotto AM Jr. Antihyperlipidaemic agents: drug interactions of clinical significance. *Drug Safety* 1994;11(5):301-309.
- Farmer JA, Gotto AM Jr. Choosing the right lipid-regulating agent: a guide to selection. *Drugs* 1996;52(5):649-661.
- Fava M, Borus JS, Alpert JE, et al. Folate, vitamin B12, and homocysteine in major depressive disorder. *Am J Psychiatry* 1997;154(3):426-428.
- Fenton WA, Rosenberg LE. Inherited disorders of cobalamin transport and metabolism. In: Scriver C, ed. The metabolic and molecular bases of inherited disease. 7th ed. New York: McGraw-Hill; 1995:3129-3149. (Review)
- Filioussi K, Bonovas S, Katsaros T. Should we screen diabetic patients using biguanides for megaloblastic anaemia? *Aust Fam Phys* 2003;32:383-384.
- Flicker L, Ames D. Metabolic and endocrinological causes of dementia. *Int Psychogeriatr* 2005;17(Suppl 1):S79-92.
- Fong TL, Dooley CP, Dehesa M, et al. *Helicobacter pylori* infection in pernicious anemia: a prospective controlled study. *Gastroenterology* 1991;100:328-332.
- Fowler B, Schutgens RB, Rosenblatt DS, et al. Folate-responsive homocystinuria and megaloblastic anaemia in a female patient with functional methionine synthase deficiency cblE disease. *J Inherited Metab Dis* 1997;20:731-741.
- Frenkel EP, Mukherjee A, Hackenbrock CR, et al. Biochemical and ultrastructural hepatic changes during vitamin B12 deficiency in animals and man. *J Biol Chem* 1976;251(7):2147-2154.

## Citations and Reference Literature: Vitamin B12

- Friedman AN. Pharmacologic B-vitamin therapy for hyperhomocysteinemia in dialysis patients: has the time come? *Nutr Clin Care* 2002;5(1):20-24. (Review)
- Friso S, Jacques PF, Wilson PW, et al. Low circulating vitamin B(6) is associated with elevation of the inflammation marker C-reactive protein independently of plasma homocysteine levels. *Circulation* 2001;103(23):2788-2791.
- Geraghty MT, Perlman EJ, Martin LS, et al. Cobalamin C defect associated with hemolytic-uremic syndrome. *J Pediatr* 1992;120(6):934-937.
- Goldberg TH. Oral vitamin B12 supplementation for elderly patients with B12 deficiency. *J Am Geriatr Soc* 1995;43:SA73. (Abstr #P258)
- Goodkin DE, Jacobsen DW, Galvez N, et al. Serum cobalamin deficiency is uncommon in multiple sclerosis. *Arch Neurol* 1994;51(11):1110-1114.
- Gulati S, Baker P, Li YN, et al. Defects in human methionine synthase in cblG patients. *Hum Mol Genet* 1996;5:1859-1865.
- Gumurdulu Y, Serin E, Ozer B, et al. The impact of B(12) treatment on gastric emptying time in patients with *Helicobacter pylori* infection. *J Clin Gastroenterol* 2003;37(3):230-233.
- Hall AH, Rumack BH. Hydroxycobalamin/sodium thiosulfate as a cyanide antidote. *J Emerg Med* 1987;5(2):115-121. (Review)
- Hardman JG, Limbird LE, eds. Goodman and Gillman's the pharmacological basis of therapeutics. 9th ed. New York: McGraw-Hill; 1996:1326-1333. (Review)
- Harmon DL, Shields DC, Woodside JV, et al. Methionine synthase D919G polymorphism is a significant but modest determinant of circulating homocysteine concentrations. *Genet Epidemiol* 1999;17:298-309.
- Hartshorn, EA. Effect of histamine H2-receptor antagonists on vitamin B12 absorption. *Ann Pharmacother* 1992;26:1283-1286.
- Hathcock JN. Metabolic mechanisms of drug-nutrient interactions. *Fed Proc* 1985;44(1 Pt 1):124-129. (Review)
- Heimbürger DC, Alexander CB, Birch R, et al. Improvement in bronchial squamous metaplasia in smokers treated with folate and vitamin B12: report of a preliminary randomized, double-blind intervention trial. *JAMA* 1988;259(10):1525-1530.
- Herbert V, Colman N, Palat D, et al. Is there a "gold standard" for human serum vitamin B12 assay? *J Lab Clin Med* 1984;104(5):829-841.
- Hermann LS, Kalén J, Katzman P et al. Long-term glycaemic improvement after addition of metformin to insulin in insulin-treated obese type 2 diabetes patients. *Diabetes Obes Metab* 2001;3:428-434.
- Herrmann M, Müller S, Kindermann I, et al. Plasma B vitamins and their relation to the severity of chronic heart failure. *Am J Clin Nutr* 2007;85(1):117-124.
- Herrmann M, Obeid R, Scharhag J, et al. Altered vitamin B12 status in recreational endurance athletes. *Int J Sport Nutr Exerc Metab* 2005;15(4):433-441.
- Hewick DS, Butler AR, Glidewell C, et al. Sodium nitroprusside: pharmacological aspects of its interaction with hydroxocobalamin and thiosulphate. *J Pharm Pharmacol* 1987;39(2):113-117.
- Hjelt K, Brynskov J, Hippe E, et al. Oral contraceptives and the cobalamin (vitamin B12) metabolism. *Acta Obstet Gynecol Scand* 1985;64(1):59-63.
- Holland MA, Kozłowski LM. Clinical features and management of cyanide poisoning. *Clin Pharm* 1986;5(9):737-741.
- Holt GA. Food and drug interactions. Chicago: Precept Press; 1998. (Review)
- Hoogeveen EK, Kostense PJ, Jakobs C, et al. Does metformin increase the serum total homocysteine level in non-insulin-dependent diabetes mellitus? *J Intern Med* 1997;242:389-394.
- Houston DK, Johnson MA, Nozza RJ, et al. Age-related hearing loss, vitamin B-12, and folate in elderly women. *Am J Clin Nutr* 1999;69:564-571.
- Hovding G. Anaphylactic reaction after injection of vitamin B12. *BMJ* 1968;3:102.
- Howlett HC, Bailey CJ. A risk-benefit assessment of metformin in type 2-diabetes mellitus. *Drug Safety* 1999;20:489-503.
- Hurter T, Reis HE, Borchard F. [Disorders of intestinal absorption in patients treated with cytostatic chemotherapy.] *Z Gastroenterol* 1989;27(10):606-610. [German]
- Hvas AM, Ellegaard J, Nexø E. [Diagnosis of vitamin B12 deficiency: time for reflection.] *Ugeskr Laeger* 2003;165(19):1971-1976. (Review) [Danish]
- Hvas AM, Ellegaard J, Nexø E. Increased plasma methylmalonic acid level does not predict clinical manifestations of vitamin B12 deficiency. *Arch Intern Med* 2001;161(12):1534-1541.
- Hvas AM, Ellegaard J, Nexø E. Vitamin B12 treatment normalizes metabolic markers but has limited clinical effect: a randomized placebo-controlled study. *Clin Chem* 2001;47(8):1396-1404.
- Hvas AM, Juul S, Lauritzen L, et al. No effect of vitamin B-12 treatment on cognitive function and depression: a randomized placebo controlled study. *J Affect Disord* 2004;81(3):269-273.

## Citations and Reference Literature: Vitamin B12

- Hvas AM, Lous J, Ellegaard J, et al. Use of plasma methylmalonic acid in diagnosing vitamin B-12 deficiency in general practice. *Scand J Primary Health Care* 2002;20(1):57-59.
- Hvas AM, Nexø E. Diagnosis and treatment of vitamin B12 deficiency: an update. *Haematologica* 2006;91(11):1506-1512.
- Ide H, Fujiya S, Asanuma Y, et al. Clinical usefulness of intrathecal injection of methylcobalamin in patients with diabetic neuropathy. *Clin Ther* 1987;9(2):183-192.
- Imaiso Y, Taniwaki T, Yamada T, et al. [Myelopathy due to vitamin B12 deficiency presenting only sensory disturbances in upper extremities: a case report.] *Rinsho Shinkeigaku* 1997;37(2):135-138. [Japanese]
- Imes S, Pinchbeck BR, Dinwoodie A. Iron, folate, vitamin B12, zinc, and copper status in outpatients with Crohn's disease: effect of diet counseling. *J Am Diet Assoc* 1987;87(7):928-930.
- Ingram CF, Fleming AF, Patel M, et al. The value of intrinsic factor antibody test in diagnosing pernicious anaemia. *Cent Afr J Med* 1998;44:178-181.
- Irizarry MC, Gurol ME, Raju S, et al. Association of homocysteine with plasma amyloid beta protein in aging and neurodegenerative disease. *Neurology* 2005;65(9):1402-1408.
- Jacques PF, Bostom AG, Selhub J, et al. Effects of polymorphisms of methionine synthase and methionine synthase reductase on total plasma homocysteine in the NHLBI Family Heart Study. *Atherosclerosis* 2003;166(1):49-55.
- Jain AC, Mukerji DP. Observations on the therapeutic value of intravenous B12 in infective hepatitis. *J Indian Med Assoc* 1960;35:502-505.
- Johnson MA, Hawthorne NA, Brackett WR, et al. Hyperhomocysteinemia and vitamin B-12 deficiency in elderly using Title IIIc nutrition services. *Am J Clin Nutr* 2003;77(1):211-220.
- Joosten E, van den Berg A, Riezler R. Metabolic evidence that deficiencies of vitamin B12 (cobalamin), folate, and vitamin B6 occur commonly in elderly people. *Am J Clin Nutr* 1993;58(4):468-476.
- Juhlin L, Olsson MJ. Improvement of vitiligo after oral treatment with vitamin B12 and folic acid and the importance of sun exposure. *Acta Derm Venereol* 1997;77(6):460-462.
- Kanazawa S, Herbert V. Total corrinoid, cobalamin (vitamin B12), and cobalamin analogue levels may be normal in serum despite cobalamin in liver depletion in patients with alcoholism. *Lab Invest* 1985;53:108-110.
- Kashani A, Phillips CO, Foody JM, et al. Risks associated with statin therapy: a systematic overview of randomized clinical trials. *Circulation* 2006;114(25):2788-2797.
- Kastrup EK, Hines Burnham T, Short RM, et al, eds. Nutrients and nutritional agents. In: *Drug facts and comparisons*. St Louis: Facts and Comparisons; 2000:4-5. (Review)
- Kaufman W. The use of vitamin therapy to reverse certain concomitants of aging. *J Am Geriatr Soc* 1955;3:927-936.
- Kavey R-EW, Allada V, Daniels SR, et al. Cardiovascular risk reduction in high-risk pediatric patients: a scientific statement from the American Heart Association Expert Panel on Population and Prevention Science; the Councils on Cardiovascular Disease in the Young, Epidemiology and Prevention, Nutrition, Physical Activity and Metabolism, High Blood Pressure Research, Cardiovascular Nursing, and the Kidney in Heart Disease; and the Interdisciplinary Working Group on Quality of Care and Outcomes Research: endorsed by the American Academy of Pediatrics. *Circulation* 2006;114:2710-2738.
- Kayser SR, Kurisu S. Hydroxocobalamin in nitroprusside induced cyanide toxicity. *Drug Intell Clin Pharm* 1986;20:365-366.
- Khan MA, et al. Vitamin-B12 deficiency and diabetic neuropathy. *Lancet* 1969;2(7624):768-770.
- Kim SM, Kim YK, Hann SK. Serum levels of folic acid and vitamin B12 in Korean patients with vitiligo. *Yonsei Med J* 1999;40(3):195-198.
- Kira J, Tobimatsu S, Goto I. Vitamin B12 metabolism and massive-dose methyl vitamin B12 therapy in Japanese patients with multiple sclerosis. *Intern Med* 1994;33(2):82-86.
- Kirke PN, Molloy AM, Daly LE, et al. Maternal plasma folate and vitamin B12 are independent risk factors for neural tube defects. *Q J Med* 1993;86(11):703-708.
- Klemes. Vitamin B-12 in acute subdeltoid bursitis. *Ind Med Land Surg* 1957;26:290-292.
- Klerk M, Durga J, Schouten EG, et al. No effect of folic acid supplementation in the course of 1 year on haemostasis markers and C-reactive protein in older adults. *Thromb Haemost* 2005;94(1):96-100.
- Kluijtmans LA, Young IS, Boreham CA, et al. Genetic and nutritional factors contributing to hyperhomocysteinemia in young adults. *Blood* 2003;101(7):2483-2488.
- Knodel LC, Talbert RL. Adverse effects of hypolipidaemic drugs. *Med Toxicol* 1987;2(1):10-32.
- Koehler KM, Baumgartner RN, Garry PJ, et al. Association of folate intake and serum homocysteine in elderly persons according to vitamin supplementation and alcohol use. *Am J Clin Nutr* 2001;73(3):628-637.
- Kondo H. Haematological effects of oral cobalamin preparations on patients with megaloblastic anemia. *Acta Haematol* 1998;99:200-205.

## Citations and Reference Literature: Vitamin B12

- Kondo H, Binder MJ, Kolhouse JF, et al. Presence and formation of cobalamin analogues in multivitamin-mineral pills. *J Clin Invest* 1982;70(4):889-898.
- Koop H, Bachem MG. Serum iron, ferritin, and vitamin B12 during prolonged omeprazole therapy. *J Clin Gastroenterol* 1992;14(4):288-292.
- Kornberg A, Segal R, Theitler J, et al. Folic acid deficiency, megaloblastic anemia and peripheral polyneuropathy due to oral contraceptives. *Isr J Med Sci* 1989;25(3):142-145.
- Krogh Jensen M, Ekelund S, Svendsen L. Folate and homocysteine status and haemolysis in patients treated with sulphasalazine for arthritis. *Scand J Clin Lab Invest* 1996;56(5):421-429.
- Kumamoto Y, Maruta H, Ishigami J, et al. [Clinical efficacy of mecobalamin in the treatment of oligozoospermia: results of double-blind comparative clinical study.] *Hinyokika Kyo* 1988;34(6):1109-1132. [Japanese]
- Kuncel RW. Colchicine neuropathy or vitamin B12 deficiency neuropathy? *N Engl J Med* 1987;317:1290-1291. (Letter)
- Kuncel RW, George EB. Toxic neuropathies and myopathies. *Curr Opin Neurol* 1993;6(5):695-704. (Review)
- Kushner BH, Budnick A, Kramer K, et al. Ototoxicity from high-dose use of platinum compounds in patients with neuroblastoma. *Cancer* 2006;107:417-422.
- Kuzminski AM, Del Giacco EJ, Allen RH, et al. Effective treatment of cobalamin deficiency with oral cobalamin. *Blood* 1998;92(4):1191-1198.
- Kwok T, Cheng G, Woo J, et al. Independent effect of vitamin B12 deficiency on hematological status in older Chinese vegetarian women. *Am J Hematol* 2002;70(3):186-190.
- Kwok T, Tang C, Woo J, et al. Randomized trial of the effect of supplementation on the cognitive function of older people with subnormal cobalamin levels. *Int J Geriatr Psychiatry* 1998;13(9):611-616.
- Lairon D, Arnault N, Bertrais S, et al. Dietary fiber intake and risk factors for cardiovascular disease in French adults. *Am J Clin Nutr* 2005;82:1185-1194.
- Lapp CW, Cheney PR. The rationale for using high-dose cobalamin (vitamin B12). *CFIDS Chronicle Physicians' Forum* 1993;19-20.
- Lavy NW. Omeprazole and vitamin B12. *Ann Intern Med* 1994;121(1):74. (Comment)
- Leclerc D, Campeau E, Goyette P, et al. Human methionine synthase: cDNA cloning and identification of mutations in patients of the cblG complementation group of folate/cobalamin disorders. *Hum Mol Genet* 1996;5:1867-1874.
- Lederle FA. Oral cobalamin for pernicious anemia: medicine's best kept secret? *JAMA* 1991;265:94-95. (Comment)
- Lederle FA. Oral cobalamin for pernicious anemia: back from the verge of extinction. *J Am Geriatr Soc* 1998;46(9):1125-1127.
- Ledley FD, Levy HL, Shih VE, et al. Benign methylmalonic aciduria. *N Engl J Med* 1984;311:1015-1018.
- Lee AJ. Metformin in noninsulin-dependent diabetes mellitus. *Pharmacotherapy* 1996;16:327-351.
- Lentz SR, Piegors DJ, Malinow MR, et al. Supplementation of atherogenic diet with B vitamins does not prevent atherosclerosis or vascular dysfunction in monkeys. *Circulation* 2001;103(7):1006-1011.
- Lerner V, Kanevsky M, Dwolatzky T, et al. Vitamin B12 and folate serum levels in newly admitted psychiatric patients. *Clin Nutr* 2006;25(1):60-67.
- Levitt AJ, Karlinsky H. Folate, vitamin B12 and cognitive impairment in patients with Alzheimer's disease. *Acta Psychiatr Scand* 1992;86(4):301-305.
- Lewis SJ, Ebrahim S, Smith GD. Meta-analysis of MTHFR 677C→T polymorphism and coronary heart disease: does totality of evidence support causal role for homocysteine and preventive potential of folate? *BMJ* 2005;331(7524):1053.
- Lindeman RD, Romero LJ, Yau CL, et al. Serum homocysteine concentrations and their relation to serum folate and vitamin B12 concentrations and coronary artery disease prevalence in an urban, bi-ethnic community. *Ethn Dis* 2003;13(2):178-185.
- Lindenbaum J. Drugs and vitamin B12 and folate metabolism. *Curr Concepts Nutr* 1983;12:73-87. (Review)
- Lindenbaum J, Heaton EB, Savage DG, et al. Neuropsychiatric disorders caused by cobalamin deficiency in the absence of anemia or macrocytosis. *N Engl J Med* 1988;318:1720-1728.
- Lindenbaum J, Rosenberg IH, Wilson PWF, et al. Prevalence of cobalamin deficiency in the Framingham elderly population. *Am J Clin Nutr* 1994;60:2-11.
- Lloyd-Wright Z, Hvas AM, Moller J, et al. Holotranscobalamin as an indicator of dietary vitamin B12 deficiency. *Clin Chem* 2003;49(12):2076-2078.
- Lobo A, Naso A, Arheart K, et al. Reduction of homocysteine levels in coronary artery disease by low-dose folic acid combined with levels of vitamins B6 and B12. *Am J Cardiol* 1999;83:821-825.
- Longstreth GF, Newcomer AD. Drug-induced malabsorption. *Mayo Clin Proc* 1975;50(5):284-293.
- Lonn E, Held C, Arnold JM, et al. Homocysteine lowering with folic acid and B vitamins in vascular disease. *N Engl J Med* 2006;354(15):1567-1577.

## Citations and Reference Literature: Vitamin B12

- Lonn E, Held C, Arnold JM, et al. Rationale, design and baseline characteristics of a large, simple, randomized trial of combined folic acid and vitamins B6 and B12 in high-risk patients: the Heart Outcomes Prevention Evaluation (HOPE)-2 trial. *Can J Cardiol* 2006;22(1):47-53.
- Loscalzo J. Homocysteine trials: clear outcomes for complex reasons. *N Engl J Med* 2006;354(15):1629-1632. (Editorial)
- Ma J, Stampfer MJ, Christensen B, et al. A polymorphism of the methionine synthase gene: association with plasma folate, vitamin B12, homocyst(e)ine, and colorectal cancer risk. *Cancer Epidemiol Biomarkers Prev* 1999;8(9):825-829.
- Ma J, Stampfer MJ, Giovannucci E, et al. Methylenetetrahydrofolate reductase polymorphism, dietary interactions, and risk of colorectal cancer. *Cancer Res* 1997;57(6):1098-1102.
- Mahan LK, Arlin MT, eds. Krause's food, nutrition, and diet therapy. 8th ed. Philadelphia: Saunders; 1992:96-97. (Review)
- Majumdar SK, Shaw GK, O'Gorman P, et al. Blood vitamin status (B1, B2, B6, folic acid and B12) in patients with alcoholic liver disease. *Int J Vitam Nutr Res* 1982;52(3):266-271.
- Marchesini G, Manini R, Bianchi G, et al. Homocysteine, folate, methylation, and monoamine metabolism in depression. *J Neurol Neurosurg Psychiatry* 2000;69(2):228-232.
- Marotta F, Tajiri H, Barreto R, et al. Cyanocobalamin absorption abnormality in alcoholics is improved by oral supplementation with a fermented papaya-derived antioxidant. *Hepatogastroenterology* 2000;47(34):1189-1194.
- Martin D. Lhermitte's sign and cobalamin deficiency. *JAMA* 1982;247(1):28.
- Martin DC, Francis J, Protetch J, et al. Time dependency of cognitive recovery with cobalamin replacement: report of a pilot study. *J Am Geriatr Soc* 1992;40(2):168-172.
- Marz R. Medical nutrition from Marz. 2nd ed. Portland, OR: Omni Press; 1997. (Review)
- Mauro GL, Martorana U, Cataldo P, et al. Vitamin B12 in low back pain: a randomised, double-blind, placebo-controlled study. *Eur Rev Med Pharmacol Sci* 2000;4(3):53-58.
- Mayer G, Kroger M, Meier-Ewert K. Effects of vitamin B12 on performance and circadian rhythm in normal subjects. *Neuropsychopharmacology* 1996;15(5):456-464.
- Mayer J. Iatrogenic malnutrition. *Postgrad Med* 1971;49(3):247-249.
- McMahon JA, Green TJ, Skeaff CM, et al. A controlled trial of homocysteine lowering and cognitive performance. *N Engl J Med* 2006;354:2764-2772.
- Mikhail TH, Ibrahim KM, Awadallah R, et al. The effect of vitamin B12 on tetracycline-induced fatty liver. *Z Ernährungswiss* 1980;19(3):173-178.
- Miller JW. Assessing the association between vitamin B-12 status and cognitive function in older adults. *Am J Clin Nutr* 2006;84(6):1259-1260.
- Mischoulon D, Burger JK, Spillmann MK, et al. Anemia and macrocytosis in the prediction of serum folate and vitamin B12 status, and treatment outcome in major depression. *J Psychosom Res* 2000;49(3):183-187.
- Moat SJ, Clarke ZL, Madhavan AK, et al. Folic acid reverses endothelial dysfunction induced by inhibition of tetrahydrobiopterin biosynthesis. *Eur J Pharmacol* 2006;530(3):250-258.
- Moat SJ, Madhavan A, Taylor SY, et al. High- but not low-dose folic acid improves endothelial function in coronary artery disease. *Eur J Clin Invest* 2006;36(12):850-859.
- Molloy AM, Mills JL, McPartlin J, et al. Maternal and fetal plasma homocysteine concentrations at birth: the influence of folate, vitamin B12, and the 5,10-methylenetetrahydrofolate reductase 677C→T variant. *Am J Obstet Gynecol* 2002;186(3):499-503.
- Montes LF, Diaz ML, Lajous J, et al. Folic acid and vitamin B12 in vitiligo: a nutritional approach. *Cutis* 1992;50(1):39-42.
- Moriyama Y, Okamura T, Kajinami K, et al. Effects of serum B vitamins on elevated plasma homocysteine levels associated with the mutation of methylenetetrahydrofolate reductase gene in Japanese. *Atherosclerosis* 2002;164(2):321.
- Morkbak AL, Pedersen JF, Nexø E. Glycosylation independent measurement of the cobalamin binding protein haptocorrin. *Clin Chim Acta* 2005;356(1-2):184-190.
- Morrow GD, Revsin B, Clark R, et al. A new variant of methylmalonic acidemia-defective coenzyme-apoenzyme binding in cultured fibroblasts. *Clin Chim Acta* 1978;85:67-72.
- Morrow LE, Grimsley EW. Long-term diuretic therapy in hypertensive patients: effects on serum homocysteine, vitamin B6, vitamin B12, and red blood cell folate concentrations. *South Med J* 1999;92(9):866-870.
- Nadiger HA, Krishnan R, Radhaiah G. Studies on interactions of vitamin E with thiamine, niacin and vitamin B12. *Clin Chim Acta* 1981;116(1):9-16.
- Nagai N, et al. Treatment in Male Infertile Clinic of Kaizuka Municipal Hospital. *Hinyokika Kiyo* 1988;34(5):839-846.
- National Research Council. Recommended dietary allowances. 10th ed. Washington, DC: National Academy Press; 1989:158-165.

## Citations and Reference Literature: Vitamin B12

- Nauss KM, Newberne PM. Effects of dietary folate, vitamin B12 and methionine/choline deficiency on immune function. *Adv Exp Med Biol* 1981;135:63-91. (Review)
- Nilsson-Ehle H. Age-related changes in cobalamin (vitamin B12) handling: implications for therapy. *Drugs Aging* 1998;12:277-292.
- Norberg B. [Methylcobalamin and chronic fatigue.] *Lakartidningen* 1999;96(45):4904. [Swedish]
- O'Keeffe ST. Restless legs syndrome: a review. *Arch Intern Med* 1996;156(3):243-248. (Review)
- Okawa M, Takahashi K, Egashira K, et al. Vitamin B12 treatment for delayed sleep phase syndrome: a multi-center double-blind study. *Psychiatry Clin Neurosci* 1997;51(5):275-279.
- Olszewski AJ, Szostak WB, Bialkowska M, et al. Reduction of plasma lipid and homocysteine levels by pyridoxine, folate, cobalamin, choline, riboflavin, and troxerutin in atherosclerosis. *Atherosclerosis* 1989;75(1):1-6.
- Omay A. Evaluation of pharmacokinetic parameters of tetracycline hydrochloride upon oral administration with vitamin C and vitamin B complex. *Hindustan Antibiot Bull* 1981;23(VI):33-37.
- Oren DA, Teicher MH, Schwartz PJ, et al. A controlled trial of cyanocobalamin (vitamin B12) in the treatment of winter seasonal affective disorder. *J Affect Disord* 1994;32(3):197-200.
- Papadakis J. Effect Of intravenous administration of vitamin B12 on lipids in patients with end-stage renal disease: abstract 2P-0568. 13th International Symposium on Atherosclerosis. Kyoto, Japan, Sept 30, 2003.
- Pardo J, Peled Y, Bar J, et al. Evaluation of low serum vitamin B(12) in the non-anaemic pregnant patient. *Hum Reprod* 2000;15:224-226.
- Paulionis L, Kane SL, Meckling KA. Vitamin status and cognitive function in a long-term care population. *BMC Geriatr* 2005;5(1):16.
- Pennypacker LC, Allen RH, Kelly JP, et al. High prevalence of cobalamin deficiency in elderly outpatients. *J Am Geriatr Soc* 1992;40(12):1197-1204.
- Penninx BW, Guralnik JM, Ferrucci L, et al. Vitamin B(12) deficiency and depression in physically disabled older women: epidemiologic evidence from the Women's Health and Aging Study. *Am J Psychiatry* 2000;157:715-721.
- Perez-Perez GI. Role of *Helicobacter pylori* infection in the development of pernicious anemia. *Clin Infect Dis* 1997;25:1020-1022. (Review)
- Pfeiffer CM, Caudill SP, Gunter EW, et al. Biochemical indicators of B vitamin status in the US population after folic acid fortification: results from the National Health and Nutrition Examination Survey 1999-2000. *Am J Clin Nutr* 2005;82(2):442-450.
- Polliotti BM, Panigel M, Miller RK. Free vitamin B12 and transcobalamin II-vitamin B12 complex uptake by the visceral yolk sac of the Sprague-Dawley rat: effect of inhibitors. *Reprod Toxicol* 1997;11(4):617-626.
- Prasad AS, Lei KY, Moghissi KS, et al. Effect of oral contraceptives on nutrients: III: vitamins B6, B12, and folic acid. *Am J Obstet Gynecol* 1976;125(8):1063-1069.
- Pronsky Z. Powers and Moore's food-medications interactions. 9th ed. Pottstown, PA: Food-Medication Interactions; 1991. (Review)
- Quadri P, Fragiaco C, Pezzati R, et al. Homocysteine and B vitamins in mild cognitive impairment and dementia. *Clin Chem Lab Med* 2005;43(10):1096-1100.
- Quinlivan E, McPartlin J, McNulty H, et al. Importance of both folic acid and vitamin B12 in reduction of risk of vascular disease. *Lancet* 2002;359(9302):227-228.
- Rajan S, Wallace JI, Beresford SA, et al. Screening for cobalamin deficiency in geriatric outpatients: prevalence and influence of synthetic cobalamin intake. *J Am Geriatr Soc* 2002;50(4):624-630.
- Rajan S, Wallace JI, Brodtkin KI, et al. Response of elevated methylmalonic acid to three dose levels of oral cobalamin in older adults. *J Am Geriatr Soc* 2002;50(11):1789-1795.
- Ramos MI, Allen LH, Mungas DM, et al. Low folate status is associated with impaired cognitive function and dementia in the Sacramento Area Latino Study on Aging. *Am J Clin Nutr* 2005;82(6):1346-1352.
- Rana S, D'Amico F, Merenstein JH. Relationship of vitamin B12 deficiency with incontinence in older people. *J Am Geriatr Soc* 1998;46:931. (Letter)
- Ramos MI, Allen LH, Mungas DM, et al. Low folate status is associated with impaired cognitive function and dementia in the Sacramento Area Latino Study on Aging. *Am J Clin Nutr* 2005;82(6):1346-1352.
- Ransohoff RM, Jacobsen DW, Green R. Vitamin B12 deficiency and multiple sclerosis. *Lancet* 1990;335(8700):1285-1286.
- Rauma AL, Torronsen R, Hanninen O, et al. Vitamin B12 status of long term adherents of a strict uncooked vegan diet ("living food diet") is compromised. *J Nutr* 1995;125:2511-2515.
- Ravaglia G, Forti P, Maioli F, et al. Folate, but not homocysteine, predicts the risk of fracture in elderly persons. *J Gerontol A Biol Sci Med Sci* 2005;60(11):1458-1462.
- Ravaglia G, Forti P, Maioli F, et al. Homocysteine and folate as risk factors for dementia and Alzheimer disease. *Am J Clin Nutr* 2005;82(3):636-643.

## Citations and Reference Literature: Vitamin B12

- Regland B, Gottfries CG, Lindstedt G. Dementia patients with low serum cobalamin concentration: relationship to atrophic gastritis. *Aging Milano* 1992;4(1):35-41.
- Remacha AF, Cadafalch J. Cobalamin deficiency in patients infected with the human immunodeficiency virus. *Semin Hematol* 1999;36:75-87.
- Reynolds EH. Multiple sclerosis and vitamin B12 metabolism. *J Neuroimmunol* 1992;40(2-3):225-230. (Review)
- Reynolds EH, Bottiglieri T, Laundry M, et al. Vitamin B12 metabolism in multiple sclerosis. *Arch Neurol* 1992;49(6):649-652.
- Reynolds EH, Chanarin I, Milner G, et al. Anticonvulsant therapy, folic acid and vitamin B12 metabolism and mental symptoms. *Epilepsia* 1966;7(4):261-270.
- Reynolds EH, Linnell JC. Vitamin B12 deficiency, demyelination, and multiple sclerosis. *Lancet* 1987;2(8564):920.
- Robbins MA, Elias MF, Budge MM, et al. Homocysteine, type 2 diabetes mellitus, and cognitive performance: the Maine-Syracuse Study. *Clin Chem Lab Med* 2005;43(10):1101-1106.
- Robinson C, Weigly E. Basic nutrition and diet therapy. New York: Macmillan; 1984. (Review)
- Roe DA. Diet and drug interactions. New York: Van Nostrand Reinhold; 1989. (Review)
- Roe DA. Drug-induced nutritional deficiencies. 2nd ed. Westport, CT: Avi Publishing; 1985:158-159. (Review)
- Roe DA. Essential hyperlipemia with xanthomatosis: effects of cholestyramine and clofibrate. *Arch Dermatol* 1968;97(4):436-445.
- Roe DA. Risk factors in drug-induced nutritional deficiencies. In: Roe DA, Campbell T, eds. *Drugs and nutrients: the interactive effects*. New York: Marcel Dekker; 1984: 505-523. (Review)
- Rogers LM, Boy E, Miller JW, et al. High prevalence of cobalamin deficiency in Guatemalan schoolchildren: associations with low plasma holotranscobalamin II and elevated serum methylmalonic acid and plasma homocysteine concentrations. *Am J Clin Nutr* 2003;77(2):433-440.
- Rosenblatt DS, Cooper BA, Schmutz SM, et al. Prenatal vitamin B12 therapy of a fetus with methylcobalamin deficiency (cobalamin E disease). *Lancet* 1985;1:1127-1129.
- Russell RM, Golner BB, Krasinski SD, et al. Effect of antacid and H2 receptor antagonists on the intestinal absorption of folic acid. *J Lab Clin Med* 1988;112(4):458-463.
- Russell RM, Krasinski SD, Samloff IM, et al. Folic acid malabsorption in atrophic gastritis: possible compensation by bacterial folate synthesis. *Gastroenterology* 1986;91(6):1476-1482.
- Sabler SP, Lindenbaum J, Allen RH. Vitamin B-12 deficiency in the elderly: current dilemmas. *Am J Clin Nutr* 1997;66:741-749.
- Sanders TA. Vegetarian diets and children. *Pediatr Clin North Am* 1995;42(4):955-965. (Review)
- Sanduleanu S, Jonkers D, de Bruine A, et al. Changes in gastric mucosa and luminal environment during acid-suppressive therapy: a review in depth. *Dig Liver Dis* 2001;33(8):707-719. (Review)
- Sandyk R, Awerbuch GI. Vitamin B12 and its relationship to age of onset of multiple sclerosis. *Int J Neurosci* 1993;71(1-4):93-99.
- Saperstein DS, Wolfe GI, Gronseth GS, et al. Challenges in the identification of cobalamin-deficiency polyneuropathy. *Arch Neurol* 2003;60:1296-1301.
- Sato Y, Honda Y, Iwamoto J, et al. Homocysteine as a predictive factor for hip fracture in stroke patients. *Bone* 2005;36(4):721-726.
- Sato Y, Honda Y, Iwamoto J, et al. Effect of folate and methylcobalamin on hip fractures in patients with stroke: a randomized controlled trial. *JAMA* 2005;293(9):1082-1088.
- Sato Y, Honda Y, Iwamoto J, et al. Homocysteine as a predictive factor for hip fracture in stroke patients. *Bone* 2005;36(4):721-726.
- Schenk BE, Festen HP, Kuipers EJ, et al. Effect of short-and long-term treatment with omeprazole on the absorption and serum levels of cobalamin. *Aliment Pharmacol Ther* 1996;10:541-545.
- Schenk BE, Kuipers EJ, Klinkenberg-Knol EC, et al. Atrophic gastritis during long-term omeprazole therapy affects serum vitamin B12 levels. *Aliment Pharmacol Ther* 1999;13(10):1343-1346.
- Schjonsby H. Vitamin B 12 absorption and malabsorption. *Gut* 1989;30(12):1986-1991.
- Schnyder G, Roffi M, Flammer Y, et al. Effect of homocysteine-lowering therapy with folic acid, vitamin B12, and vitamin B6 on clinical outcome after percutaneous coronary intervention: the Swiss Heart Study: a randomized controlled trial. *JAMA* 2002;288(8): 973-979.
- Schnyder G, Roffi M, Pin R, et al. Decreased rate of coronary restenosis after lowering of plasma homocysteine levels. *N Engl J Med* 2001;345(22):1593-1600.
- Schumann K. Interactions between drugs and vitamins in advanced age. *Int J Vitam Nutr Res* 1999;69(3):173-178.
- Schwaninger M, Ringleb P, Winter R, et al. Elevated plasma concentrations of homocysteine in antiepileptic drug treatment. *Epilepsia* 1999;40(3):345-350.
- Serin E, Gumurdulu Y, Ozer B, et al. Impact of *Helicobacter pylori* on the development of vitamin B12 deficiency in the absence of gastric atrophy. *Helicobacter* 2002;7(6):337-341.

## Citations and Reference Literature: Vitamin B12

- Seshadri S, Beiser A, Selhub J, et al. Plasma homocysteine as a risk factor for dementia and Alzheimer's disease. *N Engl J Med* 2002;346:476-483.
- Shemesh Z, Attias J, Ornan M, et al. Vitamin B12 deficiency in patients with chronic-tinnitus and noise-induced hearing loss. *Am J Otolaryngol* 1993;14:94-99.
- Shojania AM, Wylie B. The effect of oral contraceptives on vitamin B12 metabolism. *Am J Obstet Gynecol* 1979;135(1):129-134.
- Shuval-Sudai O, Granot E. An association between *Helicobacter pylori* infection and serum vitamin B12 levels in healthy adults. *J Clin Gastroenterol* 2003;36(2):130-133.
- Silber MH. Restless legs syndrome. *Mayo Clin Proc* 1997;72(3):261-264. (Review)
- Silbergleit R, Lee DC. Bowel obstruction and radiopaque vitamin B 12 "pseudobezoar." *Am J Emerg Med* 1995;13(1):112-113.
- Sillaots SL, Hall CA, Hurlteloup V, et al. Heterogeneity in cblG: differential retention of cobalamin on methionine synthase. *Biochem Med Metab Biol* 1992;47:242-249.
- Simon J, Mayer O Jr, Rosolova H. [Effect of folates, vitamin B12 and life style factors on mild hyperhomocysteinemia in a population sample.] *Cas Lek Cesk* 1999;138(21):650-653. [Czech]
- Simon SW. Vitamin B12 therapy in allergy and chronic dermatoses. *J Allergy* 1951;22:183-185.
- Siri PW, Verhoef P, Kok FJ. Vitamins B6, B12, and folate: association with plasma total homocysteine and risk of coronary atherosclerosis. *J Am Coll Nutr* 1998;17(5):435-441.
- Smith AD. Folic acid fortification: the good, the bad, and the puzzle of vitamin B-12. *Am J Clin Nutr* 2007;85(1):3-5. (Editorial)
- Smulders YM, Rakic M, Slaats EH, et al. Fasting and post-methionine homocysteine levels in NIDDM: determinants and correlations with retinopathy, albuminuria, and cardiovascular disease. *Diabetes Care* 1999;22:125-132.
- Snow CF. Laboratory diagnosis of vitamin B12 and folate deficiency: a guide for the primary care physician. *Arch Intern Med* 1999;159:1289-1298. (Review)
- Snowden JA, Chan-Lam D, Thomas SE, et al. Oral or parenteral therapy for vitamin B12 deficiency. *Lancet* 1999;353:411. (Letter)
- Solomon LR. Cobalamin-responsive disorders in the ambulatory care setting: unreliability of cobalamin, methylmalonic acid, and homocysteine testing. *Blood* 2004;105:978-985.
- Spence JD, Bang H, Chambless LE, et al. Vitamin Intervention For Stroke Prevention trial: an efficacy analysis. *Stroke* 2005;36(11):2404-2409.
- Sperschneider H, Stein G, Lauterbach K, et al. Diagnosis of vitamin B12 deficiency in chronic kidney insufficiency. *Z Urol Nephrol* 1984;77(5):301-9.
- Steegers-Theunissen RP, Van Rossum JM, Steegers EA, et al. Sub-50 oral contraceptives affect folate kinetics. *Gynecol Obstet Invest* 1993;36(4):230-233.
- Steffen LM, Folsom AR, Cushman M, et al. Greater fish, fruit, and vegetable intakes are related to lower incidence of venous thromboembolism. The Longitudinal Investigation of Thromboembolism Etiology. *Circulation* 2007;115(2):188-195.
- Steen C, Rosenblatt DS, Scheying H, et al. Cobalamin E (cblE) disease: a severe neurological disorder with megaloblastic anaemia, homocystinuria and low serum methionine. *J Inherited Metab Dis* 1997;20:705-706.
- Stewart CA, Termanini B, Sutliff VE, et al. Iron absorption in patients with Zollinger-Ellison syndrome treated with long-term gastric acid antisecretory therapy. *Aliment Pharmacol Ther* 1998;12(1):83-98.
- Stone KL, Bauer DC, Sellmeyer D, et al. Low serum vitamin B-12 levels are associated with increased hip bone loss in older women: a prospective study. *J Clin Endocrinol Metab* 2004;89(3):1217-1221.
- Stott DJ, Macintosh G, Lowe GD, et al. Randomized controlled trial of homocysteine-lowering vitamin treatment in elderly patients with vascular disease. *Am J Clin Nutr* 2005;82(6):1320-1326.
- Till U, Röhl P, Jentsch A, et al. Decrease of carotid intima-media thickness in patients at risk to cerebral ischemia after supplementation with folic acid, vitamins B6 and B12. *Atherosclerosis* 2005;181(1):131-135.
- Taira M, Tamaoki J, Kondo M, et al. Serum B12 tryptase level as a marker of allergic airway inflammation in asthma. *J Asthma* 2002;39(4):315-322.
- Tang AM, Graham NM, Chandra RK, et al. Low serum vitamin B-12 concentrations are associated with faster human immunodeficiency virus type 1 (HIV-1) disease progression. *J Nutr* 1997;127(2):345-351.
- Teunisse S, Bollen AE, van Gool WA, et al. Dementia and subnormal levels of vitamin B12: effects of replacement therapy on dementia. *J Neurol* 1996;243(7):522-529.
- Threlkeld DS, ed. Central nervous system drugs, antidepressants, monoamine oxidase inhibitors. In: *Facts and Comparisons drug information*. St Louis: Facts and Comparisons; 1997.
- Threlkeld DS, ed. Gastrointestinal drugs, histamine H2 antagonists. In: *Facts and Comparisons drug information*. St.Louis: Facts and Comparisons; 1995.

## Citations and Reference Literature: Vitamin B12

- Threlkeld DS, ed. Hormones, oral contraceptives. In: Facts and Comparisons drug information. St Louis: Facts and Comparisons; 1994.
- Tice JA, Ross E, Coxson PG, et al. Cost-effectiveness of vitamin therapy to lower plasma homocysteine levels for the prevention of coronary heart disease. *JAMA* 2001;286:936-943.
- Tiemeier H, van Tuijl HR, Hofman A, et al. Vitamin B12, folate, and homocysteine in depression: the Rotterdam Study. *Am J Psychiatry* 2002;159(12):2099-2101.
- Till U, Röhl P, Jentsch A, et al. Decrease of carotid intima-media thickness in patients at risk to cerebral ischemia after supplementation with folic acid, vitamins B6 and B12. *Atherosclerosis* 2005;181(1):131-135.
- Tjioe M, Gerritsen MJ, Juhlin L, et al. Treatment of vitiligo vulgaris with narrow band UVB (311 nm) for one year and the effect of addition of folic acid and vitamin B12. *Acta Derm Venereol* 2002;82(5):369-372. Erratum in *Acta Derm Venereol* 2002;82(6):485.
- Tomkin GH, Hadden DR, Weaver JA, et al. Vitamin-B12 status of patients on long-term metformin therapy. *BMJ* 1971;2:685-687.
- Toole JF, Malinow MR, Chambless LE, et al. Lowering homocysteine in patients with ischemic stroke to prevent recurrent stroke, myocardial infarction, and death: the Vitamin Intervention for Stroke Prevention (VISP) Randomized Controlled Trial. *JAMA* 2004;291:565-575.
- Troen AM. The central nervous system in animal models of hyperhomocysteinemia. *Prog Neuropsychopharmacol Biol Psychiatry* 2005;29(7):1140-1151. (Review)
- Trovato A, Nuhlicek DN, Midtling JE. Drug-nutrient interactions. *Am Fam Physician* 1991;44(5):1651-1658. (Review)
- Tucker KL, Qiao N, Scott T, et al. High homocysteine and low B vitamins predict cognitive decline in aging men: the Veterans Affairs Normative Aging Study. *Am J Clin Nutr* 2005;82(3):627-635.
- Tuckerman M, Turco S. Human nutrition. Philadelphia: Lea and Febiger; 1983:215-222.
- UK Prospective Diabetes Study (UKPDS) Group. Effect of intensive blood glucose control with metformin on complications in overweight patients with type 2 diabetes (UKPDS-34). *Lancet* 1998;352:854-865.
- USDA: Composition of foods: USDA handbook #8. Washington, DC: ARS, USDA; 1976-1986.
- van Asselt DZ, van den Broek WJ, Lamers CB, et al. Free and protein-bound cobalamin absorption in healthy middle-aged and older subjects. *J Am Geriatr Soc* 1996;44:949-953.
- van Baak MA, Visscher TLS. Public health success in recent decades may be in danger if lifestyles of the elderly are neglected. *Am J Clin Nutr* 2006;84:1259-1260. (Editorial)
- van Der Dijs FP, Fokkema MR, Dijk-Brouwer DA, et al. Optimization of folic acid, vitamin B(12), and vitamin B(6) supplements in pediatric patients with sickle cell disease. *Am J Hematol* 2002;69(4):239-246.
- van Goor L, Woiski MD, Lagaay AM, et al. Review: cobalamin deficiency and mental impairment in elderly people. *Age Ageing* 1995;24(6):536-542. (Review)
- Van Guelpen B, Hultdin J, Johansson I, et al. Folate, vitamin B12, and risk of ischemic and hemorrhagic stroke: a prospective, nested case-referent study of plasma concentrations and dietary intake. *Stroke* 2005;36(7):1426-1431.
- Varela-Moreiras G. Nutritional regulation of homocysteine: effects of drugs. *Biomed Pharmacother* 2001;55(8):448-453. (Review)
- Verhaeverbeke I, Mets T, Mulkens K, et al. Normalization of low vitamin B12 serum levels in older people by oral treatment. *J Am Geriatr Soc* 1997;45:124-125. (Letter)
- Villareal DT, Miller BV III, Banks M, et al. Effect of lifestyle intervention on metabolic coronary heart disease risk factors in obese older adults. *Am J Clin Nutr* 2006;84:1317-1323.
- von Castel-Dunwoody KM, Kauwell GPA, Shelnutt KP, et al. Transcobalamin 776C→G polymorphism negatively affects vitamin B-12 metabolism. *Am J Clin Nutr* 2005;81:1436-1441.
- Waife SO, Jansen CJ, Crabtree RE, et al. Oral vitamin B12 without intrinsic factor in the treatment of pernicious anemia. *Ann Intern Med* 1963;58:810-817.
- Wald DS, Wald NJ, Morris JK, et al. Folic acid, homocysteine, and cardiovascular disease: judging causality in the face of inconclusive trial evidence. *BMJ* 2006;333(7578):1114-1117. (Editorial; Review)
- Wang HX, Wahlin A, Basun H, et al. Vitamin B(12) and folate in relation to the development of Alzheimer's disease. *Neurology* 2001;56(9):1188-1194.
- Wang TJ, Gona P, Larson MG, et al. Multiple biomarkers for the prediction of first major cardiovascular events and death. *N Engl J Med* 2006;355(25):2631-2639.
- Ware JH. The limitations of risk factors as diagnostic tools. *N Engl J Med* 2006;355(25):2615-2617. (Editorial)
- Waterland RA, Jirtle RL. Transposable elements: targets for early nutritional effects on epigenetic gene regulation. *Mol Cell Biol* 2003;23(15):5293-5300.
- Weinberg JB, Shugars DC, Sherman PA. Cobalamin Inhibition of HIV-1 integrase and integration of HIV-1 DNA into cellular DNA. *Biochem Biophys Res Commun* 1998;246(2):393-397.

## Citations and Reference Literature: Vitamin B12

- Wiernsperger N. Metformin: intrinsic vasculoprotective properties. *Diabetes Technol Ther* 2000;2:259-272.
- Werbach MR. Foundations of nutritional medicine. Tarzana, CA: Third Line Press; 1997. (Review)
- Weusten BL, van de Wiel A. Aphthous ulcers and vitamin B12 deficiency. *Neth J Med* 1998;53(4):172-175.
- Willard HF, Rosenberg LE. Inherited deficiencies of human methylmalonyl CoA mutase activity: reduced affinity of mutant apoenzyme for adenosylcobalamin. *Biochem Biophys Res Commun* 1977;78:927-934.
- Willard HF, Rosenberg LE. Inherited methylmalonyl CoA mutase apoenzyme deficiency in human fibroblasts: evidence for allelic heterogeneity, genetic compounds, and codominant expression. *J Clin Invest* 1980;65:690-698.
- Wilson A, Leclerc D, Rosenblatt DS, et al. Molecular basis for methionine synthase reductase deficiency in patients belonging to the cblE complementation group of disorders in folate/cobalamin metabolism. *Hum Mol Genet* 1999;8:2009-2016.
- Wolever TM, Assiff L, Basu T, et al. Miglitol, an alfa-glucosidase inhibitor, prevents the metformin-induced fall in serum folate and vitamin B12 in subjects with type 2 diabetes. *Nutr Res* 2000;20:1447-1456.
- Wong A, Mok V, Fan YH, et al. Hyperhomocysteinemia is associated with volumetric white matter change in patients with small vessel disease. *J Neurol* 2006;253(4):441-447.
- Woods MN, Tang AM, Forrester J, et al. Effect of dietary intake and protease inhibitors on serum vitamin B12 levels in a cohort of human immunodeficiency virus-positive patients. *Clin Infect Dis* 2003;37(Suppl 2):S124-131.
- Woodside JV, Yarnell JW, McMaster D, et al. Effect of B-group vitamins and antioxidant vitamins on hyperhomocysteinemia: a double-blind, randomized, factorial-design, controlled trial. *Am J Clin Nutr* 1998;67(5):858-866.
- Wright J. Vitamin B12: powerful protection against asthma. *Int Clin Nutr Rev* 1989;9:185-188.
- Wu K, Helzlsouer KJ, Comstock GW, et al. A prospective study on folate, B12, and pyridoxal 5'-phosphate (B6) and breast cancer. *Cancer Epidemiol Biomarkers Prev* 1999;8:209-217.
- Wulffélé MG, Kooy A, Leher P et al. Effects of short-term treatment with metformin on serum concentrations of homocysteine, folate and vitamin B12 in type 2 diabetes mellitus: a randomized placebo-controlled trial. *J Intern Med* 2003;254:455-463.
- Yaar I. [Serum folic acid and vitamin B12 in ambulatory epileptic patients.] *Harefuah* 1973;85(6):256-258. [Hebrew]
- Yao Y, Yao SL, Yao SS, et al. Prevalence of vitamin B12 deficiency among geriatric outpatients. *J Fam Pract* 1992;35(5):524-528.
- Yaqub BA, Siddique A, Sulimani R. Effects of methylcobalamin on diabetic neuropathy. *Clin Neurol Neurosurg* 1992;94(2):105-111.
- Zempleni J, Helm RM, Mock DM. In vivo biotin supplementation at a pharmacologic dose decreases proliferation rates of human peripheral blood mononuclear cells and cytokine release. *J Nutr* 2001;131:1479-1484.
- Zoccolella S, Lamberti P, Iliceto G, et al. Plasma homocysteine levels in L-dopa-treated Parkinson's disease patients with cognitive dysfunctions. *Clin Chem Lab Med* 2005;43(10):1107-1110.