

Citations

1. Azuma J, Kishi T, Williams RH, Folkers K. Apparent deficiency of vitamin B6 in typical individuals who commonly serve as normal controls. *Res Commun Chem Pathol Pharmacol* 1976;14:343-366.
2. Kant AK, Block G. Dietary vitamin B-6 intake and food sources in the US population: NHANES II, 1976-1980. *Am J Clin Nutr* 1990;52:707-716.
3. Albertson AM, Tobelmann RC, Engstrom A, Asp EH. Nutrient intakes of 2- to 10-year-old American children: 10-year trends. *J Am Diet Assoc* 1992;92:1492-1496.
4. Van der Wielen RP, de Groot LC, van Staveren WA. Dietary intake of water soluble vitamins in elderly people living in a Western society (1980-1993). *Nutr Res* 1994;14:605-638.
5. Food and Nutrition Board, Institute of Medicine. Vitamin B-6. Dietary Reference Intakes: Thiamin, Riboflavin, Niacin, Vitamin B-6, Vitamin B-12, Pantothenic Acid, Biotin, and Choline. Washington, DC: National Academy Press; 1998:150-195.
6. Bender DA. Non-nutritional uses of vitamin B6. *Br J Nutr* 1999;81:7-20.
7. Parry GJ, Bredeken DE. Sensory neuropathy with low-dose pyridoxine. *Neurology* 1985;35:1466-1468.
8. Dalton K, Dalton MJ. Characteristics of pyridoxine overdose neuropathy syndrome. *Acta Neurol Scand* 1987;76:8-11.
9. Harris L, McKenna WJ, Rowland E, Krikler DM. Side effects and possible contraindications of amiodarone use. *Am Heart J* 1983;106:916-923.
10. Ferguson J, Addo HA, Jones S et al. A study of cutaneous photosensitivity induced by amiodarone. *Br J Dermatol* 1985;113:537-549.
11. Boyle J. Amiodarone-induced cutaneous photosensitivity. *Br J Dermatol* 1986;115:253-254.
12. Ferguson J. Amiodarone: a study of cutaneous photosensitivity. *Br J Clin Pract Suppl* 1986;44:63-66.
13. Hilleman D, Miller MA, Parker R et al. Optimal management of amiodarone therapy: efficacy and side effects. *Pharmacotherapy* 1998;18:138S-145S.
14. Yones SS, O'Donoghue NB, Palmer RA et al. Persistent severe amiodarone-induced photosensitivity. *Clin Exp Dermatol* 2005;30:500-502.
15. Ferguson J, de Vane PJ, Wirth M. Prevention of amiodarone-induced photosensitivity. *Lancet* 1984;2:414.
16. Kahn G, Fleischaker B. Red blood cell hemolysis by photosensitizing compounds. *J Invest Dermatol* 1971;56:85-90.
17. Guercioli R, Del Favero A, Cannistraro S. Amiodarone-induced photosensitivity and pyridoxine. *Lancet* 1984;1:962.
18. Cozzani I, Jori G. Photo-oxidation of L-glutamate decarboxylase from *Escherichia coli*, sensitized by the coenzyme pyridoxal phosphate and by proflavin. *Biochim Biophys Acta* 1980;623:84-88.
19. Kaufmann G. Pyridoxine against amiodarone-induced photosensitivity. *Lancet* 1984;1:51-52.
20. Mulrow JP, Mulrow CD, McKenna WJ. Pyridoxine and amiodarone-induced photosensitivity. *Ann Intern Med* 1985;103:68-69.
21. Ross JB, Moss MA. Relief of the photosensitivity of erythropoietic protoporphyria by pyridoxine. *J Am Acad Dermatol* 1990;22:340-342.
22. Hansson O, Sillanpaa M. Pyridoxine and serum concentration of phenytoin and phenobarbitone [letter]. *Lancet* 1976;1:256.
23. Haust HL, Poon HC, Carson R et al. Protoporphyrinaemia and decreased activities of 5-aminolevulinic acid dehydrase and uroporphyrinogen I synthetase in erythrocytes of a vitamin B6-deficient epileptic boy given valproic acid and carbamazepine. *Clin Biochem* 1989;22:201-211.
24. Dastur DK, Dave UP. Effect of prolonged anticonvulsant medication in epileptic patients: serum lipids, vitamins B6, B12, and folic acid, proteins, and fine structure of liver. *Epilepsia* 1987;28:147-159.
25. Goto T, Matsuo N, Takahashi T. CSF glutamate/GABA concentrations in pyridoxine-dependent seizures: etiology of pyridoxine-dependent seizures and the mechanisms of pyridoxine action in seizure control. *Brain Dev* 2001;23:24-29.
26. Ito M, Okuno T, Hattori H et al. Vitamin B6 and valproic acid in treatment of infantile spasms. *Pediatr Neurol* 1991;7:91-96.
27. Ono H, Sakamoto A, Eguchi T et al. Plasma total homocysteine concentrations in epileptic patients taking anticonvulsants. *Metabolism* 1997;46:959-962.
28. James GK, Jones MW, Pudek MR. Homocyst(e)ine levels in patients on phenytoin therapy. *Clin Biochem* 1997;30:647-649.
29. Schwaninger M, Ringleb P, Winter R et al. Elevated plasma concentrations of homocysteine in antiepileptic drug treatment. *Epilepsia* 1999;40:345-350.
30. Verrotti A, Pascarella R, Trotta D et al. Hyperhomocysteinemia in children treated with sodium valproate and carbamazepine. *Epilepsy Res* 2000;41:253-257.
31. Tamura T, Aiso K, Johnston KE et al. Homocysteine, folate, vitamin B-12 and vitamin B-6 in patients receiving antiepileptic drug monotherapy. *Epilepsy Res* 2000;40:7-15.

32. Ono H, Sakamoto A, Mizoguchi N, Sakura N. The C677T mutation in the methylenetetrahydrofolate reductase gene contributes to hyperhomocysteinemia in patients taking anticonvulsants. *Brain Dev* 2002;24:223-226.
33. Gidal BE, Tamura T, Hammer A, Vuong A. Blood homocysteine, folate and vitamin B-12 concentrations in patients with epilepsy receiving lamotrigine or sodium valproate for initial monotherapy. *Epilepsy Res* 2005;64:161-166.
34. Hagberg B, Hamfelt, Hansson O. Tryptophan load tests and pyridoxal-5-phosphate levels in epileptic children. II. Cryptogenic epilepsy. *Acta Paediatr Scand* 1966;55:371-384.
35. Reinken L. [The effect of hydantoin and succinimide on vitamin B-6 metabolism]. *Clin Chim Acta* 1973;48:435-436.
36. Reinken L. The influence of antiepileptic drugs on vitamin B6 metabolism. *Acta Vitaminol Enzymol* 1975;29:252-254.
37. Luoma PV, Myllyla VV, Sotaniemi EA et al. Plasma high-density lipoprotein cholesterol in epileptics treated with various anticonvulsants. *Eur Neurol* 1980;19:67-72.
38. Annegers JF, Hauser WA, Shirts SB. Heart disease mortality and morbidity in patients with epilepsy. *Epilepsia* 1984;25:699-704.
39. Dasheiff RM. Sudden unexpected death in epilepsy: a series from an epilepsy surgery program and speculation on the relationship to sudden cardiac death. *J Clin Neurophysiol* 1991;8:216-222.
40. Li X, Breteler MM, de Bruyne MC et al. Vascular determinants of epilepsy: the Rotterdam Study. *Epilepsia* 1997;38:1216-1220.
41. Yoo JH, Hong SB. A common mutation in the methylenetetrahydrofolate reductase gene is a determinant of hyperhomocysteinemia in epileptic patients receiving anticonvulsants. *Metabolism* 1999;48:1047-1051.
42. Vilaseca MA, Monros E, Artuch R et al. Anti-epileptic drug treatment in children: hyperhomocysteinaemia, B-vitamins and the 677C→T mutation of the methylenetetrahydrofolate reductase gene. *Eur J Paediatr Neurol* 2000;4:269-277.
43. Apeland T, Mansoor MA, Strandjord RE, Kristensen O. Homocysteine concentrations and methionine loading in patients on antiepileptic drugs. *Acta Neurol Scand* 2000;101:217-223.
44. Tumer L, Serdaroglu A, Hasanoglu A et al. Plasma homocysteine and lipoprotein (a) levels as risk factors for atherosclerotic vascular disease in epileptic children taking anticonvulsants. *Acta Paediatr* 2002;91:923-926.
45. Karabiber H, Sonmezgoz E, Ozerol E et al. Effects of valproate and carbamazepine on serum levels of homocysteine, vitamin B12, and folic acid. *Brain Dev* 2003;25:113-115.
46. Froscher W, Maier V, Laage M et al. Folate deficiency, anticonvulsant drugs, and psychiatric morbidity. *Clin Neuropharmacol* 1995;18:165-182.
47. Kishi T, Fujita N, Eguchi T, Ueda K. Mechanism for reduction of serum folate by antiepileptic drugs during prolonged therapy. *J Neurol Sci* 1997;145:109-112.
48. Apeland T, Mansoor MA, Pentieva K et al. Fasting and post-methionine loading concentrations of homocysteine, vitamin B2, and vitamin B6 in patients on antiepileptic drugs. *Clin Chem* 2003;49:1005-1008.
49. Coburn SP. Location and turnover of vitamin B6 pools and vitamin B6 requirements of humans. *Ann NY Acad Sci* 1990;585:76-85.
50. Kretsch MJ, Sauberlich HE, Newbrun E. Electroencephalographic changes and periodontal status during short-term vitamin B-6 depletion of young, nonpregnant women. *Am J Clin Nutr* 1991;53:1266-1274.
- 50a. Pietz J, Benninger C, Schafer H, et al. Treatment of infantile spasms with high-dosage vitamin B6. *Epilepsia* 1993;34(4):757-763.
51. Walter-Sack I, Klotz U. Influence of diet and nutritional status on drug metabolism. *Clin Pharmacokinet* 1996;31:47-64.
52. Reyes-Garcia G, Caram-Salas NL, Medina-Santillan R, Granados-Soto V. Oral administration of B vitamins increases the antiallodynic effect of gabapentin in the rat. *Proc West Pharmacol Soc* 2004;47:76-79.
53. Risum S, Langer SW. [Plantar-palmar erythrodysesthesia: a new and relatively frequent side effect in antineoplastic treatment]. *Ugeskr Laeger* 2003;165:3161-3162.
54. Molina R, Fabian C, Slavik M, Dahlberg S. Reversal of palmar-plantar erythrodysesthesia (PPE) by B6 without loss of response in colon cancer patients receiving 200/mg/m2/day continuous 5-FU. *Proc Am Soc Clin Oncol* 1987;6:90.
55. Vukelja SJ, Lombardo FA, James WD, Weiss RB. Pyridoxine for the palmar-plantar erythrodysesthesia syndrome. *Ann Intern Med* 1989;111:688-689.
56. Fabian CJ, Molina R, Slavik M et al. Pyridoxine therapy for palmar-plantar erythrodysesthesia associated with continuous 5-fluorouracil infusion. *Invest New Drugs* 1990;8:57-63.
57. Vail DM, Chun R, Thamm DH et al. Efficacy of pyridoxine to ameliorate the cutaneous toxicity associated with doxorubicin containing pegylated (Stealth) liposomes: a randomized, double-blind clinical trial using a canine model. *Clin Cancer Res* 1998;4:1567-1571.
58. Wiernik PH, Yeap B, Vogl SE et al. Hexamethylmelamine and low or moderate dose cisplatin with or without pyridoxine for treatment of advanced ovarian carcinoma: a study of the Eastern Cooperative Oncology Group. *Cancer Invest* 1992;10:1-9.
59. Vukelja SJ, Baker WJ, Burris HA 3rd et al. Pyridoxine therapy for palmar-plantar erythrodysesthesia associated with taxotere. *J Natl Cancer Inst* 1993;85:1432-1433.

Citations and Reference Literature: Vitamin B6

60. Fabian CJ, Rasmussen S, Stephens R et al. Phase II evaluation of hexamethylmelamine in advanced breast cancer: a Southwest Oncology Group study. *Cancer Treat Rep* 1979;63:1359-1361.
61. Leeder JS, Spielberg SP. Teratogenicity and litigation. In: Koren G, ed. *Maternal-Fetal Toxicology: a Clinician's Guide*. New York: Marcel Dekker; 1990:415-425.
62. McCredie J, Krickler A, Elliott J, Forrest J. The innocent bystander: doxylamine/dicyclomine/pyridoxine and congenital limb defects. *Med J Aust* 1984;140:525-527.
63. Shiono PH, Klebanoff MA. Bendectin and human congenital malformations. *Teratology* 1989;40:151-155.
64. Special Advisory Committee HPB. Report on the safety of Bendectin/Diclectin for use in the management of nausea and vomiting of pregnancy. Canadian Health and Welfare Department; 1989.
65. Ornstein M, Einarson A, Koren G. Bendectin/Diclectin for morning sickness: a Canadian follow-up of an American tragedy. *Reprod Toxicol* 1995;9:1-6.
66. Scialli AR. Bendectin: review of the medical literature of a comprehensively studied human nonteratogen and the most prevalent tortogen-litigen. *Reprod Toxicol* 1999;13:239.
67. Brent RR. The Bendectin saga: another American tragedy (Brent, '80). *Teratology* 1983;27:283-286.
68. Scialli AR. Bendectin, science, and the law. *Reprod Toxicol* 1989;3:157-158.
69. Leeder JS, Spielberg SP, MacLeod SM. Bendectin: the wrong way to regulate drug availability. *Can Med Assoc J* 1983;129:1085-1087.
70. Bishai R, Mazzotta P, Atanackovic G et al. Critical appraisal of drug therapy for nausea and vomiting of pregnancy. II. Efficacy and safety of Diclectin (doxylamine-B6). *Can J Clin Pharmacol* 2000;7:138-143.
71. Gadsby R, Barnie-Adshead AM, Jagger C. A prospective study of nausea and vomiting during pregnancy. *Br J Gen Pract* 1993;43:245-248.
72. Baggley A, Navioz Y, Maltepe C et al. Determinants of women's decision making on whether to treat nausea and vomiting of pregnancy pharmacologically. *J Midwifery Women Health* 2004;49:350-354.
73. Boneva RS, Moore CA, Botto L et al. Nausea during pregnancy and congenital heart defects: a population-based case-control study. *Am J Epidemiol* 1999;149:717-725.
74. Atanackovic G, Navioz Y, Moretti ME, Koren G. The safety of higher than standard dose of doxylamine-pyridoxine (Diclectin) for nausea and vomiting of pregnancy. *J Clin Pharmacol* 2001;41:842-845.
- 74a. Boskovic R, Einarson A, Maltepe C, et al: Diclectin therapy for nausea and vomiting of pregnancy: effects of optimal dosing. *J Obstet Gynaecol Can* 2003;25(10):830-833.
75. Hollyer T, Boon H, Georgousis A et al. The use of CAM by women suffering from nausea and vomiting during pregnancy. *BMC Complement Altern Med* 2002;2:5.
76. Portnoi G, Chng LA, Karimi-Tabesh L et al. Prospective comparative study of the safety and effectiveness of ginger for the treatment of nausea and vomiting in pregnancy. *Am J Obstet Gynecol* 2003;189:1374-1377.
77. Smith C, Crowther C, Willson K et al. A randomized controlled trial of ginger to treat nausea and vomiting in pregnancy. *Obstet Gynecol* 2004;103:639-645.
78. Borrelli F, Capasso R, Aviello G et al. Effectiveness and safety of ginger in the treatment of pregnancy-induced nausea and vomiting. *Obstet Gynecol* 2005;105:849-856.
79. Mydlik M, Derzsiova K. Erythrocyte vitamins B1, B2 and B6 and erythropoietin. *Am J Nephrol* 1993;13:464-466.
80. Mydlik M, Derzsiova K, Zemberova E. Metabolism of vitamin B6 and its requirement in chronic renal failure. *Kidney Int Suppl* 1997;62:S56-S59.
81. Mydlik M, Derzsiova K. [Vitamin levels in the serum and erythrocytes during erythropoietin therapy in hemodialyzed patients]. *Bratisl Lek Listy* 1999;100:426-431.
82. Kasama R, Koch T, Canals-Navas C, Pitone JM. Vitamin B6 and hemodialysis: the impact of high-flux/high-efficiency dialysis and review of the literature. *Am J Kidney Dis* 1996;27:680-686.
83. Horl WH. Is there a role for adjuvant therapy in patients being treated with epoetin? *Nephrol Dial Transplant* 1999;14 Suppl 2:50-60.
84. Okada H, Moriwaki K, Kanno Y et al. Vitamin B6 supplementation can improve peripheral polyneuropathy in patients with chronic renal failure on high-flux haemodialysis and human recombinant erythropoietin. *Nephrol Dial Transplant* 2000;15:1410-1413.
85. Balcke P, Schmidt P, Zazgornik J et al. Effect of vitamin B6 administration on elevated plasma oxalic acid levels in haemodialysed patients. *Eur J Clin Invest* 1982;12:481-483.
86. Mydlik M, Derzsiova K, Zemberova E, Rajnic A. [The effect of furosemide on urinary excretion of oxalic acid, vitamin C and vitamin B6 in chronic kidney failure]. *Vnitr Lek* 1998;44:127-131.

Citations and Reference Literature: Vitamin B6

87. Mydlik M, Derzsiova K, Zemberova E. Influence of water and sodium diuresis and furosemide on urinary excretion of vitamin B(6), oxalic acid and vitamin C in chronic renal failure. *Miner Electrolyte Metab* 1999;25:352-356.
88. Keniston RC, Cabellon S Jr, Yarbrough KS. Pyridoxal 5'-phosphate as an antidote for cyanide, spermine, gentamicin, and dopamine toxicity: an in vivo rat study. *Toxicol Appl Pharmacol* 1987;88:433-441.
89. Kacew S. Inhibition of gentamicin-induced nephrotoxicity by pyridoxal-5'-phosphate in the rat. *J Pharmacol Exp Ther* 1989;248:360-366.
90. Weir MR, Keniston RC, Enriquez JI Sr, McNamee GA. Depression of vitamin B6 levels due to gentamicin. *Vet Hum Toxicol* 1990;32:235-238.
91. Enriquez JI Sr, Schydlower M, O'Hair KC et al. Effect of vitamin B6 supplementation on gentamicin nephrotoxicity in rabbits. *Vet Hum Toxicol* 1992;34:32-35.
92. Smetana S, Khalef S, Kopolovic G et al. Effect of interaction between gentamicin and pyridoxal-5-phosphate on functional and metabolic parameters in kidneys of female Sprague-Dawley rats. *Ren Fail* 1992;14:147-153.
93. Ali BH, Bashir AA. Comparative modulating effects of captopril, diltiazem, dietary calcium and pyridoxal-5'-phosphate on gentamicin-induced nephrotoxicity in the rat. *Gen Pharmacol* 1993;24:1279-1283.
94. Brown K, Reid A, White T et al. Vitamin E, lipids, and lipid peroxidation products in tardive dyskinesia. *Biol Psychiatry* 1998;43:863-867.
95. Lerner V, Kaptan A, Miodownik C, Kotler M. Vitamin B6 in treatment of tardive dyskinesia: a preliminary case series study. *Clin Neuropharmacol* 1999;22:241-243.
96. Lerner V, Miodownik C, Kaptan A et al. Vitamin B(6) in the treatment of tardive dyskinesia: a double-blind, placebo-controlled, crossover study. *Am J Psychiatry* 2001;158:1511-1514.
97. Miodownik C, Cohen H, Kotler M, Lerner V. [Vitamin B6 add-on therapy in treatment of schizophrenic patients with psychotic symptoms and movement disorders]. *Harefuah* 2003;142:592-596, 647.
98. Miodownik C, Lerner V, Cohen H, Kotler M. Serum vitamin B6 in schizophrenic and schizoaffective patients with and without tardive dyskinesia. *Clin Neuropharmacol* 2000;23:212-215.
99. Simpson GM. The treatment of tardive dyskinesia and tardive dystonia. *J Clin Psychiatry* 2000;61 Suppl 4:39-44.
100. Rumsby PC, Shepherd DM. Effect of penicillamine, hydralazine and phenelzine on the function of pyridoxal-5'-phosphate [proceedings]. *Br J Pharmacol* 1979;67:453P-454P.
101. Raskin NH, Fishman RA. Pyridoxine-deficiency neuropathy due to hydralazine. *N Engl J Med* 1965;273:1182-1185.
102. Vidrio H. Interaction with pyridoxal as a possible mechanism of hydralazine hypotension. *J Cardiovasc Pharmacol* 1990;15:150-156.
103. Snider DE Jr. Pyridoxine supplementation during isoniazid therapy. *Tubercle* 1980;61:191-196.
104. Biehl JP, Vilter RW. Effect of isoniazid on vitamin B6 metabolism; its possible significance in producing isoniazid neuritis. *Proc Soc Exp Biol Med* 1954;85:389-392.
105. Haden HT. Pyridoxine-responsive sideroblastic anemia due to antituberculous drugs. *Arch Intern Med* 1967;120:602-606.
106. Rajtar-Leontiew Z. [Effect of isoniazid on pyridoxine (vitamin B6) metabolism in children: experimental study]. *Ann Pediatr (Paris)* 1970;17:150-163.
107. Goldman AL, Braman SS. Isoniazid: a review with emphasis on adverse effects. *Chest* 1972;62:71-77.
108. Scharman EJ, Rosencrane JG. Isoniazid toxicity: a survey of pyridoxine availability. *Am J Emerg Med* 1994;12:386-388.
109. Romero JA, Kuczler FJ Jr. Isoniazid overdose: recognition and management. *Am Fam Physician* 1998;57:749-752.
110. Orłowski JP, Paganini EP, Pippenger CE. Treatment of a potentially lethal dose isoniazid ingestion. *Ann Emerg Med* 1988;17:73-76.
111. Brent J, Vo N, Kulig K, Rumack BH. Reversal of prolonged isoniazid-induced coma by pyridoxine. *Arch Intern Med* 1990;150:1751-1753.
112. Gol'dshtein VD, Fondaminskaia LD, Semenova AS. [The influence of cycloserine on the metabolism of several B complex vitamins in pulmonary tuberculosis]. *Probl Tuberk* 1971;49:15-19.
113. Wada M. [The adverse reactions of anti-tuberculosis drugs and its management]. *Nippon Rinsho* 1998;56:3091-3095.
114. Nair S, Maguire W, Baron H, Imbruce R. The effect of cycloserine on pyridoxine-dependent metabolism in tuberculosis. *J Clin Pharmacol* 1976;16:439-443.
115. Laine-Cessac P, Cailleux A, Allain P. Mechanisms of the inhibition of human erythrocyte pyridoxal kinase by drugs. *Biochem Pharmacol* 1997;54:863-870.
116. Roe D, Campbell T. *Drugs and Nutrients: the Interactive Effects*. New York: Marcel Dekker; 1984:288-289, 505-523.
117. Sosnowski W, Rozniecki J, Galamon T, Lowkis L. [Tryptophan test in the assay of pyridoxine (vitamin B6) in patients with pulmonary tuberculosis with regard to treatment with INH and ETA]. *Gruzlica* 1968;36:979-982.

Citations and Reference Literature: Vitamin B6

118. Rajtar-Leontiew Z. [The role and significance of vitamin B6 in some pathological conditions in children. I]. *Gruzlica* 1969;37:101-107.
119. Mbala L, Matendo R, Nkailu R. Is vitamin B6 supplementation of isoniazid therapy useful in childhood tuberculosis. *Trop Doct* 1998;28:103-104.
120. Mandell GL, Petri WJ. Antimicrobial agents: drugs used in the chemotherapy of tuberculosis, *Mycobacterium avium* complex disease and leprosy. Goodman and Gilman's the Pharmacological Basis of Therapeutics. 9th ed. New York: McGraw-Hill; 1996:1158.
121. Chaisson RE. Short course preventive therapy for tuberculosis is successful in HIV-infected patients. *Hopkins HIV Rep* 1998;10:2-3.
122. Gordin F, Chaisson RE, Matts JP et al. Rifampin and pyrazinamide vs isoniazid for prevention of tuberculosis in HIV-infected persons: an international randomized trial. Terry Bein Community Programs for Clinical Research on AIDS, Adult AIDS Clinical Trials Group, Pan American Health Organization, and Centers for Disease Control and Prevention Study Group. *JAMA* 2000;283:1445-1450.
123. McCune R, Deuschle K, Mc DW. The delayed appearance of isoniazid antagonism by pyridoxine in vivo. *Am Rev Tuberc* 1957;76:1100-1105.
124. Chan TY. Pyridoxine ineffective in isoniazid-induced psychosis. *Ann Pharmacother* 1999;33:1123-1124.
125. Atkin S, Jaker M, Reichman LB. Battling tuberculosis: a strategic update. *Emergency Medicine Magazine*. March 15, 2003 ed. Parsippany, NJ: Quadrant HealthCom Inc; 2003.
126. Hunter KR, Stern GM, Laurence DR. Use of levodopa with other drugs. *Lancet* 1970;2:1283-1285.
127. Ebadi M, Gessert CF, Al-Sayegh A. Drug-pyridoxal phosphate interactions. *Q Rev Drug Metab Drug Interact* 1982;4:289-331.
128. Awad AG. Diet and drug interactions in the treatment of mental illness: a review. *Can J Psychiatry* 1984;29:609-613.
129. Stockley IH. *Drug Interactions*. 6th ed. London: Pharmaceutical Press; 2002.
130. Papavasiliou PS, Cotzias GC, Duby SE et al. Levodopa in parkinsonism: potentiation of central effects with a peripheral inhibitor. *N Engl J Med* 1972;286:8-14.
131. Carter AB. Pyridoxine contraindicated in parkinsonism [letter]. *Lancet* 1973;2:920.
132. Duvoisin RC, Yahr MD, Cote LD. Pyridoxine reversal of L-dopa effects in parkinsonism. *Trans Am Neurol Assoc* 1969;94:81-84.
133. Leon AS, Spiegel HE, Thomas G, Abrams WB. Pyridoxine antagonism of levodopa in parkinsonism. *JAMA* 1971;218:1924-1927.
134. Clesia GG, Barr AN. Effectiveness and limitations of long-term levodopa therapy in parkinsonism. *Wis Med J* 1970;69:227-229.
135. Cotzias GC, Papavasiliou PS. Blocking the negative effects of pyridoxine on patients receiving levodopa. *JAMA* 1971;215:1504-1505.
136. Yahr MD, Duvoisin RC, Cote L, Cohen G. Pyridoxine, DOPA, and parkinsonism. *Adv Biochem Psychopharmacol* 1972;4:185-194.
137. Carter AB. Pyridoxine and Parkinsonism [letter]. *Br Med J* 1973;4:236.
138. Hildick-Smith M, Jones CJ. Pyridoxine in parkinsonism [letter]. *Lancet* 1973;2:1029-1030.
139. Trovato A, Nuhlicek DN, Midtling JE. Drug-nutrient interactions. *Am Fam Physician* 1991;44:1651-1658.
140. Yahr MD, Duvoisin RC. Pyridoxine and levodopa in the treatment of parkinsonism. *JAMA* 1972;220:861.
141. Mars H. Levodopa, carbidopa, and pyridoxine in Parkinson disease: metabolic interactions. *Arch Neurol* 1974;30:444-447.
142. Bender DA, Smith WR. Inhibition of kynurenine hydrolase by benserazide, carbidopa and other aromatic hydrazine derivatives: evidence for sub-clinical iatrogenic niacin deficiency [proceedings]. *Biochem Soc Trans* 1978;6:120-122.
143. Bender DA, Earl CJ, Lees AJ. Niacin depletion in parkinsonian patients treated with L-dopa, benserazide and carbidopa. *Clin Sci (Lond)* 1979;56:89-93.
144. Bender DA. Effects of benserazide, carbidopa and isoniazid administration on tryptophan-nicotinamide nucleotide metabolism in the rat. *Biochem Pharmacol* 1980;29:2099-2104.
145. Bender DA. Inhibition in vitro of the enzymes of the oxidative pathway of tryptophan metabolism and of nicotinamide nucleotide synthesis by benserazide, carbidopa and isoniazid. *Biochem Pharmacol* 1980;29:707-712.
146. Roubenoff R, Roubenoff RA, Selhub J et al. Abnormal vitamin B6 status in rheumatoid cachexia: association with spontaneous tumor necrosis factor alpha production and markers of inflammation. *Arthritis Rheum* 1995;38:105-109.
147. Friso S, Jacques PF, Wilson PW et al. Low circulating vitamin B(6) is associated with elevation of the inflammation marker C-reactive protein independently of plasma homocysteine levels. *Circulation* 2001;103:2788-2791.
148. Chiang EP, Bagley PJ, Selhub J et al. Abnormal vitamin B(6) status is associated with severity of symptoms in patients with rheumatoid arthritis. *Am J Med* 2003;114:283-287.
149. Chiang EP, Smith D, Selhub J et al. Inflammation causes tissue-specific depletion of vitamin B6. *Arthritis Res Ther* 2005;7:R1254-R1262.

Citations and Reference Literature: Vitamin B6

150. Chiang EP, Bagley PJ, Roubenoff R et al. Plasma pyridoxal 5'-phosphate concentration is correlated with functional vitamin B-6 indices in patients with rheumatoid arthritis and marginal vitamin B-6 status. *J Nutr* 2003;133:1056-1059.
151. Yxfeldt A, Wallberg-Jonsson S, Hultdin J, Rantapaa-Dahlqvist S. Homocysteine in patients with rheumatoid arthritis in relation to inflammation and B-vitamin treatment. *Scand J Rheumatol* 2003;32:205-210.
152. Huemer M, Fodinger M, Huemer C et al. Hyperhomocysteinemia in children with juvenile idiopathic arthritis is not influenced by methotrexate treatment and folic acid supplementation: a pilot study. *Clin Exp Rheumatol* 2003;21:249-255.
153. Holt GA. *Food and Drug Interactions*. Chicago: Precept Press; 1998.
154. Robinson C, Weigly E. *Basic Nutrition and Diet Therapy*. New York: Macmillan; 1984.
155. Roe DA. *Drug-Induced Nutritional Deficiencies*. 2nd ed. Westport, Conn: Avi Publishing; 1985.
156. Faloon WW, Paes IC, Woolfolk D et al. Effect of neomycin and kanamycin upon intestinal absorption. *Ann NY Acad Sci* 1966;132:879-887.
157. Hardison WG, Rosenberg IH. The effect of neomycin on bile salt metabolism and fat digestion in man. *J Lab Clin Med* 1969;74:564-573.
158. Luhby AL, Brin M, Gordon M et al. Vitamin B6 metabolism in users of oral contraceptive agents. I. Abnormal urinary xanthurenic acid excretion and its correction by pyridoxine. *Am J Clin Nutr* 1971;24:684-693.
159. Amatayakul K, Uttaravichai C, Singkamani R, Ruckphaopunt S. Vitamin metabolism and the effects of multivitamin supplementation in oral contraceptive users. *Contraception* 1984;30:179-196.
160. Price JM, Thornton MJ, Mueller LM. Tryptophan metabolism in women using steroid hormones for ovulation control. *Am J Clin Nutr* 1967;20:452-456.
161. Adams PW, Rose DP, Folkard J et al. Effect of pyridoxine hydrochloride (vitamin B6) upon depression associated with oral contraception. *Lancet* 1973;1:897-904.
162. Brown RR, Rose DP, Leklem JE, Linkswiler HM. Effects of oral contraceptives on tryptophan metabolism and vitamin B6 requirements in women. *Acta Vitaminol Enzymol* 1975;29:151-157.
163. Wynn V. Vitamins and oral contraceptive use. *Lancet* 1975;1:561-564.
164. Anderson KE, Bodansky O, Kappas A. Effects of oral contraceptives on vitamin metabolism. *Adv Clin Chem* 1976;18:247-287.
165. Tyrer LB. Nutrition and the pill. *J Reprod Med* 1984;29:547-550.
166. Larsson-Cohn U. Oral contraceptives and vitamins: a review. *Am J Obstet Gynecol* 1975;121:84-90.
167. Henley S. Women on the pill are opening up a small case of side effects every morning. *Body Forum* 1977;2:20.
168. Prothro J. Any depression from OC-altered vitamin B6 levels? [Answer to question of Jan Marquand]. *Contracept Technol Update* 1981;2:121-123.
169. Veninga KS. Effects of oral contraceptives on vitamins B6, B12, C, and folacin. *J Nurse Midwifery* 1984;29:386-390.
170. Leklem JE, Brown RR, Rose DP et al. Metabolism of tryptophan and niacin in oral contraceptives users receiving controlled intakes of vitamin B6. *Am J Clin Nutr* 1975;28:146-156.
171. Prasad AS, Lei KY, Moghissi KS et al. Effect of oral contraceptives on nutrients. III. Vitamins B6, B12, and folic acid. *Am J Obstet Gynecol* 1976;125:1063-1069.
172. Kane FJ Jr. Evaluation of emotional reactions to oral contraceptive use. *Am J Obstet Gynecol* 1976;126:968-972.
173. Webb JL. Nutritional effects of oral contraceptive use: a review. *J Reprod Med* 1980;25:150-156.
174. Slap GB. Oral contraceptives and depression: impact, prevalence and cause. *J Adolesc Health Care* 1981;2:53-64.
175. Leriche AM, Romain JL. [Depression, pyridoxine and oral contraception (author's translation)]. *Contracept Fertil Sex (Paris)* 1981;9:455-459.
176. Bermond P. Therapy of side effects of oral contraceptive agents with vitamin B6. *Acta Vitaminol Enzymol* 1982;4:45-54.
177. Bender DA. Oestrogens and vitamin B6—actions and interactions. *World Rev Nutr Diet* 1987;51:140-188.
178. Leklem JE. Vitamin B-6. In: Shils M, Olson JA, Shike M, Ross AC, eds. *Nutrition in Health and Disease*. Baltimore: Williams & Wilkins; 1999:413-422.
179. Massey LK, Davison MA. Effects of oral contraceptives on nutritional status. *Am Fam Physician* 1979;19:119-123.
180. Doberenz AR, Van Miller JP, Green JR, Beaton JR. Vitamin B6 depletion in women using oral contraceptives as determined by erythrocyte glutamic-pyruvic transaminase activities. *Proc Soc Exp Biol Med* 1971;137:1100-1103.
181. Bennink HJ, Schreurs WH. Disturbance of tryptophan metabolism and its correction during hormonal contraception. *Contraception* 1974;9:347-356.
182. Driskell JA, Geders JM, Urban MC. Vitamin B6 status of young men, women, and women using oral contraceptives. *J Lab Clin Med* 1976;87:813-821.

Citations and Reference Literature: Vitamin B6

183. Vir SC, Love AH. Effect of oral contraceptives on vitamin B6 nutriture of young women. *Int J Vitam Nutr Res* 1980;50:29-34.
184. O'Brien MM, Kiely M, Harrington KE et al. The North/South Ireland Food Consumption Survey: vitamin intakes in 18-64-year-old adults. *Public Health Nutr* 2001;4:1069-1079.
185. Rose DP, Strong R, Adams PW, Harding PE. Experimental vitamin B6 deficiency and the effect of oestrogen-containing oral contraceptives on tryptophan metabolism and vitamin B6 requirements. *Clin Sci* 1972;42:465-477.
186. Yess N, Price JM, Brown RR et al. Vitamin B6 depletion in man: urinary excretion of tryptophan metabolites. *J Nutr* 1964;84:229-236.
187. Rose DP. The influence of oestrogens on tryptophan metabolism in man. *Clin Sci* 1966;31:265-272.
188. Rose DP, Adams PW. Oral contraceptives and tryptophan metabolism: effects of oestrogen in low dose combined with a progestagen and of a low-dose progestagen (megestrol acetate) given alone. *J Clin Pathol* 1972;25:252-258.
189. Van der Vange N, van der Berg H, Kloosterboer HJ, Haspels AA. Effects of seven low-dose combined contraceptives on vitamin B6 status. *Contraception* 1989;40:377-384.
190. Massé PG, van den Berg H, Duguay C et al. Early effect of a low dose (30 micrograms) ethinyl estradiol-containing Triphasil on vitamin B6 status: a follow-up study on six menstrual cycles. *Int J Vitam Nutr Res* 1996;66:46-54.
191. Villegas-Salas E, Ponce de Leon R, Juarez-Perez MA, Grubb GS. Effect of vitamin B6 on the side effects of a low-dose combined oral contraceptive. *Contraception* 1997;55:245-248.
192. Jaffe IA. Antivitamin B6 effect of D-penicillamine. *Ann N Y Acad Sci* 1969;166:57-60.
193. Bhagavan HN, Brin M. Drug-vitamin B6 interaction. *Curr Concepts Nutr* 1983;12:1-12.
194. Rothschild B. Pyridoxine deficiency. *Arch Intern Med* 1982;142:840.
195. Abe M. Relationship between gamma-aminobutyric acid metabolism and antivitamin B6-induced convulsions. *J Nutr Sci Vitaminol (Tokyo)* 1978;24:419-427.
196. Abe M, Matsuda M. Effect of antivitamin B6 on regional GABA metabolism in mouse brain and its relation to convulsions. *J Nutr Sci Vitaminol (Tokyo)* 1979;25:459-468.
197. Abraham GE, Schwartz UD, Lubran MM. Effect of vitamin B-6 on plasma and red blood cell magnesium levels in premenopausal women. *Ann Clin Lab Sci* 1981;11:333-336.
198. Seelig MS. Auto-immune complications of D-penicillamine—a possible result of zinc and magnesium depletion and of pyridoxine inactivation. *J Am Coll Nutr* 1982;1:207-214.
199. Rumsby PC, Shepherd DM. The effect of penicillamine on vitamin B6 function in man. *Biochem Pharmacol* 1981;30:3051-3053.
200. Harrison W, Stewart J, Lovelace R, Quitkin F. Case report of carpal tunnel syndrome associated with tranylcypromine. *Am J Psychiatry* 1983;140:1229-1230.
201. Heller CA, Friedman PA. Pyridoxine deficiency and peripheral neuropathy associated with long-term phenelzine therapy. *Am J Med* 1983;75:887-888.
202. Demers RG, McDonagh PH, Moore RJ. Pyridoxine deficiency with phenelzine. *South Med J* 1984;77:641-642.
203. Goodheart RS, Dunne JW, Edis RH. Phenelzine associated peripheral neuropathy: clinical and electrophysiologic findings. *Aust NZ J Med* 1991;21:339-340.
204. Omray A, Varma KC. Evaluation of pharmacokinetic parameters of tetracycline hydrochloride upon oral administration with vitamin C and vitamin B complex. *Hindustan Antibiot Bull* 1981;23:33-37.
205. Delpont R, Ubbink JB, Serfontein WJ et al. Vitamin B6 nutritional status in asthma: the effect of theophylline therapy on plasma pyridoxal-5'-phosphate and pyridoxal levels. *Int J Vitam Nutr Res* 1988;58:67-72.
206. Ubbink JB, Delpont R, Becker PJ, Bissbort S. Evidence of a theophylline-induced vitamin B6 deficiency caused by noncompetitive inhibition of pyridoxal kinase. *J Lab Clin Med* 1989;113:15-22.
207. Sur S, Camara M, Buchmeier A et al. Double-blind trial of pyridoxine (vitamin B6) in the treatment of steroid-dependent asthma. *Ann Allergy* 1993;70:147-152.
208. Glenn GM, Krober MS, Kelly P et al. Pyridoxine as therapy in theophylline-induced seizures. *Vet Hum Toxicol* 1995;37:342-345.
209. Tanaka I, Ito Y, Hiraga Y et al. [Serum concentrations of the pyridoxal and pyridoxal-5'-phosphate in children during sustained-release theophylline therapy]. *Alerugi* 1996;45:1098-1105.
210. Seto T, Inada H, Kobayashi N et al. [Depression of serum pyridoxal levels in theophylline-related seizures]. *No To Hattatsu* 2000;32:295-300.
211. Delpont R, Ubbink JB, Vermaak WJ, Becker PJ. Theophylline increases pyridoxal kinase activity independently from vitamin B6 nutritional status. *Res Commun Chem Pathol Pharmacol* 1993;79:325-333.
212. Lheureux P, Penalzoa A, Gris M. Pyridoxine in clinical toxicology: a review. *Eur J Emerg Med* 2005;12:78-85.

Citations and Reference Literature: Vitamin B6

213. Vestal RE, Eiriksson CE Jr, Musser B et al. Effect of intravenous aminophylline on plasma levels of catecholamines and related cardiovascular and metabolic responses in man. *Circulation* 1983;67:162-171.
214. Dakshinamurti K, Paulose CS, Viswanathan M. Vitamin B6 and hypertension. *Ann NY Acad Sci* 1990;585:241-249.
215. Ubbink JB, Vermaak WJ, Delpont R et al. The relationship between vitamin B6 metabolism, asthma, and theophylline therapy. *Ann NY Acad Sci* 1990;585:285-294.
216. Shimizu T, Maeda S, Mochizuki H et al. Theophylline attenuates circulating vitamin B6 levels in children with asthma. *Pharmacology* 1994;49:392-397.
217. Shimizu T, Maeda S, Arakawa H et al. Relation between theophylline and circulating vitamin levels in children with asthma. *Pharmacology* 1996;53:384-389.
218. Martinez de Haas MG, Poels PJ, de Weert CJ et al. [Subnormal vitamin B6 levels in theophylline users]. *Ned Tijdschr Geneesk* 1997;141:2176-2179.
219. Bartel PR, Ubbink JB, Delpont R et al. Vitamin B-6 supplementation and theophylline-related effects in humans. *Am J Clin Nutr* 1994;60:93-99.
220. Russ C, Hendricks T, Chrisley B et al. Vitamin B6 status of depressed and obsessive-compulsive patients. *Nutr Rep Int* 1983;27:867-873.
221. Stewart JW, Harrison W, Quitkin F, Baker H. Low B6 levels in depressed outpatients. *Biol Psychiatry* 1984;19:613-616.
222. Bell IR, Edman JS, Morrow FD et al. Brief communication. Vitamin B1, B2, and B6 augmentation of tricyclic antidepressant treatment in geriatric depression with cognitive dysfunction. *J Am Coll Nutr* 1992;11:159-163.
223. Frye PE, Arnold LE. Persistent amphetamine-induced compulsive rituals: response to pyridoxine(B6). *Biol Psychiatry* 1981;16:583-587.
224. Ubbink JB, van der Merwe A, Delpont R et al. The effect of a subnormal vitamin B-6 status on homocysteine metabolism. *J Clin Invest* 1996;98:177-184.
225. Rocha-Gonzalez HI, Teran-Rosales F, Reyes-Garcia G et al. B vitamins increase the analgesic effect of diclofenac in the rat. *Proc West Pharmacol Soc* 2004;47:84-87.
226. Medina-Santillan R, Reyes-Garcia G, Rocha-Gonzalez HI, Granados-Soto V. B vitamins increase the analgesic effect of ketorolac in the formalin test in the rat. *Proc West Pharmacol Soc* 2004;47:95-99.
227. Haspels AA, Bennink HJ, Schreurs WH. Disturbance of tryptophan metabolism and its correction during oestrogen treatment in postmenopausal women. *Maturitas* 1978;1:15-20.
228. McCarty DJ. Complete reversal of rheumatoid nodulosis. *J Rheumatol* 1991;18:736-737.
229. Lacerna RA, Chien C. Paresthesias developing in an elderly patient after chronic usage of nitrofurantoin and vitamin B6. *J Am Geriatr Soc* 2003;51:1822-1823.
230. Dursun SM, Oluboka OJ, Devarajan S, Kutcher SP. High-dose vitamin E plus vitamin B6 treatment of risperidone-related neuroleptic malignant syndrome. *J Psychopharmacol* 1998;12:220-221.
231. Korenke GC, Christen HJ, Hyland K et al. Aromatic I-amino acid decarboxylase deficiency: an extrapyramidal movement disorder with oculogyric crises. *Eur J Paediatr Neurol* 1997;1:67-71.
232. Lee NS, Muhs G, Wagner GC et al. Dietary pyridoxine interaction with tryptophan or histidine on brain serotonin and histamine metabolism. *Pharmacol Biochem Behav* 1988;29:559-564.
233. Schaeffer MC, Gretz D, Gietzen DW, Rogers QR. Dietary excess of vitamin B-6 affects the concentrations of amino acids in the caudate nucleus and serum and the binding properties of serotonin receptors in the brain cortex of rats. *J Nutr* 1998;128:1829-1835.
234. Willis R, Anthony M, Sun L et al. Clinical implications of the correlation between coenzyme Q10 and vitamin B6 status. *Biofactors* 1999;9:359-363.
235. Folkers K, Morita M, McRee J Jr. The activities of coenzyme Q10 and vitamin B6 for immune responses. *Biochem Biophys Res Commun* 1993;193:88-92.
236. Imagawa M. Therapy with a combination of coenzyme Q10, vitamin-B6 and iron for Alzheimer's disease and senile dementia of Alzheimer type. In: Iqbal K et al, eds. *Alzheimer's Disease: Basic Mechanisms, Diagnosis and Strategies*. New York: Wiley; 1991.
237. Imagawa M, Naruse S, Tsuji S et al. Coenzyme Q10, iron, and vitamin B6 in genetically-confirmed Alzheimer's disease. *Lancet* 1992;340:671.
238. Mansoor MA, Kristensen O, Hervig T et al. Plasma total homocysteine response to oral doses of folic acid and pyridoxine hydrochloride (vitamin B6) in healthy individuals: oral doses of vitamin B6 reduce concentrations of serum folate. *Scand J Clin Lab Invest* 1999;59:139-146.
239. Horrobin DF. A biochemical basis for alcoholism and alcohol-induced damage including the fetal alcohol syndrome and cirrhosis: interference with essential fatty acid and prostaglandin metabolism. *Med Hypotheses* 1980;6:929-942.

Citations and Reference Literature: Vitamin B6

240. Nye C, Brice A. Combined vitamin B6-magnesium treatment in autism spectrum disorder. *Cochrane Database Syst Rev* 2005;CD003497.
241. Zinc and the regulation of vitamin B6 metabolism. *Nutr Rev* 1990;48:255-258.
242. Evans GW. Normal and abnormal zinc absorption in man and animals: the tryptophan connection. *Nutr Rev* 1980;38:137-141.
243. Moser-Veillon PB, Reynolds RD. A longitudinal study of pyridoxine and zinc supplementation of lactating women. *Am J Clin Nutr* 1990;52:135-141.
244. Pfeiffer C. Zinc and Other Micronutrients. New Canaan, Conn: Keats Publishing; 1978.
245. Pfeiffer CC, Braverman ER. Zinc, the brain and behavior. *Biol Psychiatry* 1982;17:513-532.
246. Fischer-Rasmussen W, Kjaer SK, Dahl C, Asping U. Ginger treatment of hyperemesis gravidarum. *Eur J Obstet Gynecol Reprod Biol* 1991;38:19-24.
247. Sahakian V, Rouse D, Sipes S et al. Vitamin B6 is effective therapy for nausea and vomiting of pregnancy: a randomized, double-blind placebo-controlled study. *Obstet Gynecol* 1991;78:33-36.
248. Vutyavanich T, Wongtra-ngan S, Ruangsri R. Pyridoxine for nausea and vomiting of pregnancy: a randomized, double-blind, placebo-controlled trial. *Am J Obstet Gynecol* 1995;173:881-884.
249. Vutyavanich T, Kraissarin T, Ruangsri R. Ginger for nausea and vomiting in pregnancy: randomized, double-masked, placebo-controlled trial. *Obstet Gynecol* 2001;97:577-582.

Reference Literature

- [No author given.] Nutrients and nutritional agents. In: Kastrup EK, Hines Burnham T, Short RM, et al, eds. *Drug facts and comparisons*. St Louis: Facts and Comparisons; 2000:4-5.
- [No author given.] Vitamin B6 for melanoma. *Medical World News*, February 11, 1985.
- [No authors listed] Zinc and the regulation of vitamin B6 metabolism. *Nutr Rev* 1990;48(6):255-258. (Review)
- Abe M. Relationship between gamma-aminobutyric acid metabolism and antivitamin B6-induced convulsions. *J Nutr Sci Vitaminol (Tokyo)* 1978;24(4):419-427.
- Abe M, Matsuda M. Effect of antivitamin B6 on regional GABA metabolism in mouse brain and its relation to convulsions. *J Nutr Sci Vitaminol (Tokyo)* 1979;25(6):459-468.
- Abraham GE, Hargrove JT. Effect of vitamin B6 on premenstrual symptoms in women with PMS: a double blind crossover study. *Infertility* 1980;3(2):155-165.
- Abraham GE, Schwartz UD, Lubran MM. Effect of vitamin B-6 on plasma and red blood cell magnesium levels in premenopausal women. *Ann Clin Lab Sci* 1981;11(4):333-336.
- Adams PW, Rose DP, Folkard J, et al. Effect of pyridoxine hydrochloride (vitamin B6) upon depression associated with oral contraception. *Lancet* 1973;1(7809):899-904.
- Adams PW, Wynn V, Folkard J, et al. Influence of oral contraceptives, pyridoxine (vitamin B6), and tryptophan on carbohydrate metabolism. *Lancet* 1976;1(7963):759-764.
- Adams PW, Wynn V, Seed M, et al. Vitamin B 6, depression, and oral contraception. *Lancet* 1974;2(7879):516-517. (Letter)
- Adler M, Girsh-Solomonovich Z, Raikhlin-Eisenkraft B. [Pyridoxine for severe metabolic acidosis and seizures due to isoniazid overdose.] *Harefuah* 1993;124(10):616-618. (Case Report) [Hebrew]
- Aida S. Alkaline phosphatase isoenzyme activities in rheumatoid arthritis: hepatobiliary enzyme dissociation and relation to disease activity. *Ann Rheum Dis* 1993;52:511-516.
- Aksungar FB, Eren A, Ure S, et al. Effects of intermittent fasting on serum lipid levels, coagulation status and plasma homocysteine levels. *Ann Nutr Metab* 2005;49(2):77-82.
- Albertson AM, Tobelmann RC, Engstrom A, et al. Nutrient intakes of 2- to 10-year-old American children: 10-year trends. *J Am Diet Assoc* 1992;92(12):1492-1496.
- Anderson BB, O'Brien H, Griffin GE, et al. Hydrolysis of pyridoxal-5'-phosphate in plasma in conditions with raised alkaline phosphate. *Gut* 1980;21:192-194.
- Albin RL, Albers JW, Greensberg HS, et al. Acute sensory neuropathy: neuropathy from pyridoxine overdose. *Neurology* 1987;37(11):1729-1732.
- Alpert JE, Fava M. Nutrition and depression: the role of folate. *Nutr Rev* 1997;5(5):145-149.
- Alpert JE, Mischoulon D, Nierenberg AA, et al. Nutrition and depression: focus on folate. *Nutrition* 2000;16:544-581.
- Amatayakul K, Uttaravichai C, Singkamani R, et al. Vitamin metabolism and the effects of multivitamin supplementation in oral contraceptive users. *Contraception* 1984;30(2):179-196.

Citations and Reference Literature: Vitamin B6

- Ames BN. DNA damage from micronutrient deficiencies is likely to be a major cause of cancer. *Mutat Res* 2001;475(1-2):7-20. (Review)
- Ames BN. Increasing longevity by tuning up metabolism: to maximize human health and lifespan, scientists must abandon outdated models of micronutrients. *EMBO Rep* 2005;6(Suppl 1):S20-24. (Review)
- Ames BN. Micronutrient deficiencies: a major cause of DNA damage. *Ann N Y Acad Sci* 1999;889:87-106. (Review)
- Ames BN. The metabolic tune-up: metabolic harmony and disease prevention. *J Nutr* 2003;133(5):1544S-1548S.
- Ames BN, Atamna H, Killilea DW. Mineral and vitamin deficiencies can accelerate the mitochondrial decay of aging. *Mol Aspects Med* 2005;26(4-5):363-378. (Review)
- Apeland T, Mansoor MA, Pentieva K, et al. Fasting and post-methionine loading concentrations of homocysteine, vitamin B2, and vitamin B6 in patients on antiepileptic drugs. *Clin Chem* 2003;49(6 Pt 1):1005-1008.
- Apeland T, Mansoor MA, Pentieva K, et al. The effect of B-vitamins on hyperhomocysteinemia in patients on antiepileptic drugs. *Epilepsy Res* 2002;51:237-247.
- Apeland T, Mansoor MA, Strandjord RE. Antiepileptic drugs as independent predictors of plasma total homocysteine levels. *Epilepsy Res* 2001;47(1-2):27-35.
- Apeland T, Mansoor MA, Strandjord RE, et al. Homocysteine concentrations and methionine loading in patients on antiepileptic drugs. *Acta Neurol Scand* 2000;101(4):217-223.
- Anderson KE, Bodansky O, Kappas A. Effects of oral contraceptives on vitamin metabolism. *Adv Clin Chem* 1976;18:247-287. (Review)
- Avila AV, Liuzzi JP, Cioccia AM, et al. Interactions among indicators of B1, B2, B6 and vitamin C status in university students. *Arch Latinoam Nutr* 2003;53(3):238-242.
- Awad AG. Diet and drug interactions in the treatment of mental illness: a review. *Can J Psychiatry* 1984;29:609-613. (Review)
- Aybak M, Sermet A, Ayyildiz MO, et al. Effect of oral pyridoxine hydrochloride supplementation on arterial blood pressure in patients with essential hypertension. *Arzneimittelforschung* 1995;45:1271-1273.
- Azuma J, Kishi T, Williams RH, et al. Apparent deficiency of vitamin B6 in typical individuals who commonly serve as normal controls. *Res Commun Chem Pathol Pharmacol* 1976;14(2):343-366.
- Balcke P, Schmidt P, Zazgornik J, et al. Effect of vitamin B6 administration on elevated plasma oxalic acid levels in haemodialysed patients. *Eur J Clin Invest* 1982;12(6):481-483.
- Balk H, Merkl I, Bartholmes P. Circular dichroism studies on the interaction of tryptophan synthase with pyridoxal 5'-phosphate. *Biochemistry* 1981;20(22):6391-6395.
- Ballmer PE. [Vitamins and metals: possible hazards for humans.] *Schweiz Med Wochenschr* 1996;126(15):607-611. (Review) [German] Erratum in *Schweiz Med Wochenschr* 1996;126(23):1042.
- Bamji MS, Safaya S, Prema K. Low dose injectable contraceptive norethisterone enanthate 20mg monthly: II: metabolic side effects. *Contraception* 1981;23(1):23-36.
- Barr W. Pyridoxine supplements in the premenstrual syndrome. *Practitioner* 1984;228:425-427.
- Bartali B, Semba RD, Frongillo EA, et al. Low micronutrient levels as a predictor of incident disability in older women. *Arch Intern Med* 2006;166:2335-2340.
- Bartel PR, Ubbink JB, Delport R, et al. Vitamin B-6 supplementation and theophylline-related effects in humans. *Am J Clin Nutr* 1994;60(1):93-99.
- Bates CJ, Fuller NJ. The effect of riboflavin deficiency on methylene tetrahydrofolate reductase (NADPH) (EC 1.5.1.20) and folate metabolism in the rat. *Br J Nutr* 1985;55:455-464.
- Bates CJ, Pentieva KD, Prentice A, et al. Plasma pyridoxal phosphate and pyridoxic acid and their relationship to plasma homocysteine in a representative sample of British men and women aged 65 years and over. *Br J Nutr* 1999;81:191-201.
- Bates CJ, Powers HJ. A simple fluorimetric assay for pyridoxamine phosphate oxidase in erythrocyte haemolysates: effects of riboflavin supplementation. *Hum Nutr Clin Nutr* 1985;39:107-115.
- Baum M, Cassetti L, Bonvehi P, et al. Inadequate dietary intake and altered nutrition status in early HIV-1 infection. *Nutrition* 1994;10(1):16-20.
- Bazzano LA, Reynolds K, Holder KN, et al. Effect of folic acid supplementation on risk of cardiovascular diseases: a meta-analysis of randomized controlled trials. *JAMA* 2006;296:2720-2726. (Meta-analysis)
- Baumblatt MJ, Winston F. Pyridoxine and the pill. *Lancet* 1970;1(7651):832-833.
- Baumgaertel A. Alternative and controversial treatments for attention-deficit/hyperactivity disorder. *Pediatr Clin North Am* 1999;46(5):977-992.

Citations and Reference Literature: Vitamin B6

- Bell IR, Edman JS, Morrow FD, et al. B complex vitamin patterns in geriatric and young adult inpatients with major depression. *J Am Geriatr Soc* 1991;39(3):252-257.
- Bell IR, Edman JS, Morrow FD, et al. Brief communication: Vitamin B1, B2, and B6 augmentation of tricyclic antidepressant treatment in geriatric depression with cognitive dysfunction. *J Am Coll Nutr* 1992;11(2):159-163.
- Bellmunt J, Navarro M, Hidalgo R, et al. Palmar-plantar erythrodysesthesia syndrome associated with short-term continuous infusion (5 days) of 5-fluorouracil. *Tumori* 1988;74(3):329-331.
- Bender DA. Non-nutritional uses of vitamin B6. *Br J Nutr* 1999;81(1):7-20.
- Bender DA, ed. *Nutritional biochemistry of the vitamins*. 2nd ed. New York: Cambridge University Press; 2003.
- Bender DA. Oestrogens and vitamin B6: actions and interactions. *World Rev Nutr Diet* 1987;51:140-188. (Review)
- Bendich A. The potential for dietary supplements to reduce premenstrual syndrome (PMS) symptoms. *J Am Coll Nutr* 2000;19(1):3-12.
- Benzinger P, Alscher DM. [Untreated homocystinuria in adulthood.] *Dtsch Med Wochenschr* 2005;130(43):2439-2443. [German]
- Berger AR, Schaumburg HH, Schroeder C, et al. Dose response, coasting, and differential fiber vulnerability in human toxic neuropathy: a prospective study of pyridoxine neurotoxicity. *Neurology* 1992;42(7):1367-1370.
- Bermond P. Therapy of side effects of oral contraceptive agents with vitamin B6. *Acta Vitaminol Enzymol* 1982;4(1-2):45-54.
- Bernstein AL. Vitamin B6 in clinical neurology. *Ann N Y Acad Sci* 1990;585:250-260. (Review)
- Bernstein AL, Dinesen JS. Brief communication: effect of pharmacologic doses of vitamin B6 on carpal tunnel syndrome, electroencephalographic results, and pain. *J Am Coll Nutr* 1993;12:73-76.
- Bernstein AL, Lobitz CZ. A clinical and electrophysiologic study of the treatment of painful diabetic neuropathies with pyridoxine. In: Leklem JE, Reynolds RD, eds. *Clinical and physiological applications of vitamin B6*. New York: Alan R. Liss; 1988:415-423.
- Bhagavan HN, Brin M. Drug-vitamin B6 interaction. *Curr Concepts Nutr* 1983;12:1-12. (Review)
- Bhagavan HN, Coleman M, Coursin DB. The effect of pyridoxine hydrochloride on blood serotonin and pyridoxal phosphate contents in hyperactive children. *Pediatrics*. 1975;55(3):437-441.
- Bigaouette J, Timchalk MA, Kremer J. Nutritional adequacy of diet and supplements in patients with rheumatoid arthritis who take medications. *J Am Diet Assoc* 1987;87(12):1687-1688.
- Bilski P, Li MY, Ehrenshaft M, et al. Vitamin B6 (pyridoxine) and its derivatives are efficient singlet oxygen quenchers and potential fungal antioxidants. *Photochem Photobiol* 2000;71:129-134.
- Biskind, Morton, Gerson, et al. B6 deficiency in the etiology of menorrhagia, metrorrhagia, cystic mastitis, and premenstrual tension. *Surg Gynecol Obstet* 1944;49:57.
- Bittles AH, Carson NA. Homocystinuria: the effect of pyridoxine supplementation on cultured skin fibroblasts. *J Inherited Metab Dis* 1981;4(1):7-9.
- Bok LA, Struys E, Willemsen MAAP, et al. Pyridoxine dependent seizures in Dutch patients: diagnosis by elevated urinary alpha-aminoadipic semialdehyde dehydrogenase levels. *Arch Dis Child*. Epub ahead of print. November 6, 2006. doi:10.1136/adc.2006.103192.
- Bode W, Mocking JA, van den Berg H. Influence of age and sex on vitamin B-6 vitamers distribution and on vitamin B-6 metabolizing enzymes in Wistar rats. *J Nutr* 1991;121:318-329.
- Bollani G, Ferrari R, Bersatti F, et al. [A hyperhomocysteinemia study in a population with a familial factor for acute myocardial infarct and sudden cardiac death at a young age.] *Cardiologia* 1999;44(1):75-81. [Italian]
- Bønaa KH. NORVIT: Norwegian Study of Homocysteine Lowering With B Vitamins in Myocardial Infarction. Hot Line Session II, European Society of Cardiology 2005 Congress. Stockholm, Sweden, Sept 5, 2005.
- Bønaa KH, Njølstad I, Ueland PM, et al. Homocysteine lowering and cardiovascular events after acute myocardial infarction. *N Engl J Med* 2006;354(15):1578-1588.
- Bonjour JP. Vitamins and alcoholism: III: vitamin B6. *Int J Vitam Nutr Res* 1980;50(2):215-230. (Review)
- Booth GL, Wang EE. Preventive health care, 2000 update: screening and management of hyperhomocysteinemia for the prevention of coronary artery disease events: the Canadian Task Force on Preventive Health Care. *CMAJ* 2000;163(1):21-29.
- Bor MV, Refsum H, Bisp MR, et al. Plasma vitamin B6 vitamers before and after oral vitamin B6 treatment: a randomized placebo-controlled study. *Clin Chem* 2003;49(1):155-161.
- Bottiglieri T, Diaz-Arrastia R. Hyperhomocysteinemia and cognitive function: more than just a casual link? *Am J Clin Nutr* 2005;82(3):493-494.
- Boushey CJ, Beresford SA, Omenn GS, et al. A quantitative assessment of plasma homocysteine as a risk factor for vascular disease: probable benefits of increasing folic acid intakes. *JAMA* 1995;274(13):1049-1057.
- Brattstrom L, Israelsson B, Olsson A, et al. Plasma homocysteine in women on oral oestrogen-containing contraceptives and in men with oestrogen-treated prostatic carcinoma. *Scand J Clin Lab Invest* 1992;52(4):283-287.

Citations and Reference Literature: Vitamin B6

- Bremenep SM, Alferova VA, Zgurskaia GN, et al. [Changes in metabolism of vitamins B6, B12, PP, pantothenic acid and vitamin C in patients with chronic colitis of various etiology treated with tetracycline.] *Antibiotiki* 1967;12(4):343-347. [Russian]
- Briggs M, Briggs M. Oral contraceptives and vitamin requirements. *Med J Aust* 1975 22;1(12):407. (Letter)
- Briggs M, Briggs MH. Changes in biochemical indices of vitamin nutrition in women using oral contraceptives during treatment with "Surbex 500." *Curr Med Res Opin* 1974-1975;2(10):626-630.
- Briggs M, Briggs M. Vitamin C requirements and oral contraceptives. *Nature* 1972;238(5362):277.
- Briggs M, Briggs M. Oral contraceptives and vitamin nutrition. *Lancet*. 1974;1(7868):1234-1235. (Letter)
- Brophy MH, Siiteri PK. Pyridoxal phosphate and hypertensive disorders of pregnancy. *Am J Obstet Gynecol* 1975;121(8):1075-1079.
- Brosnan JT. Homocysteine and cardiovascular disease: interactions between nutrition, genetics and lifestyle. *Can J Appl Physiol* 2004;29(6):773-780.
- Brown RR, Rose DP, Leklem JE, et al. Effects of oral contraceptives on tryptophan metabolism and vitamin B6 requirements in women. *Acta Vitaminol Enzymol* 1975;29(1-6):151-157.
- Brush MG, Bennett T, Hansen K. Pyridoxine in the treatment of premenstrual syndrome: a retrospective survey in 630 patients. *Br J Clin Pract* 1998;42:448-452.
- Brussaard JH, Lowik MR, van den BH, et al. Dietary and other determinants of vitamin B6 parameters. *Eur J Clin Nutr* 1997;51(Suppl 3):S39-S45.
- Bunker VW. The role of nutrition in osteoporosis. *Br J Biomed Sci* 1994;51(3):228-240.
- Byers CM, DeLisa JA, Frankel DL, et al. Pyridoxine metabolism in carpal tunnel syndrome with and without peripheral neuropathy. *Arch Phys Med Rehabil* 1984;65:712-716.
- Camp VM, Chipponi J, Faraj BA. Radioenzymatic assay for direct measurement of plasma pyridoxal 5'-phosphate. *Clin Chem* 1983;29:642-644.
- Cardona, PD. [Drug-food interactions.] *Nutr Hosp* 1999;14(Suppl 2):129S-140S.
- Cattaneo M. Hyperhomocysteinemia: a risk factor for arterial and venous thrombotic disease. *Int J Clin Lab Res* 1997;27:139-144.
- Chang S-J. Vitamin B6 protects vascular endothelial injury by activated platelets. *Nutr Res* 1999;19:1613-1624.
- Charlton KE, Kolbe-Alexander TL, Nel JH. Development of a novel nutrition screening tool for use in elderly South Africans. *Public Health Nutr* 2005;8(5):468-479.
- Chase P, Walter F, Vandenberghe D, et al. Pyridoxine does not prevent hyperbaric oxygen toxicity seizures in rats. *Clin Toxicol* 1995;33(5):531.
- Cheng CH, Chang SJ, Lee BJ, et al. Vitamin B(6) supplementation increases immune responses in critically ill patients. *Eur J Clin Nutr* 2006;60(10):1207-1213.
- Chiang EP, Bagley PJ, Roubenoff R, et al. Plasma pyridoxal 5'-phosphate concentration is correlated with functional vitamin B-6 indices in patients with rheumatoid arthritis and marginal vitamin B-6 status. *J Nutr* 2003;133:1056-1059.
- Chiang EP, Bagley PJ, Selhub J, et al. Abnormal vitamin B6 status is associated with severity of symptoms in patients with rheumatoid arthritis *Am J Med* 2003;114:283-287.
- Chiang EP, Smith DE, Selhub J, et al. Inflammation causes tissue-specific depletion of vitamin B6. *Arthritis Res Ther* 2005;7(6):R1254-R1262.
- Clarke R. Vitamin B12, Folic acid, and the prevention of dementia. *N Engl J Med* 2006;354:2817-2819. (Editorial)
- Clarke R, Armitage J. Vitamin supplements and cardiovascular risk: review of the randomized trials of homocysteine-lowering vitamin supplements. *Semin Thromb Hemost* 2000;26:341-348.
- Coburn SP. Location and turnover of vitamin B6 pools and vitamin B6 requirements of humans. *Ann N Y Acad Sci* 1990;585:76-85. (Review)
- Coburn SP. Modelling vitamin B6 metabolism. *Adv Food Nutr Res* 1996;40:107-132.
- Coburn SP, Ziegler PJ, Costill DL, et al. Response of vitamin B-6 content of muscle to changes in vitamin B-6 intake in men. *Am J Clin Nutr* 1991;53:1436-1442.
- Coelingh HJT, Schreurs WHP. Improvement of oral glucose tolerance in gestational diabetes by pyridoxine. *BMJ* 1975;3:13-15.
- Cohen JC, Boerwinkle E, Mosley TH Jr, et al. Sequence variations in PCSK9, low LDL, and protection against coronary artery disease. *N Engl J Med* 2006; 354:1264-1272.
- Collipp PJ, Chen SY, Sharma RK, et al. Tryptophan metabolism in bronchial asthma. *Ann Allergy* 1975;35(3):153-158.
- Cook RJ. Defining the steps of the folate one-carbon shuffle and homocysteine metabolism. *Am J Clin Nutr* 2000;72(6):1419-1420. (Editorial)
- Crowell GF, et al. Pyridoxine-dependent seizures. *Am Fam Physician* 1983;27(3):183-187.

Citations and Reference Literature: Vitamin B6

- Curhan GC, Willett WC, Rimm EB, et al. A prospective study of the intake of vitamins C and B6, and the risk of kidney stones in men. *J Urol* 1996;155(6):1847-1851.
- Curhan GC, Willett WC, Speizer FE, et al. Intake of vitamins B6 and C and the risk of kidney stones in women. *J Am Soc Nephrol* 1999;10(4):840-845.
- Dakshinamurti K, Sharma SK, Bonke D. Influence of B vitamins on binding properties of serotonin receptors in the CNS of rats. *Klin Wochenschr* 1990;68(2):142-145.
- Dakshinamurti K, Paulose CS, Viswanathan M, et al. Neuroendocrinology of pyridoxine deficiency. *Neurosci Biobehav Rev* 1988;12(3-4):189-193.
- Dalton K, Dalton MJ. Characteristics of pyridoxine overdose neuropathy. *Acta Neurol Scand* 1987;76(1):8-11.
- Darvay A, Basarab T, McGregor JM, et al. Isoniazid induced pellagra despite pyridoxine supplementation. *Clin Exp Dermatol* 1999;24:167-170.
- Dastur DK, Santhadevi N, Quadros EV, et al. Interrelationships between the B-vitamins in B12-deficiency neuromyelopathy: a possible malabsorption-malnutrition syndrome. *Am J Clin Nutr* 1975;28(11):1255-1270. (Case report)
- Davis SR, Scheer JB, Quinlivan EP, et al. Dietary vitamin B-6 restriction does not alter rates of homocysteine remethylation or synthesis in healthy young women and men. *Am J Clin Nutr* 2005;81:648-655.
- Day JB. Clinical trials in the premenstrual syndrome. *Curr Med Res Opin* 1979;6:40-45.
- Delpont R, Ubbink JB, Serfontein WJ, et al. Vitamin B6 nutritional status in asthma: the effect of theophylline therapy on plasma pyridoxal-5'-phosphate and pyridoxal levels. *Int J Vitam Nutr Res* 1988;58:67-72.
- Delpont R, Ubbink JB, Bosman H, et al. Altered vitamin B6 homeostasis during aminophylline infusion in the beagle dog. *Int J Vitam Nutr Res* 1990;60(1):35-40.
- Delpont R, Ubbink JB, Vermaak WJ, et al. Theophylline increases pyridoxal kinase activity independently from vitamin B6 nutritional status. *Res Commun Chem Pathol Pharmacol* 1993;79(3):325-333.
- Demers RG, McDonagh PH, Moore RJ. Pyridoxine deficiency with phenelzine. *South Med J* 1984;77(5):641-642.
- Demiroglu H, Dundar S. Vitamin B6 responsive sideroblastic anaemia in a patient with tuberculosis. *Br J Clin Pract* 1997;51(1):51-52.
- Denko CW, Gabriel P. Serum proteins – transferrin, ceruloplasmin, albumin, alpha 1-acid glycoprotein, alpha 1-antitrypsin – in rheumatic disorders. *J Rheumatol* 1979;6:664-672.
- Descombes E, Boulat O, Perriard F, et al. Water-soluble vitamin levels in patients undergoing high-flux hemodialysis and receiving long-term oral postdialysis vitamin supplementation. *Artif Organs* 2000;24(10):773-778.
- Desouza C, Keebler M, McNamara DB, et al. Drugs affecting homocysteine metabolism: impact on cardiovascular risk. *Drugs* 2002;62(4):605-616. (Review)
- DeSouza MC, Walker AF, Robinson PA, et al. A synergistic effect of a daily supplement for 1 month of 200 mg magnesium plus 50 mg vitamin B6 for the relief of anxiety-related premenstrual symptoms: a randomized, double-blind, crossover study. *J Womens Health Gender Based Med* 2000;9:131-139.
- Diaz-Munoz M, Tapia R. Glutamate decarboxylase inhibition and vitamin B6 metabolism in brain of cirrhotic rats chronically treated with carbon tetrachloride. *J Neurosci Res* 1988;20(3):376-382.
- Diegoli MS, da Fonseca AM, Diegoli CA, et al. A double-blind trial of four medications to treat severe premenstrual syndrome. *Int J Gynaecol Obstet* 1998;62:63-67.
- DiSorbo DM, Wagner R Jr, Nathanson L. In vivo and in vitro inhibition of B16 melanoma growth by vitamin B6. *Nutr Cancer* 1985;7:43-52.
- Driskell JA, Wesley RL, Hess IE. Effectiveness of pyridoxine hydrochloride treatment on carpal tunnel syndrome patients. *Nutr Rep Int* 1986;34:1031-1040.
- Driskell JA, Geders JM, Urban MC. Vitamin B6 status of young men, women, and women using oral contraceptives. *J Lab Clin Med* 1976;87(5):813-821.
- Duell PB, Malinow MR. Homocyst(e)ine: an important risk factor for atherosclerotic vascular disease. *Curr Opin Lipidol* 1997;8(1):28-34. (Review)
- Durga J, van Boxtel MP, Schouten EG, et al. Folate and the methylenetetrahydrofolate reductase 677C→T mutation correlate with cognitive performance. *Neurobiol Aging* 2006;27(2):334-343.
- Durga J, van Tits LJ, Schouten EG, et al. Effect of lowering of homocysteine levels on inflammatory markers: a randomized controlled trial. *Arch Intern Med* 2005;165(12):1388-1394.
- Ebadi M, Gessert CF, Al Sayegh A. Drug-pyridoxal phosphate interactions. *Q Rev Drug Metab Drug Interact* 1982;4(4):289-331.
- Egger M, Smith GD, Schneider M, et al. Bias in meta-analysis detected by a simple, graphical test. *BMJ* 1997;315:629-634.

Citations and Reference Literature: Vitamin B6

- Eikelboom JW, Lonn E, Genest J, et al. Homocyst(e)ine and cardiovascular disease: a critical review of the epidemiologic evidence. *Ann Intern Med* 1999;131:363-375.
- el-Zoghby SM, Abdel-Tawab GA, Girgis LH, et al. Functional capacity of the tryptophan-niacin pathway in the premenarchial phase and in the menopausal age. *Am J Clin Nutr* 1975;28(1):4-9.
- Elias MF, Robbins MA, Budge MM, et al. Homocysteine, folate, and vitamins B6 and B12 blood levels in relation to cognitive performance: the Maine-Syracuse study. *Psychosom Med* 2006;68(4):547-554.
- Elias MF, Sullivan LM, D'Agostino RB, et al. Homocysteine and cognitive performance in the Framingham offspring study: age is important. *Am J Epidemiol* 2005;162(7):644-653.
- Elliott P, Stamler J, Dyer AR, et al. Association between protein intake and blood pressure: the INTERMAP Study. *Arch Intern Med* 2006;166:79-87.
- Ellis J, Azuma J, Watanebe T, et al. Survey and new data on treatment with pyridoxine of patients having a clinical syndrome including carpal tunnel and other defects. *Res Commun Chem Pathol Pharmacol* 1977;17:165-177.
- Ellis JM, Folkers K, Levy M, et al. Response of Vitamin B-6 deficiency and the carpal tunnel syndrome to pyridoxine. *Proc Natl Acad Sci U S A* 1982;79(23):7494-7498.
- Ellis JM, Folkers K. Clinical aspects of treatment of carpal tunnel syndrome with vitamin B6. *Ann N Y Acad Sci* 1990;585:302-320.
- Ellis J, Folkers K, Levy M, et al. Therapy with vitamin B6 with and without surgery for treatment of patients having the idiopathic carpal tunnel syndrome. *Res Commun Chem Pathol Pharmacol* 1981;33:331-344.
- Ellis JM, Folkers K, Watanabe T, et al. Clinical results of a cross-over treatment with pyridoxine and placebo of the carpal tunnel syndrome. *Am J Clin Nutr* 1979;32(10):2040-2046.
- Ellis JM, Kishi T, Azuma J, et al. Vitamin B6 deficiency in patients with a clinical syndrome including the carpal tunnel defect: biochemical and clinical response to therapy with pyridoxine. *Res Commun Chem Pathol Pharmacol* 1976;13(4):743-757.
- Ellis JM, McCully KS. Prevention of myocardial infarction by vitamin B6. *Res Commun Mol Pathol Pharmacol* 1995;89(2):208-220.
- Ellis JM, Presley J. Vitamin B6: the doctor's report. New York: Harper and Row; 1973.
- Ellis JM. Treatment of carpal tunnel syndrome with vitamin B6. *South Med J* 1987;80(7):882-884.
- Enriquez JI Sr, Schydlower M, O'Hair KC, et al. Effect of vitamin B6 supplementation on gentamicin nephrotoxicity in rabbits. *Vet Hum Toxicol* 1992;34(1):32-35.
- Evans GW. Normal and abnormal zinc absorption in man and animals: the tryptophan connection. *Nutr Rev* 1980;38(4):137-141.
- Fabian CJ, Molina R, Slavik M, et al. Pyridoxine therapy for palmar-plantar erythrodysesthesia associated with continuous 5-fluorouracil infusion. *Invest New Drugs* 1990;8(1):57-63.
- Faloon WW, Paes IC, Woolfolk D, et al. Effect of neomycin and kanamycin upon intestinal absorption. *Ann N Y Acad Sci* 1966;132(2): 879-887.
- Fasella PM. Pyridoxal phosphate. *Annu Rev Biochem* 1967;36:185-210.
- Fenech M, Baghurst P, Luderer W, et al. Low intake of calcium, folate, nicotinic acid, vitamin E, retinol, beta-carotene and high intake of pantothenic acid, biotin and riboflavin are significantly associated with increased genome instability: results from a dietary intake and micronucleus index survey in South Australia. *Carcinogenesis* 2005;26(5):991-999.
- Findling RL, Maxwell K, Scotese-Wojtila L, et al. High-dose pyridoxine and magnesium administration in children with autistic disorder: an absence of salutary effects in a double-blind, placebo-controlled study. *J Autism Dev Disord* 1997;27(4):467-478.
- Finkelstein JD. Pathways and regulation of homocysteine metabolism in mammals. *Semin Thromb Hemost* 2000;26:219-225. (Review)
- Flicker L, Ames D. Metabolic and endocrinological causes of dementia. *Int Psychogeriatr* 2005;17(Suppl 1):S79-92.
- Flores L, Pais R, Buchanan I, et al. Pyridoxal 5'-phosphate levels in children with sickle cell disease. *Am J Pediatr Hematol Oncol* 1988;10(3):236-240.
- Foca FJ. Motor and sensory neuropathy secondary to excessive pyridoxine ingestion. *Arch Phys Med Rehabil* 1985; 66:634-636.
- Folkers K. Relevance of the biosynthesis of coenzyme Q10 and of the four bases of DNA as a rationale for the molecular causes of cancer and a therapy. *Biochem Biophys Res Commun* 1996;224(2):358-361.
- Folkers K, Kaji M, Baker L, et al. Cardiac outputs of control individuals and cancer patients and evidence of deficiencies of coenzyme Q10 and vitamin B6. *Res Commun Chem Pathol Pharmacol* 1980;28(1):145-152.
- Folkers K, Morita M, McRee J Jr. The activities of coenzyme Q10 and vitamin B6 for immune responses. *Biochem Biophys Res Commun* 1993;193(1):88-92.
- Folkers K, Shizukuishi S, Willis R, et al. The biochemistry of vitamin B6 is basic to the cause of the Chinese restaurant syndrome. *Hoppe Seylers Z Physiol Chem* 1984;365(3):405-414.
- Folsom AR, Desvarieux M, Nieto FJ, et al. B vitamin status and inflammatory markers. *Atherosclerosis* 2003;169:169-174.

Citations and Reference Literature: Vitamin B6

- Folsom AR, Nieto FJ, McGovern PG, et al. Prospective study of coronary heart disease incidence in relation to fasting total homocysteine, related genetic polymorphisms, and B vitamins: the Atherosclerosis Risk in Communities (ARIC) study. *Circulation* 1998;98(3):204-210.
- Food and Nutrition Board, Institute of Medicine. Vitamin B6: dietary reference intakes: thiamin, riboflavin, niacin, vitamin B-6, vitamin B-12, pantothenic acid, biotin, and choline. Washington, DC: National Academy Press; 1998:150-195.
- Franzblau A, Rock CL, Werner RA, et al. The relationship of vitamin B6 status to median nerve function and carpal tunnel syndrome among active industrial workers. *J Occup Environ Med* 1996;38(5):485-491.
- Franzblau A, Rock CL, Werner RA, et al. Vitamin B6, vitamin C, and carpal tunnel syndrome. *J Occup Environ Med* 1998;40(4):305-309. (Letter, Comment)
- Fries ME, Chrisley BM, Driskell JA. Vitamin B6 status of a group of preschool children. *Am J Clin Nutr* 1981;34(12):2706-2710.
- Friso S, Girelli D, Martinelli N, et al. Low plasma vitamin B-6 concentrations and modulation of coronary artery disease risk. *Am J Clin Nutr* 2004;79:992-998.
- Friso S, Jacques PF, Wilson PW, et al. Low circulating vitamin B(6) is associated with elevation of the inflammation marker C-reactive protein independently of plasma homocysteine levels. *Circulation* 2001;103(23):2788-2791.
- Fugh-Berman A, Cott JM. Dietary supplements and natural products as psychotherapeutic agents. *Psychosom Med* 1999;61:712-728. (Review)
- Fuhr JE, Farrow A, Nelson HS Jr. Vitamin B6 levels in patients with carpal tunnel syndrome. *Arch Surg* 1989;124:1329-1330.
- Fujii K, Golivan JH, Huennekens FM. Activation of methionine synthetase: further characterisation of the flavoprotein system. *Arch Biochem Biophys* 1977;178:662-670.
- Gaby AR. Literature review and commentary. *Townsend Letter for Doctors* 1990;338-339. (Review)
- Ganji V, Kafai MR. Frequent consumption of milk, yogurt, cold breakfast cereals, peppers, and cruciferous vegetables and intakes of dietary folate and riboflavin but not vitamins B-12 and B-6 are inversely associated with serum total homocysteine concentrations in the US population. *Am J Clin Nutr* 2004;80(6):1500-1507.
- Gant H, Reinken L, Dapunt O, et al. [Vitamin B6 depletion in women with hyperemesis gravidarum.] *Wien Klin Wochenschr* 1975;87(16):510-513. [German]
- Garbarz M, Bernard JF, Boivin P. [Familial pyridoxine-responsive sideroblastic anaemia: one case (author's transl).] *Nouv Presse Med* 1980;9(44):3345-3347. [French]
- Glenn GM, Krober MS, Kelly P, et al. Pyridoxine as therapy in theophylline-induced seizures. *Vet Hum Toxicol* 1995;37(4):342-245.
- Gnam W, Flint A, Goldbloom D. Isoniazid-induced hallucinosis: response to pyridoxine. *Psychosomatics* 1993;34(6):537-539. (Letter)
- Gol'dshtein VD, Fondaminskaia LD, Semenova AS. [The influence of cycloserine on the metabolism of several B complex vitamins in pulmonary tuberculosis.] *Probl Tuberk* 1971;49(11):15-19. [Russian]
- Goldenberg RM, Girone JA. Oral pyridoxine in the prevention of oxalate kidney stones. *Am J Nephrol* 1996;16:552-553.
- Goodheart RS, Dunne JW, Edis RH. Phenelzine associated peripheral neuropathy: clinical and electrophysiologic findings. *Aust N Z J Med* 1991;21(3):339-340.
- Goto T, Matsuo N, Takahashi T. CSF glutamate/GABA concentrations in pyridoxine-dependent seizures: etiology of pyridoxine-dependent seizures and the mechanisms of pyridoxine action in seizure control. *Brain Dev* 2001;23(1):24-29.
- Green AR, Bloomfield MR, Woods HF, et al. Metabolism of an oral tryptophan load by women and evidence against the induction of tryptophan pyrrolase by oral contraceptives. *Br J Clin Pharmacol* 1978;5(3):233-241.
- Gregory JF III. Nutritional properties and significance of vitamin glycosides. *Annu Rev Nutr* 1998;18:277-296.
- Gregory JF III, Cuskelly GJ, Shane B, et al. Primed, constant infusion with [2H3]serine allows in vivo kinetic measurement of serine turnover, homocysteine remethylation, and transsulfuration processes in human one-carbon metabolism. *Am J Clin Nutr* 2000;72(6):1535-1541.
- Gregory JF III, Kirk JR. Determination of urinary 4-pyridoxic acid using high performance liquid chromatography. *Am J Clin Nutr* 1979;32:879-883.
- Gridley DS, Schultz TD, Stickney DR, et al. In vivo and in vitro stimulation of cell-mediated immunity by vitamin B6. *Nutr Res* 1988;8:201-207.
- Grobe H. Homocystinuria (cystathionine synthase deficiency): results of treatment in late-diagnosed patients. *Eur J Pediatr* 1980;135(2):199-203.
- Guilarte TR. Vitamin B6 and cognitive development: recent research findings from human and animal studies. *Nutr Rev* 1993;51:193-198.
- Haden HT. Pyridoxine-responsive sideroblastic anemia due to antituberculous drugs. *Arch Intern Med* 1967;120(5):602-606.

Citations and Reference Literature: Vitamin B6

- Hagberg B, Hamfelt, Hansson O. Tryptophan load tests and pyridoxal-5-phosphate levels in epileptic children: II: cryptogenic epilepsy. *Acta Paediatr Scand* 1966;55(4):371-384.
- Hagberg B, Hamfelt A, Hansson O. Tryptophan load tests and pyridoxal-5-phosphate levels in epileptic children: I: non-progressive brain damage and degenerative brain disorders. *Acta Paediatr Scand* 1966;55(4):363-370.
- Hagen I, Neshmeini BI, Tuntlund T. No effect of vitamin B6 against premenstrual tension. *Acta Obstet Gynecol Scand* 1985;64:667-670.
- Hall MA, Thom H, Russell G. Erythrocyte aspartate aminotransferase activity in asthmatic and non-asthmatic children and its enhancement by vitamin B6. *Ann Allergy* 1985;47:464-466.
- Halsted CH. Absorption of water-soluble vitamins. *Curr Opin Gastroenterol* 2003;19(2):113-117.
- Hansen CM, Leklem JE, Miller LT. Vitamin B-6 status of women with a constant intake of vitamin B-6 changes with three levels of dietary protein. *J Nutr* 1996;126(7):1891-1901.
- Hansen CM, Shultz TD, Kwak HK, et al. Assessment of vitamin B-6 status in young women consuming a controlled diet containing four levels of vitamin B-6 provides an estimated average requirement and recommended dietary allowance. *J Nutr* 2001;131(6):1777-1786.
- Hansson O, Sillanpaa M. Pyridoxine and serum concentration of phenytoin and phenobarbitone. *Lancet* 1976;1(7953):256. (Letter)
- Harati Y, Niakan E. Hydrazine toxicity, pyridoxine therapy, and peripheral neuropathy. *Ann Intern Med* 1986;104(5):728-729.
- Heap LC, Peters TJ, Wessely S. Vitamin B status in patients with chronic fatigue syndrome. *J R Soc Med* 1999;92:183-185.
- Heiskanen K, Siimes MA, Perheentupa J, et al. Reference ranges for erythrocyte pyridoxal 5'-phosphate concentration and the erythrocyte aspartate transaminase stimulation test in lactating mothers and their infants. *Am J Clin Nutr* 1994;59:1297-1303.
- Heller CA, Friedman PA. Pyridoxine deficiency and peripheral neuropathy associated with long-term phenelzine therapy. *Am J Med* 1983;75(5):887-888.
- Henderson JM, Codner MA, Hollins B, et al. The fasting B6 vitamers profile and response to a pyridoxine load in normal and cirrhotic subjects. *Hepatology* 1986;6(3):464-471.
- Henderson JM, Scott SS, Merrill AH, et al. Vitamin B6 repletion in cirrhosis with oral pyridoxine: failure to improve amino acid metabolism. *Hepatology* 1989;9(4):582-8.
- Henley S. Women on the pill are opening up a small case of side effects every morning. *Body Forum* 1977;2(7):20.
- Hilleman D, Miller MA, Parker R, et al. Optimal management of amiodarone therapy: efficacy and side effects. *Pharmacotherapy* 1998;18(6 Pt 2):138S-145S. (Review)
- Hines JD. Metabolic abnormalities of vitamin B6 and magnesium in alcohol-induced sideroblastic anemia. *Erythrocyte Struct Funct* 1976;6:621-642.
- Hines JD. Effect of pyridoxine plus chronic phlebotomy on the function and morphology of bone marrow and liver in pyridoxine-responsive sideroblastic anemia. *Semin Hematol* 1976;13(2):133-140.
- Hines JD, Cowan DH. Studies on the pathogenesis of alcohol-induced sideroblastic bone-marrow abnormalities. *N Engl J Med* 1970;283(9):441-446.
- Hines JD, Grasso JA. The sideroblastic anemias. *Semin Hematol* 1970;7(1):86-106. (Review)
- Hines JD, Love AH. Vitamin B6 metabolism in sideroblastic anemia: effect of pyridoxal phosphate therapy. *Clin Res* 1975;23:403A.
- Hines Burnham T, et al, eds. Drug facts and comparisons. St Louis: Facts and Comparisons; 2000:18.
- Hochberg MC, Chang RW, Dwosh I, et al. The American College of Rheumatology 1991 revised criteria for the classification of global functional status in rheumatoid arthritis. *Arthritis Rheum* 1992;35:498-502.
- Hoffer A. Isoniazid and pyridoxine. *CMAJ* 1993;149(9):1232. (Letter)
- Hollyer T, Boon H, Georgousis A, et al. The use of CAM by women suffering from nausea and vomiting during pregnancy. *BMC Complement Altern Med* 2002;2:5.
- Holt GA. Food and drug interactions. Chicago: Precept Press; 1998:82-83. (Review)
- Homocysteine Lowering Trialists' Collaboration. Lowering blood homocysteine with folic acid based supplements: meta-analysis of randomised trials. *Br Med J* 1998;316:894-898.
- Horwitt MK, Harvey CC, Dahm CH Jr. Relationship between levels of blood lipids, vitamins C, A, and E, serum copper compounds, and urinary excretions of tryptophan metabolites in women taking oral contraceptive therapy. *Am J Clin Nutr* 1975;28(4):403-412.
- Huang YC, Chang HH, Huang SC, et al. Plasma pyridoxal 5'-phosphate is a significant indicator of immune responses in the mechanically ventilated critically ill. *Nutrition* 2005;21(7-8):779-785.
- Huemer M, Fodinger M, Huemer C, et al. Hyperhomocysteinemia in children with juvenile idiopathic arthritis is not influenced by methotrexate treatment and folic acid supplementation: a pilot study. *Clin Exp Rheumatol* 2003;21(2):249-255.
- Hustad S, Ueland PM, Vollset SE. Riboflavin as a determinant of plasma total homocysteine: effect modification by the methylenetetrahydrofolate reductase C677T polymorphism. *Clin Chem* 2000;46:1065-1071.
- Ito M, Okuno T, Hattori H, et al. Vitamin B6 and valproic acid in treatment of infantile spasms. *Pediatr Neurol* 1991;7(2):91-96.

Citations and Reference Literature: Vitamin B6

- Irizarry MC, Gurol ME, Raju S, et al. Association of homocysteine with plasma amyloid beta protein in aging and neurodegenerative disease. *Neurology* 2005;65(9):1402-1408.
- Jacobson MD, Plancher KD, Kleinman WB. Vitamin B6 (pyridoxine) therapy for carpal tunnel syndrome. *Hand Clin* 1996;12:253-257.
- Jacques PF, Kalmbach R, Bagley PJ, et al. The relationship between riboflavin and plasma total homocysteine in the Framingham Offspring cohort is influenced by folate status and the C677T transition in the methylenetetrahydrofolate reductase gene. *J Nutr* 2002;132(2):283-288.
- Jaffe IA. Antivitamin B6 effect of D-penicillamine. *Ann N Y Acad Sci* 1969;166(1):57-60.
- Jaffe IA. The antivitamin B 6 effect of penicillamine: clinical and immunological implications. *Adv Biochem Psychopharmacol* 1972;4:217-226. (Review)
- Jewell D, Young G. Interventions for nausea and vomiting in early pregnancy. *Cochrane Database Syst Rev* 2002(1):CD000145. (Review)
- Jiao FY, Gao DY, Takuma Y, et al. Randomized, controlled trial of high-dose intravenous pyridoxine in the treatment of recurrent seizures in children. *Pediatr Neurol* 1997;17(1):54-57.
- Jonas C, Etienne T, Barthelemy C, et al. [Clinical and biochemical value of Magnesium + vitamin B6 combination in the treatment of residual autism in adults.] *Therapie* 1984;39(6):661-669. [French]
- Jones CL, Gonzalez V. Pyridoxine deficiency: a new factor in diabetic neuropathy. *J Am Podiatr Assoc* 1978;68(9):646-653.
- Kacew S. Inhibition of gentamicin-induced nephrotoxicity by pyridoxal-5'-phosphate in the rat. *J Pharmacol Exp Ther* 1989;248(1):360-366.
- Kamath AF, Chauhan AK, Kisucka J, et al. Elevated levels of homocysteine compromise blood-brain barrier integrity in mice. *Blood* 2006;107(2):591-593.
- Kant AK, Block G. Dietary vitamin B-6 intake and food sources in the US population: NHANES II, 1976-1980. *Am J Clin Nutr* 1990;52(4):707-716.
- Kashani A, Phillips CO, Foody JM, et al. Risks associated with statin therapy: a systematic overview of randomized clinical trials. *Circulation* 2006;114(25):2788-2797.
- Kelly GS. Nutritional and botanical interventions to assist with the adaptation to stress. *Altern Med Rev* 1999;4(4):249-265. (Review)
- Kelly PJ, Furie KL, Kistler JP, et al. Stroke in young patients with hyperhomocysteinemia due to cystathionine beta-synthase deficiency. *Neurology* 2003;60(2):275-279.
- Kelly PJ, Kistler JP, Shih VE, et al. Inflammation, homocysteine, and vitamin B6 status after ischemic stroke. *Stroke* 2004;35(1):12-15.
- Kelly PJ, Rosand J, Kistler JP, et al. Homocysteine, MTHFR 677C→T polymorphism, and risk of ischemic stroke: results of a meta-analysis. *Neurology* 2002;59(4):529-536.
- Kelly PJ, Shih VE, Kistler JP, et al. Low vitamin B6 but not homocyst(e)ine is associated with increased risk of stroke and transient ischemic attack in the era of folic acid grain fortification. *Stroke* 2003;34(6):e51-e54.
- Kendall KE, Schnurr PP. The effects of vitamin B6 supplementation on premenstrual symptoms. *Obstet Gynecol* 1987;70(2):145-149.
- Kendall MJ, Chan K. Drug-induced malabsorption. *Xenobiotica* 1973;3(11):727-744. (Review)
- Keniston RC, Cabellon S Jr, Yarbrough KS. Pyridoxal 5'-phosphate as an antidote for cyanide, spermine, gentamicin, and dopamine toxicity: an in vivo rat study. *Toxicol Appl Pharmacol* 1987;88(3):433-441.
- Keniston RC, Nathan PA, Leklem JE, et al. Vitamin B6, vitamin C, and carpal tunnel syndrome: a cross-sectional study of 441 adults. *J Occup Environ Med* 1997;39(10):949-959.
- Kerr GD. The management of premenstrual syndrome. *Curr Med Res Opin* 1977;4:29-34.
- Khan A, Brodhead AE, Schwartz KA, et al. Sex differences in antidepressant response in recent antidepressant clinical trials. *J Clin Psychopharmacol* 2005;25(4):318-324.
- Khatami M. Role of pyridoxal phosphate/pyridoxine in diabetes: inhibition of nonenzymatic glycosylation. *Ann N Y Acad Sci* 1990;585:502-504.
- Kidd P. Attention deficit/hyperactivity disorder (ADHD) in children: rationale for its integrative management. *Altern Med Rev* 2000;5(5):402-428.
- Kim CH, King TE. Effect of pyridoxal phosphate on the formation of cytochrome c1-c and cytochrome c-cytochrome oxidase complexes. *Biochem Int* 1991;24(2):255-262.
- Kirschmann GJ, Kirschmann JD. *Nutrition almanac*. 4th ed. New York: McGraw-Hill; 1996:57-59.
- Kishi H, Folkers K. Improved and effective assays of the glutamic oxaloacetic transaminase by the coenzyme-apoenzyme system (CAS) principle. *J Nutr Sci Vitaminol (Tokyo)* 1976;22(3):225-234.
- Kleijnen J, Ter Riet G, Knipschild P. Vitamin B6 in the treatment of the premenstrual syndrome: a review. *Br J Obstet Gynaecol* 1990;97(9):847-852. (Review)

Citations and Reference Literature: Vitamin B6

- Krause KH, Bonjour JP, Berlit P, et al. Effect of long-term treatment with antiepileptic drugs on the vitamin status. *Drug Nutr Interact* 1988;5:317-343.
- Kremer JM, Bigaouette J. Nutrient intake of patients with rheumatoid arthritis is deficient in pyridoxine, zinc, copper, and magnesium. *J Rheumatol* 1996;23(6):990-994.
- Kretsch MJ, Sauberlich HE, Newbrun E. Electroencephalographic changes and periodontal status during short-term vitamin B-6 depletion of young, nonpregnant women. *Am J Clin Nutr* 1991;53:1266-1274.
- Kretsch MJ, Sauberlich HE, Skala JH, et al. Vitamin B-6 requirement and status assessment: young women fed a depletion diet followed by a plant- or animal-protein diet with graded amounts of vitamin B-6. *Am J Clin Nutr* 1995;61(5):1091-1101.
- Krinke G, Schaumburg HH, Spencer PS, et al. Pyridoxine megavitaminosis produces degeneration of peripheral sensory neurons (sensory neuronopathy) in the dog. *Neurotoxicology* 1981;2(1):13-24.
- Labadarios D, Brink PA, Weich HF, et al. Plasma vitamin A, E, C and B6 levels in myocardial infarction. *S Afr Med J* 1987;71:561-563.
- Laine-Cessac P, Cailleux A, Allain P. Mechanisms of the inhibition of human erythrocyte pyridoxal kinase by drugs. *Biochem Pharmacol* 1997;54(8):863-870.
- Lairon D, Arnault N, Bertrais S, et al. Dietary fiber intake and risk factors for cardiovascular disease in French adults. *Am J Clin Nutr* 2005;82:1185-1194.
- Lakshmi AV, Bamji MS. Tissue pyridoxal phosphate concentration and pyridoxamine phosphate oxidase activity in riboflavin deficiency in rats and man. *Br J Nutr* 1974;32:249-255.
- Lakshmi AV, Bamji MS. Regulation of blood pyridoxal phosphate in riboflavin deficiency in man. *Nutr Metab* 1976;20:228-233.
- Lakshmi R, Lakshmi AV, Divan PV, et al. Effect of riboflavin or pyridoxine deficiency on inflammatory response. *Indian J Biochem Biophys* 1991;28:481-484.
- Langdana A, Agarwal M, Kelgeri C, et al. Pyridoxine in acute isoniazid overdose. *Indian Pediatr* 1996;33(2):132-134.
- Lankerani L, Baron ED. Photosensitivity to exogenous agents. *J Cutan Med Surg* 2004;8(6):424-431. (Review)
- Larsson SC, Giovannucci E, Wolk A. Vitamin B6 intake, alcohol consumption, and colorectal cancer: a longitudinal population-based cohort of women. *Gastroenterology* 2005;128(7):1830-1837.
- Laso Guzman FJ, Gonzalez-Buitrago JM, de Arriba F, et al. Carpal tunnel syndrome and vitamin B6. *Klin Wochenschr* 1989;67(1):38-41.
- Law MR, Wald NJ, Rudnicka AR. Quantifying effect of statins on low density lipoprotein cholesterol, ischaemic heart disease, and stroke: systematic review and meta-analysis. *BMJ* 2003;326:1423.
- Lee NS, Muhs G, Wagner GC, et al. Dietary pyridoxine interaction with tryptophan or histidine on brain serotonin and histamine metabolism. *Pharmacol Biochem Behav* 1988;29(3):559-564.
- Leeda M, Riyazi N, de Vries JI, et al. Effects of folic acid and vitamin B6 supplementation on women with hyperhomocysteinemia and a history of preeclampsia or fetal growth restriction. *Am J Obstet Gynecol* 1998;179(1):135-139.
- Leklem JE. Vitamin B-6. In: Machlin L, ed. *Handbook of vitamins*. New York: Marcel Decker Inc; 1991:341-378.
- Leklem JE. Vitamin B-6. In: Shils M, Olson JA, Shike M, et al, eds. *Nutrition in health and disease*. 9th ed. Baltimore: Williams & Wilkins; 1999:413-422.
- Leklem JE, Brown RR, Rose DP, et al. Metabolism of tryptophan and niacin in oral contraceptives users receiving controlled intakes of vitamin B6. *Am J Clin Nutr* 1975;28(2):146-156.
- LeLord G, Callaway E, Muh JP. Clinical and biological effects of high doses of vitamin B6 and magnesium on autistic children. *Acta Vitaminol Enzymol* 1982;4(1-2):27-44.
- LeLord G, Muh JP, Barthelemy C, et al. Effects of pyridoxine and magnesium on autistic symptoms: initial observations. *J Autism Dev Disord* 1981;11(2):219-230.
- Lemoine A, Le Devehat C, Codaccioni JL, et al. Vitamin B1, B2, B6, and C status in hospital inpatients. *Am J Clin Nutr* 1980;33(12):2595-2600.
- Lentz SR, Piegors DJ, Malinow MR, et al. Supplementation of atherogenic diet with B vitamins does not prevent atherosclerosis or vascular dysfunction in monkeys. *Circulation* 2001;103(7):1006-1011.
- Leriche AM, Romain JL. [Depression, pyridoxine and oral contraception (author's transl).] *Contracept Fertil Sex (Paris)* 1981;9(7):455-459. [French]
- Lerner V, Kaptan A, Miodownik C, et al. Vitamin B6 in treatment of tardive dyskinesia: a preliminary case series study. *Clin Neuropharm* 1999;22(4):241-243.
- Levin ER, Hanscom TA, Fisher M, et al. The influence of pyridoxine in diabetic peripheral neuropathy. *Diabetes Care* 1981;4(6):606-609.

Citations and Reference Literature: Vitamin B6

- Lewis JA, Baer MT, Laufer MA. Urinary riboflavin and creatinine excretion in children treated with anticonvulsant drugs. *Am J Dis Child* 1975;129:394. (Letter)
- Lewis SJ, Ebrahim S, Smith GD. Meta-analysis of MTHFR 677C→T polymorphism and coronary heart disease: does totality of evidence support causal role for homocysteine and preventive potential of folate? *BMJ* 2005;331(7524):1053.
- Lheureux P, Penaloza A, Gris M. Pyridoxine in clinical toxicology: a review. *Eur J Emerg Med* 2005;12(2):78-85. (Review)
- Li M, Chen J, Li YS, et al. Folic acid reduces adhesion molecules VCAM-1 expression in aortic of rats with hyperhomocysteinemia. *Int J Cardiol* 2006;106(2):285-288.
- Lin P-T, Cheng C-H, Liaw Y-P, et al. Low pyridoxal 5'-phosphate is associated with increased risk of coronary artery disease. *Nutrition* 2006;22(11-12):1146-1151.
- Lobo A, Naso A, Arheart K, et al. Reduction of homocysteine levels in coronary artery disease by low-dose folic acid combined with levels of vitamins B6 and B12. *Am J Cardiol* 1999;83:821-825.
- Lonn E, Held C, Arnold JM, et al. Homocysteine lowering with folic acid and B vitamins in vascular disease. *N Engl J Med* 2006;354(15):1567-1577.
- Lonn E, Held C, Arnold JM, et al. Rationale, design and baseline characteristics of a large, simple, randomized trial of combined folic acid and vitamins B6 and B12 in high-risk patients: the Heart Outcomes Prevention Evaluation (HOPE)-2 trial. *Can J Cardiol* 2006;22(1):47-53.
- Loscalzo J. Homocysteine trials: clear outcomes for complex reasons. *N Engl J Med* 2006;354(15):1629-1632. (Editorial)
- Luhby AL, Brin M, Gordon M, et al. Vitamin B6 metabolism in users of oral contraceptive agents: I: abnormal urinary xanthurenic acid excretion and its correction by pyridoxine. *Am J Clin Nutr* 1971;24(6):684-693.
- Lumeng L, Brashear RE, Li TK. Pyridoxal 5'-phosphate in plasma: source, protein-binding, and cellular transport. *J Lab Clin Med* 1974;84:334-343.
- Lumeng L, Li TK. Characterization of the pyridoxal 5'-phosphate and pyridoxamine 5'-phosphate hydrolase activity in rat liver: identity with alkaline phosphatase. *J Biol Chem* 1975;250:8126-8131.
- Lumeng L, Lui A, Li TK. Plasma content of B6 vitamers and its relationship to hepatic vitamin B6 metabolism. *J Clin Invest* 1980;66:688-695.
- Mabin DC, Hollis S, Lockwood J, et al. Pyridoxine in atopic dermatitis. *Br J Dermatol* 1995;133(5):764-767.
- MacKenzie KE, Wiltshire EJ, Gent R, et al. Folate and vitamin B6 rapidly normalize endothelial dysfunction in children with type 1 diabetes mellitus. *Pediatrics* 2006;118(1):242-253.
- Mahashur AA. Isoniazid induced peripheral neuropathy. *J Assoc Physicians India* 1992;40(10):651-652.
- Majumdar SK, Shaw GK, O'Gorman P, et al. Blood vitamin status (B1, B2, B6, folic acid and B12) in patients with alcoholic liver disease. *Int J Vitam Nutr Res* 1982;52(3):266-271.
- Makoff R. Vitamin replacement therapy in renal failure patients. *Miner Electrolyte Metab* 1999;25:349-351. (Review)
- Maksymowych AB, Robertson NM, Litwack G. Efficacy of pyridoxal treatment in controlling the growth of melanomas in cell culture and an animal pilot study. *Anticancer Res* 1993;13:1925-1937.
- Malinow MR, Bostom AG, Krauss RM. Homocyst(e)ine, diet, and cardiovascular disease: a statement for healthcare professionals from the nutrition committee, American Heart Association. *Circulation* 1999;99:178-182.
- Malmgren R, Collins A, Nilsson CG. Platelet serotonin uptake and effects of vitamin B6 treatment in premenstrual tension. *Neurophysiology* 1987;18:83-88.
- Malouf R, Grimley Evans J. The effect of vitamin B6 on cognition. *Cochrane Database Syst Rev* 2003;(4):CD004393. (Review)
- Maron BA, Loscalzo J. Homocysteine. *Clin Lab Med* 2006;26(3):591-609, vi.
- Martell AE. Reaction pathways and mechanisms of pyridoxal catalysis. *Adv Enzymol Relat Areas Mol Biol* 1982;53:163-199. (Review)
- Martineau J, Barthelemy C, Cheliakine C, et al. Brief report: an open middle-term study of combined vitamin B6-magnesium in a subgroup of autistic children selected on their sensitivity to this treatment. *J Autism Dev Disord* 1988;18(3):435-447.
- Martineau J, Garreau B, Barthelemy C, et al. Effects of vitamin B6 on averaged evoked potentials in infantile autism. *Biol Psychiatry* 1981;16(7):627-641.
- Martineau J, Barthelemy C, Lelord G. Long-term effects of combined vitamin B6-magnesium administration in an autistic child. *Biol Psychiatry* 1986;21(5-6):511-518.
- Martineau J, Barthelemy C, Garreau B, et al. Vitamin B6, magnesium, and combined B6-Mg: therapeutic effects in childhood autism. *Biol Psychiatry* 1985;20(5):467-478.
- Martinez de Haas MG, Poels PJ, de Weert CJ, et al. [Subnormal vitamin B6 levels in theophylline users.] *Ned Tijdschr Geneesk* 1997;141(45):2176-2179. [Dutch]

Citations and Reference Literature: Vitamin B6

- Martinez ME, Giovannucci E, Jiang R, et al. Folate fortification, plasma folate, homocysteine and colorectal adenoma recurrence. *Int J Cancer* 2006;119(6):1440-1446.
- Marz R. *Medical nutrition from Marz*. 2nd ed. Portland, OR: Omni Press; 1997.
- Mason JB, Miller JW. The effects of vitamins B12, B6, and folate on blood homocysteine levels. *Ann N Y Acad Sci* 1992;669:197-203.
- Mason M, Ford J, Wu HL. Effects of steroid and nonsteroid metabolites on enzyme conformation and pyridoxal phosphate binding. *Ann N Y Acad Sci* 1969;166(1):170-183.
- Matsuda M, Hori S, Asakura T, et al. Effects of carbon dioxide on onsets of seizures in mice induced by antagonists of vitamin B6. *Biochem Pharmacol* 1987;36(12):2040-2042.
- Matsuda M, Kawamata I. Effect of succinic semialdehyde on seizure caused by vitamin B6 antagonists. *J Nutr Sci Vitaminol (Tokyo)* 1976;22(4):285-290.
- Mattes JA, Martin D. Pyridoxine in premenstrual depression. *Hum Nutr Appl Nutr* 1982;36A:131-133.
- Mayer GG, Chase T, Farvar B, et al. Metabolic studies on the formation of calcium oxalate stones, with special emphasis on vitamin B6 and uric acid metabolism. *Bull N Y Acad Med* 1968;44(1):28-44.
- Mayer J. Iatrogenic malnutrition. *Postgrad Med* 1971;49(3):247-249.
- Mbala L, Matendo R, Nkailu R. Is vitamin B6 supplementation of isoniazid therapy useful in childhood tuberculosis. *Trop Doct* 1998;28(2):103-104.
- McCarty MF. Increased homocyst(e)ine associated with smoking, chronic inflammation, and aging may reflect acute-phase induction of pyridoxal phosphatase activity. *Med Hypotheses* 2000;55:289-293.
- McCormick DB. Enzymes catalysing formation of pyridoxal phosphate from vitamin B6. In: Iriarte A, Kagan HM, Martinez-Carrion M, eds. *Biochemistry and molecular biology of vitamin B6 and PQQ-dependent proteins*. Boston: Birkhauser-Verlag; 2000.
- McMahon JA, Green TJ, Skeaff CM, et al. A controlled trial of homocysteine lowering and cognitive performance. *N Engl J Med* 2006;354:2764-2772.
- McNulty H, Dowey LC, Scott JM. Riboflavin supplementation lowers plasma homocysteine in individuals homozygous for the MTHFR C677T polymorphism. *J Inherited Metab Dis* 2003;26:(Suppl 1)12.
- McNulty H, McKinley MC, Wilson B. Impaired function of thermolabile methylenetetrahydrofolate reductase is dependent on riboflavin status: implications for riboflavin requirements. *Am J Clin Nutr* 2002;76:436-441.
- Mears E, Vessey MP, Andolsek L, et al. Preliminary evaluation of four oral contraceptives containing only progestogens. *Br Med J* 1969;1(659):730-734.
- Meydani SN, Ribaya-Mercado JD, Russell RM, et al. Vitamin B-6 deficiency impairs interleukin 2 production and lymphocyte proliferation in elderly adults. *Am J Clin Nutr* 1991;53(5):1275-1280.
- Meier PJ, Fehr J, Meyer UA. Pyridoxine-responsive primary acquired sideroblastic anaemia: in vitro and in vivo effects of vitamin B6 on decreased 5-aminolaevulinate synthase activity. *Scand J Haematol* 1982;29(5):421-424.
- Merrill AH Jr, Henderson JM. Vitamin B6 metabolism by human liver. *Ann N Y Acad Sci* 1990;585:110-117. (Review)
- Merrill AH Jr, Henderson JM. Diseases associated with defects in vitamin B6 metabolism or utilization. *Annu Rev Nutr* 1987;7:137-156. (Review)
- Merrill AH Jr, Henderson JM, Wang E, et al. Activities of the hepatic enzymes of vitamin B6 metabolism for patients with cirrhosis. *Am J Clin Nutr* 1986;44(4):461-467.
- Merrill AH Jr, Wang E. Highly sensitive methods for assaying the enzymes of vitamin B6 metabolism. *Methods Enzymol* 1986;122:110-116.
- Middtun O, Hustad S, Solheim E, et al. Multianalyte quantification of vitamin B6 and B2 species in the nanomolar range in human plasma by liquid chromatography-tandem mass spectrometry. *Clin Chem* 2005;51(7):1206-1216.
- Milliner DS, Eickholt JT, Bergstralh EJ, et al. Results of long-term treatment with orthophosphate and pyridoxine in patients with primary hyperoxaluria. *N Engl J Med* 1994;331(23):1553-1558.
- Miner SE, Cole DE, Evrosvki J, et al. Pyridoxine improves endothelial function in cardiac transplant recipients. *J Heart Lung Transplant* 2001;20(9):964-969.
- Mizuno A, Mizobuchi T, Ishibashi Y, Matsuda M. c-Fos mRNA induction under vitamin B6 antagonist-induced seizure. *Neurosci Lett* 1989;98(3):272-275.
- Moat SJ, Ashfield-Watt PA, Powers HJ. Effect of riboflavin status on the homocysteine-lowering effect of folate in relation to the MTHFR (C677T) genotype. *Clin Chem* 2003;49:295-302.
- Moat SJ, Clarke ZL, Madhavan AK, et al. Folic acid reverses endothelial dysfunction induced by inhibition of tetrahydrobiopterin biosynthesis. *Eur J Pharmacol* 2006;530(3):250-258.

Citations and Reference Literature: Vitamin B6

- Moat SJ, Madhavan A, Taylor SY, et al. High- but not low-dose folic acid improves endothelial function in coronary artery disease. *Eur J Clin Invest* 2006;36(12):850-859.
- Mooij PN, Thomas CM, Doesburg WH, et al. Multivitamin supplementation in oral contraceptive users. *Contraception* 1991;44(3):277-288.
- Morselli B, Neuenschwander B, Perrelet R, et al. [Osteoporosis diet.] *Ther Umsch* 2000;57(3):152-160. [German]
- Mortola JF. A risk-benefit appraisal of drugs used in the management of premenstrual syndrome. *Drug Safety* 1994;10(2):160-169.
- Mousain-Bosc M, Roche M, Rapin J, et al. Magnesium VitB6 intake reduces central nervous system hyperexcitability in children. *J Am Coll Nutr* 2004;23(5):545S-548S.
- Mulder C, Scheltens P, Barkhof F, et al. Low vitamin B6 levels are associated with white matter lesions in Alzheimer's disease. *J Am Geriatr Soc* 2005;53(6):1073-1074.
- Murphy PA. Alternative therapies for nausea and vomiting of pregnancy. *Obstet Gynecol* 1998;91:149-155.
- Mydlik M, Derzsiova K, Svac J, et al. Peritoneal clearance and peritoneal transfer of oxalic acid, vitamin C, and vitamin B6 during continuous ambulatory peritoneal dialysis. *Artif Organs* 1998;22(9):784-788.
- Mydlik M, Derzsiova K, Zemberova E. Metabolism of vitamin B6 and its requirement in chronic renal failure. *Kidney Int Suppl* 1997;62:S56-S59.
- Mydlik M, Derzsiova K, Zemberova E, et al. [The effect of furosemide on urinary excretion of oxalic acid, vitamin C and vitamin B6 in chronic renal failure.] *Vnitr Lek* 1998;44(3):127-131.
- Nabbout R, Soufflet C, Plouin P, et al. Pyridoxine dependent epilepsy: a suggestive electroclinical pattern. *Arch Dis Child Fetal Neonatal Ed* 1999;81:F125-129.
- Nadiger HA, Krishnan R, Radhaiah G. Studies on interactions of vitamin E with thiamine, niacin and vitamin B12. *Clin Chim Acta* 1981;116(1):9-16.
- Nahata MC, Hipple TF. Pediatric drug formulations. 3rd ed. Cincinnati: Harvey Whitney Books Co; 1997.
- Nair S, Maguire W, Baron H, et al. The effect of cycloserine on pyridoxine-dependent metabolism in tuberculosis. *J Clin Pharmacol* 1976;16(8-9):439-443.
- Nankivell BJ. Vitamin B6 deficiency on hemodialysis causing sideroblastic anemia. *Nephron* 1991;59(4):674-675. (Letter)
- Narisawa S, Wennberg C, Millan JL. Abnormal vitamin B6 metabolism in alkaline phosphatase knock-out mice causes multiple abnormalities, but not the impaired bone mineralization. *J Pathol* 2001;193:125-133.
- Natta CL, Reynolds RD. Apparent vitamin B6 deficiency in sickle cell anemia. *Am J Clin Nutr* 1984;40(2):235-239.
- Nistico G, Preziosi P. Contraceptives, brain serotonin, and liver tryptophan pyrrolase. *Lancet* 1970;2(7665):213.
- O'Brien MM, Kiely M, Harrington KE, et al. The North/South Ireland Food Consumption Survey: vitamin intakes in 18-64-year-old adults. *Public Health Nutr* 2001;4(5A):1069-1079.
- Okada H, Moriwaki K, Kanno Y, et al. Vitamin B6 supplementation can improve peripheral polyneuropathy in patients with chronic renal failure on high-flux haemodialysis and human recombinant erythropoietin. *Nephrol Dial Transplant* 2000;15:1410-1413.
- Omay A, Varma KC. Evaluation of pharmacokinetic parameters of tetracycline hydrochloride upon oral administration with vitamin C and vitamin B complex. *Hindustan Antibiot Bull* 1981;23:33-37.
- Orlowski JP, Paganini EP, Pippenger CE, et al. Treatment of a potentially lethal dose isoniazid ingestion. *Ann Emerg Med* 1988;17(1):73-76.
- Parry G, Bredesen DE. Sensory neuropathy with low-dose pyridoxine. *Neurology* 1985;35(10):1466-1468.
- Pascarella S, Schirch V, Bossa F. Similarity between serine hydroxymethyltransferase and other pyridoxal phosphate-dependent enzymes. *FEBS Lett* 1993;331(1-2):145-149.
- Passariello N, Fici F, Giugliano D, et al. Effects of pyridoxine alpha-ketoglutarate on blood glucose and lactate in type I and II diabetics. *Int J Clin Pharmacol Ther Toxicol* 1983;21(5):252-256.
- Pauling L. Sensory neuropathy from pyridoxine abuse. *N Engl J Med* 1984;310(3):197-198.
- Paulini K, Korner B, Mohr W, et al. The effect of complete Freund-adjuvant on chronic proliferating inflammation in an experimental granuloma model. *Z Rheumatol* 1976;35:123-131.
- Paulonis L, Kane SL, Meckling KA. Vitamin status and cognitive function in a long-term care population. *BMC Geriatr* 2005;5(1):16.
- Pellock JM, Howell J, Kendig EL Jr, et al. Pyridoxine deficiency in children treated with isoniazid. *Chest* 1985;87(5):658-661.
- Pfeiffer SI, Norton J, Nelson L, et al. Efficacy of vitamin B6 and magnesium in the treatment of autism: a methodology review and summary of outcomes. *J Autism Dev Disord* 1995;25(5):481-493. (Review)
- Phalen GS. Carpal tunnel syndrome. 99th Annual Meeting of the American Medical Association. 1950.
- Phalen GS. Spontaneous compression of the median nerve at the wrist. *JAMA* 1951;45:1128-1133.

Citations and Reference Literature: Vitamin B6

- Pietz J, Benninger C, Schafer H, et al. Treatment of infantile spasms with high-dosage vitamin B6. *Epilepsia* 1993;34(4):757-763.
- Prasad AS, Lei KY, Moghissi KS, et al. Effect of oral contraceptives on nutrients: III: vitamins B6, B12, and folic acid. *Am J Obstet Gynecol* 1976;125(8):1063-1069.
- Prasad AS, Oberleas D, Moghissi KS, et al. Effect of oral contraceptive agents on nutrients: II: vitamins. *Am J Clin Nutr* 1975;28(4):385-391.
- Prasad K. Homocysteine, a risk factor for cardiovascular disease. *Intl J Angiol* 1999;8(1):76-86.
- Price JM, Brown RR, Yess N. Testing the functional capacity of the tryptophan-niacin pathway in man by analysis of urinary metabolites. *Adv Metab Disord* 1965;2:159-225.
- Price JM, Thornton MJ, Mueller LM. Tryptophan metabolism in women using steroid hormones for ovulation control. *Am J Clin Nutr* 1967;20(5):452-456.
- Pronsky Z. Powers and Moore's food-medications interactions. 9th ed. Pottstown, PA: Food-Medication Interactions; 1991. (Review)
- Prothro J. Any depression from OC-altered vitamin B6 levels? [Answer to question of Jan Marquand.] *Contracept Technol Update* 1981;2(9):121-123.
- Quadri P, Fragiaco C, Pezzati R, et al. Homocysteine and B vitamins in mild cognitive impairment and dementia. *Clin Chem Lab Med* 2005;43(10):1096-1100.
- Rall LC, Meydani SN. Vitamin B6 and immune competence. *Nutr Rev* 1993;51(8):217-225.
- Ramos MI, Allen LH, Mungas DM, et al. Low folate status is associated with impaired cognitive function and dementia in the Sacramento Area Latino Study on Aging. *Am J Clin Nutr* 2005;82(6):1346-1352.
- Rao RH, Vigg BL, Rao KSJ. Failure of pyridoxine to improve glucose tolerance in diabetics. *J Clin Endocrinol Metab* 1980;50:198-200.
- Raoul Y. [Recommended vitamin intake.] *Ann Nutr Aliment* 1976;30(4):509-536. [French]
- Raskin NH, Fishman RA. Pyridoxine-deficiency neuropathy due to hydralazine. *N Engl J Med* 1965;273(22):1182-1185.
- Ravaglia G, Forti P, Maioli F, et al. Folate, but not homocysteine, predicts the risk of fracture in elderly persons. *J Gerontol A Biol Sci Med Sci* 2005;60(11):1458-1462.
- Ravaglia G, Forti P, Maioli F, et al. Homocysteine and folate as risk factors for dementia and Alzheimer disease. *Am J Clin Nutr* 2005;82(3):636-643.
- Reinken L, Gant H. Vitamin B6 nutrition in women with hyperemesis gravidarum during the first trimester of pregnancy. *Clin Chim Acta* 1974;55(1):101-102.
- Reynolds TM, Marshall PD, Brain AM. Hip fracture patients may be vitamin B6 deficient: controlled study of serum pyridoxal-5'-phosphate. *Acta Orthop Scand* 1992;63(6):635-638.
- Reynolds RD. Bioavailability of vitamin B-6 from plant foods. *Am J Clin Nutr* 1988;48(3 Suppl):863-867. (Review)
- Reynolds RD, Natta CL. Depressed plasma pyridoxal phosphate concentrations in adult asthmatics. *Am J Clin Nutr* 1985;41(4):684-688.
- Reynolds TM. Vitamin B6 deficiency may also be important. *Clin Chem* 1998;44(12):2555-2556. (Letter)
- Ridker PM, Hennekens CH, Buring JE, et al. C-reactive protein and other markers of inflammation in the prediction of cardiovascular disease in women. *N Engl J Med* 2000;342:836-843.
- Ribaya-Mercado JD, Russell RM, Sahyoun N, et al. Vitamin B-6 requirements of elderly men and women. *J Nutr* 1991;121(7):1062-1074.
- Riggs KM, Spiro A III, Tucker K, et al. Relations of vitamin B-12, vitamin B-6, folate, and homocysteine to cognitive performance in the Normative Aging Study. *Am J Clin Nutr* 1996;63(3):306-314.
- Rimland B. Controversies in the treatment of autistic children: vitamin and drug therapy. *J Child Neurol* 1988;3(Suppl):S68-72. (Review)
- Rimland B. High dose vitamin B6 and magnesium in treating autism: response to study by Findling et al. *J Autism Dev Disord* 1998;28(6):581-582.
- Rimland B, Callaway E, Dreyfus P. The effect of high doses of vitamin B6 on autistic children: a double-blind crossover study. *Am J Psychiatry* 1978;135(4):472-475.
- Rimm EB, Willett WC, Hu FB, et al. Folate and vitamin B6 from diet and supplements in relation to risk of coronary heart disease among women. *JAMA* 1998;279(5):359-364.
- Rinehart JF, Greenberg LD. Vitamin B6 deficiency in the rhesus monkey; with particular reference to the occurrence of atherosclerosis, dental caries, and hepatic cirrhosis. *Am J Clin Nutr* 1956;4:318-325.
- Risum S, Langer SW. [Plantar-palmar erythrodysesthesia: a new and relatively frequent side effect in antineoplastic treatment.] *Ugeskr Laeger* 2003;165(33):3161-3162. [Danish]
- Rivers JM. Oral contraceptives and ascorbic acid. *Am J Clin Nutr* 1975;28(5):550-554.

Citations and Reference Literature: Vitamin B6

- Robbins MA, Elias MF, Budge MM, et al. Homocysteine, type 2 diabetes mellitus, and cognitive performance: the Maine-Syracuse Study. *Clin Chem Lab Med* 2005;43(10):1101-1106.
- Robinson C, Weigly E. Basic nutrition and diet therapy. New York: MacMillan; 1984. (Review)
- Robinson K, Arheart K, Refsum H, et al. Low circulating folate and vitamin B6 concentrations: risk factors for stroke, peripheral vascular disease, and coronary artery disease. *Circulation* 1998;97:437-443.
- Rock CL, Vasantharajan S. Vitamin status of eating disorder patients: relationship to clinical indices and effect of treatment. *Int J Eating Disord* 1995;18:257-262.
- Roe DA. Diet and drug interactions. New York: Van Nostrand Reinhold; 1989. (Review)
- Roe DA. Drug-induced nutritional deficiencies. 2nd ed. Westport, CT: Avi Publishing; 1985. (Review)
- Roe DA. Risk factors in drug-induced nutritional deficiencies. In: Roe DA, Campbell T, eds. *Drugs and nutrients: the interactive effects*. New York: Marcel Dekker; 1984:505-523. (Review)
- Romero JA, Kuczler FJ Jr. Isoniazid overdose: recognition and management. *Am Fam Physician* 1998;57(4):749-752. (Review)
- Rose DP, Adams PW. Oral contraceptives and tryptophan metabolism: effects of oestrogen in low dose combined with a progestagen and of a low-dose progestagen (megestrol acetate) given alone. *J Clin Pathol* 1972;25(3):252-258.
- Rose DP, Leklem JE, Brown RR, et al. Effect of oral contraceptives and vitamin B6 deficiency on carbohydrate metabolism. *Am J Clin Nutr* 1975;28(8):872-878.
- Rose DP, Strong R, Adams PW, et al. Experimental vitamin B6 deficiency and the effect of oestrogen-containing oral contraceptives on tryptophan metabolism and vitamin B6 requirements. *Clin Sci* 1972;42(4):465-477.
- Rose DP, Strong R, Folkard J, et al. Erythrocyte aminotransferase activities in women using oral contraceptives and the effect of vitamin B6 supplementation. *Am J Clin Nutr* 1973;26(1):48-52.
- Ross JB, Moss MA. Relief of the photosensitivity of erythropoietic protoporphyria by pyridoxine. *J Am Acad Dermatol* 1990;22(2 Pt 2):340-342.
- Ross EA, Shah GM, Reynolds RD, et al. Vitamin B6 requirements of patients on chronic peritoneal dialysis. *Kidney Int* 1989;36(4):702-706.
- Roubenoff R, Roubenoff RA, Selhub J, et al. Abnormal vitamin B6 status in rheumatoid cachexia: association with spontaneous tumor necrosis factor alpha production and markers of inflammation. *Arthritis Rheum* 1995;38(1):105-109.
- Rumsby PC, Shepherd DM. The effect of penicillamine on vitamin B6 function in man. *Biochem Pharmacol* 1981;30(22):3051-3053.
- Russ C, Hendricks T, Chrisley B, et al. Vitamin B6 status of depressed and obsessive-compulsive patients. *Nutr Rep Int* 1983;27:867-873.
- Sahakian V, Rouse D, Sipes S, et al. Vitamin B6 is effective therapy for nausea and vomiting of pregnancy: a randomized, double-blind placebo-controlled study. *Obstet Gynecol* 1991;78(1):33-36.
- Saibeni S, Cattaneo M, Vecchi M, et al. Low vitamin B6 plasma levels, a risk factor for thrombosis, in inflammatory bowel disease: role of inflammation and correlation with acute phase reactants. *Am J Gastroenterol* 2003;98:112-117.
- Sanpitak N, Chayutimonkul L. Oral contraceptives and riboflavine nutrition. *Lancet* 1974;1(7862):836-837.
- Sato Y, Honda Y, Iwamoto J, et al. Homocysteine as a predictive factor for hip fracture in stroke patients. *Bone* 2005;36(4):721-726.
- Sauberlich HE. Newer laboratory methods for assessing nutriture of selected B-complex vitamins. *Annu Rev Nutr* 1984;4:377-407. (Review)
- Schaeffer MC, Gretz D, Gietzen DW, et al. Dietary excess of vitamin B-6 affects the concentrations of amino acids in the caudate nucleus and serum and the binding properties of serotonin receptors in the brain cortex of rats. *J Nutr* 1998;128(10):1829-1835.
- Scharman EJ, Rosencrane JG. Isoniazid toxicity: a survey of pyridoxine availability. *Am J Emerg Med* 1994;12(3):386-388.
- Schaumburg H, Kaplan J, Windebank A, et al. Sensory neuropathy from pyridoxine abuse: a new megavitamin syndrome. *N Engl J Med* 1983;309(8):445-448.
- Schneider G, Käck H, Lindquist Y. The manifold of vitamin B6 dependent enzymes. *Structure* 2000;8:R1-R6.
- Schnyder G, Roffi M, Pin R, et al. Decreased rate of coronary restenosis after lowering of plasma homocysteine levels. *N Engl J Med* 2001;345(22):1593-1600.
- Schnyder G, Roffi M, Flammer Y, et al. Effect of homocysteine-lowering therapy with folic acid, vitamin B12, and vitamin b6 on clinical outcome after percutaneous coronary intervention: the Swiss heart study: a randomized controlled trial. *JAMA* 2002;288(8):973-979.
- Schuster K, Bailey LB, Mahan CS. Vitamin B6 status of low-income adolescent and adult pregnant women and the condition of their infants at birth. *Am J Clin Nutr* 1981;34(9):1731-1735.
- Schwaninger M, Ringleb P, Winter R, et al. Elevated plasma concentrations of homocysteine in antiepileptic drug treatment. *Epilepsia* 1999;40(3):345-350.

Citations and Reference Literature: Vitamin B6

- Seelig MS. Auto-immune complications of D-penicillamine: a possible result of zinc and magnesium depletion and of pyridoxine inactivation. *J Am Coll Nutr* 1982;1(2):207-214.
- Selhub J. Folate, vitamin B12 and vitamin B6 and one carbon metabolism. *J Nutr Health Aging* 2002;6(1):39-42. (Review)
- Selhub J, Bagley LC, Miller J, et al. B vitamins, homocysteine, and neurocognitive function in the elderly. *Am J Clin Nutr* 2000;71(2):614S-620S.
- Selhub J, Jacques PF, Bosotm AG, et al. Relationship between plasma homocysteine and vitamin status in the Framingham study population: impact of folic acid fortification. *Public Health Rev* 2000;28:117-145.
- Selhub J, Jaques PF, Wilson PWF, et al. Vitamin status and intake as primary determinants of homocystinaemia in an elderly population. *JAMA* 1993;270:2693-2698.
- Sermet A, Aybak M, Ulak G, et al. Effect of oral pyridoxine hydrochloride supplementation on in vitro platelet sensitivity to different agonists. *Arzneimittelforschung* 1995;45:19-21.
- Seto T, Inada H, Kobayashi N, et al. [Depression of serum pyridoxal levels in theophylline-related seizures.] *No To Hattatsu* 2000;32:295-300. [Japanese]
- Shah BR, Santucci K, Sinert R, et al. Acute isoniazid neurotoxicity in an urban hospital. *Pediatrics* 1995;95(5):700-704.
- Shah GM, Ross EA, Sabo A, et al. Ascorbic acid supplements in patients receiving chronic peritoneal dialysis. *Am J Kidney Dis* 1991;18(1):84-90.
- Shah GM, Ross EA, Sabo A, et al. Effects of ascorbic acid and pyridoxine supplementation on oxalate metabolism in peritoneal dialysis patients. *Am J Kidney Dis* 1992;20(1):42-49.
- Shenfield GM. Oral contraceptives: are drug interactions of clinical significance? *Drug Safety* 1993;9(1):21-37. (Review)
- Sherertz EF. Acneiform eruption due to "megadose" vitamins B6 and B12. *Cutis* 1991;48(2):119-120.
- Shimizu T, Maeda S, Arakawa H, et al. Relation between theophylline and circulating vitamin levels in children with asthma. *Pharmacology* 1996;53:384-389.
- Shimizu T, Maeda S, Mochizuki H, et al. Theophylline attenuates circulating vitamin B6 levels in children with asthma. *Pharmacology* 1994;49(6):392-397.
- Shizukuishi S, Nishii S, Folkers K. Distribution of vitamin B6 deficiency in university students. *J Nutr Sci Vitaminol (Tokyo)* 1981;27(3):193-197.
- Shor-Posner G, Feaster D, Blaney NT. Impact of vitamin B6 status on psychological distress in a longitudinal study of HIV-1 infection. *Int J Psychiatry Med* 1994;24(3):209-222.
- Shumann K. Interactions between drugs and vitamins in advanced age. *Int J Vitam Nutr Res* 1999;69(3):173-178. (Review)
- Simkovic M, Freman FE. Alternative quinone substrates and inhibitors of human electron-transfer flavoprotein-ubiquinone oxidoreductase. *Biochem J* 2004;378(Pt 2):633-640.
- Sinatra ST, DeMarco J. Free radicals, oxidative stress, oxidized low density lipoprotein (LDL), and the heart: antioxidants and other strategies to limit cardiovascular damage. *Conn Med* 1995;59(10):579-588. (Review)
- Siri PW, Verhoef P, Kok FJ. Vitamins B6, B12, and folate: association with plasma total homocysteine and risk of coronary atherosclerosis. *J Am Coll Nutr* 1998;17:435-441.
- Smallwood J, Ah-Kye D, Taylor I. Vitamin B6 in the treatment of pre-menstrual mastalgia. *Br J Clin Pract* 1986;40:532-533.
- Smith GP, Rudge PJ, Peters TJ. Biochemical studies of pyridoxal and pyridoxal phosphate status and therapeutic trial of pyridoxine in patients with carpal tunnel syndrome. *Ann Neurol* 1984;15:104-107.
- Snider DE Jr. Pyridoxine supplementation during isoniazid therapy. *Tubercle* 1980;61(4):191-196. (Review)
- Snider D. Pyridoxine therapy for premenstrual acne flare. *Arch Dermatol* 1974;110(1):130-131. (Letter)
- Spellacy WN, Buhi WC, Birk SA. Vitamin B6 treatment of gestational diabetes mellitus. *Am J Obstet Gynecol* 1977;127:599-602.
- Spence JD, Bang H, Chambless LE, et al. Vitamin Intervention For Stroke Prevention trial: an efficacy analysis. *Stroke* 2005;36(11):2404-2409.
- Spooner GR, Desai HB, Angel JF, et al. Using pyridoxine to treat carpal tunnel syndrome: randomized control trial. *Can Fam Physician* 1993;39:2122-2127.
- Stanton B, Giebisch G, Klein-Robbenhaar G, et al. Effects of adrenalectomy and chronic adrenal corticosteroid replacement on potassium transport in rat kidney. *J Clin Invest* 1985;75(4):1317-1326.
- Steffen LM. Eat your fruit and vegetables. *Lancet* 2006;367:278-279. (Editorial)
- Steffen LM, Folsom AR, Cushman M, et al. Greater fish, fruit, and vegetable intakes are related to lower incidence of venous thromboembolism: the Longitudinal Investigation of Thromboembolism Etiology. *Circulation* 2007;115(2):188-195.
- Stern F, Berner YN, Polyak Z, et al. [Nutritional status and vitamin B6 supplementation in the institutionalized elderly.] *Harefuah* 2000;139:97-102, 166, 167. [Hebrew]

Citations and Reference Literature: Vitamin B6

- Stewart A. Vitamin B6 in the treatment of the premenstrual syndrome: review. *Br J Obstet Gynaecol* 1991;98(3):329-330. (Letter)
- Stewart JW, Harrison W, Quitkin F, et al. Low B6 levels in depressed outpatients. *Biol Psychiatry* 1984;19(4):613-616.
- Stott DJ, Macintosh G, Lowe GD, et al. Randomized controlled trial of homocysteine-lowering vitamin treatment in elderly patients with vascular disease. *Am J Clin Nutr* 2005;82(6):1320-1326.
- Stransky M, Rubin A, Lava NS, et al. Treatment of carpal tunnel syndrome with vitamin B6: a double-blind study. *South Med J* 1989;82:841-842.
- Stromberg P, Shenkin A, Campbell RA, et al. Vitamin status during total parenteral nutrition. *JPEN J Parenter Enteral Nutr* 1981;5(4):295-299.
- Sur S, Camara M, Buchmeier A, et al. Double-blind trial of pyridoxine (vitamin B6) in the treatment of steroid-dependent asthma. *Ann Allergy* 1993;70:147-152.
- Talbott MC, Miller LT, Kerkvliet NI. Pyridoxine supplementation: effect on lymphocyte responses in elderly persons. *Am J Clin Nutr* 1987;46(4):659-664.
- Tall AR. Protease variants, LDL, and coronary heart disease. *N Engl J Med* 2006;354:1310-1312. (Editorial)
- Talwar D, Quasim T, McMillan DC, et al. Pyridoxal phosphate decreases in plasma but not erythrocytes during systemic inflammatory response. *Clin Chem* 2003;49:515-518.
- Thorp VJ. Effect of oral contraceptive agents on vitamin and mineral requirements. *J Am Diet Assoc* 1980;76(6):581-584.
- Threlkeld DS, ed. Central nervous system drugs, antidepressants, monoamine oxidase inhibitors. In: *Facts and comparisons drug information*. St Louis: Facts and Comparisons; 1997.
- Threlkeld DS, ed. Gastrointestinal drugs, histamine H2 antagonists. In: *Facts and comparisons drug information*. St Louis: Facts and Comparisons; 1995.
- Threlkeld DS, ed. Hormones, oral contraceptives. In: *Facts and comparisons drug information*. St Louis: Facts and Comparisons; 1994.
- Threlkeld DS, ed. Respiratory drugs, bronchodilators, xanthine derivatives. In: *Facts and comparisons drug information*. St Louis: Facts and Comparisons; 1991.
- Tietz NW, ed. *Clinical guide to laboratory tests*. 3rd ed. Philadelphia: Saunders; 1995:636-637.
- Till U, Rohl P, Jentsch A, et al. Decrease of carotid intima-media thickness in patients at risk to cerebral ischemia after supplementation with folic acid, vitamins B6 and B12. *Atherosclerosis* 2005;181(1):131-135.
- Tolomelli B, Caudarella R, Rizzoli E, et al. Relationships between some lithogenetic factors and vitamin B6-status in idiopathic calcium lithiasis. *Int J Vitam Nutr Res* 1991;61(4):304-309.
- Troen AM. The central nervous system in animal models of hyperhomocysteinemia. *Prog Neuropsychopharmacol Biol Psychiatry* 2005;29(7):1140-1151. (Review)
- Trovato A, Nuhlicek DN, Midtling JE. Drug-nutrient interactions. *Am Fam Physician* 1991;44(5):1651-1658. (Review)
- Tryfiates GP. Control of tumor growth by pyridoxine restriction or treatment with an antivitamin agent. *Cancer Detect Prev* 1981;4(1-4):159-164.
- Tucker KL, Qiao N, Scott T, et al. High homocysteine and low B vitamins predict cognitive decline in aging men: the Veterans Affairs Normative Aging Study. *Am J Clin Nutr* 2005;82:627-635.
- Turner SL, Bechtel GA. Homocysteine and the heart. *Adv Nurse Pract* 1999;7(3):71-73.
- Tyrer LB. Nutrition and the pill. *J Reprod Med* 1984;29(7 Suppl):547-550.
- Ubbink JB. Vitamin nutrition status and homocysteine: an atherogenic risk factor. *Nutr Rev* 1994;52(11):383-387.
- Ubbink JB, Delpont R, Becker PJ, et al. Evidence of a theophylline-induced vitamin B6 deficiency caused by noncompetitive inhibition of pyridoxal kinase. *J Lab Clin Med* 1989;113(1):15-22.
- Ubbink JB, Delpont R, Bissbort S, et al. Relationship between vitamin B-6 status and elevated pyridoxal kinase levels induced by theophylline therapy in humans. *J Nutr* 1990;120(11):1352-1359.
- Ubbink JB, Hayward Vermaak WJ, et al. The relationship between vitamin B6 metabolism, asthma, and theophylline therapy. *Ann N Y Acad Sci* 1990;585:285-294.
- Ubbink JB, van der Merwe A, Delpont R, et al. The effect of a subnormal vitamin B-6 status on homocysteine metabolism. *J Clin Invest* 1996;98(1):177-184.
- Ubbink JB, Vermaak WJ, Delpont R, et al. The relationship between vitamin B6 metabolism, asthma, and theophylline therapy. *Ann N Y Acad Sci* 1990;585:285-294. (Review)
- Ubbink JB, Vermaak WJ, van der Merwe A, et al. Vitamin requirements for the treatment of hyperhomocysteinemia in humans. *J Nutr* 1994;124(10):1927-1933.
- Ueland PM, Refsum H. [Plasma homocysteine, a risk factor for premature vascular disease: plasma levels in healthy persons; during pathologic conditions and drug therapy.] *Nord Med* 1989;104(11):293-298. [Norwegian]

Citations and Reference Literature: Vitamin B6

- USDA. Handbook #8 series. Washington, DC: ARS, USDA; 1976-1986.
- Vail DM, Chun R, Thamm DH, et al. Efficacy of pyridoxine to ameliorate the cutaneous toxicity associated with doxorubicin containing pegylated (Stealth) liposomes: a randomized, double-blind clinical trial using a canine model. *Clin Cancer Res* 1998;4(6):1567-1571.
- van der Beek EJ. Vitamins and endurance training: food for running or faddish claims? *Sports Med* 1985;2(3):175-197. (Review)
- van der Wielen RP, Lowik MR, Haller J, et al. Vitamin B-6 malnutrition among elderly Europeans: the SENECA study. *J Gerontol A Biol Sci Med Sci* 1996;51(6):B417-B424.
- van der Wielen RP, de Wild GM, de Groot LC, et al. Dietary intakes of energy and water-soluble vitamins in different categories of aging. *J Gerontol A Biol Sci Med Sci* 1996;51(1):B100-B107.
- van der Wielen RP, van Heereveld HA, de Groot CP, et al. Nutritional status of elderly female nursing home residents; the effect of supplementation with a physiological dose of water-soluble vitamins. *Eur J Clin Nutr* 1995;49(9):665-674.
- Varela-Moreiras G. Nutritional regulation of homocysteine: effects of drugs. *Biomed Pharmacother* 2001;55(8):448-453. (Review)
- Veninga KS. Effects of oral contraceptives on vitamins B6, B12, C, and folacin. *J Nurse Midwifery* 1984;29(6):386-390.
- Vermaak WJ, Barnard HC, Potgieter GM, et al. Vitamin B6 and coronary artery disease: epidemiological observations and case studies. *Atherosclerosis* 1987;63(2-3):235-238.
- Vermaak WJ, Barnard HC, Van Dalen EM, et al. Compartmentalization of pyridoxal-5'phosphate during the acute phase of myocardial infarction. *Klin Wochenschr* 1988;66:428-433.
- Vermeulen EGJ, Stehouwer CDA, Twisk JWR, et al. Effect of homocysteine-lowering treatment with folic acid plus vitamin B6 on progression of subclinical atherosclerosis: a randomised, placebo-controlled trial. *Lancet* 2000;355:517-522.
- Vidrio H. Interaction with pyridoxal as a possible mechanism of hydralazine hypotension. *J Cardiovasc Pharmacol* 1990;15(1):150-156.
- Vilaseca MA, Monros E, Artuch R, et al. Anti-epileptic drug treatment in children: hyperhomocysteinaemia, B-vitamins and the 677C→T mutation of the methylenetetrahydrofolate reductase gene. *Eur J Paediatr Neurol* 2000;4(6):269-277.
- Villegas-Salas E, Ponce de Leon R, Juarez-Perez, et al. Effect of vitamin B6 on the side effects of a low-dose combined oral contraceptive. *Contraception* 1997;55(4):245-248.
- Vir SC, Love AH. Effect of oral contraceptives on vitamin B6 nutriture of young women. *Int J Vitam Nutr Res* 1980;50(1):29-34.
- von Castel-Dunwoody KM, Kauwell GPA, Shelnutt KP, et al. Transcobalamin 776C→G polymorphism negatively affects vitamin B-12 metabolism. *Am J Clin Nutr* 2005;81:1436-1441.
- Vukelja SJ, Baker WJ, Burris HA III, et al. Pyridoxine therapy for palmar-plantar erythrodysesthesia associated with taxotere. *J Natl Cancer Inst* 1993;85(17):1432-1433. (Case report, Letter)
- Vukelja SJ, Lombardo F, James WD, et al. Pyridoxine for the palmar-plantar erythrodysesthesia syndrome. *Ann Intern Med* 1989;111:688-689. (Case report, Letter)
- Vutyavanich T, Wongtra-ngan S, Ruangsri R. Pyridoxine for nausea and vomiting of pregnancy: a randomized, double-blind, placebo-controlled trial. *Am J Obstet Gynecol* 1995;173(3 Pt 1):881-884.
- Wachstein G. Influence of B6 on the incidence of pre-eclampsia. *Gynecology* 1956;8:177.
- Wada M. [The adverse reactions of anti-tuberculosis drugs and its management.] *Nippon Rinsho* 1998;56(12):3091-3095. [Japanese]
- Wald DS, Law M, Morris JK. Homocysteine and cardiovascular disease: evidence on causality from a meta-analysis. *BMJ* 2002;325:1202-1206.
- Wald DS, Wald NJ, Morris JK, et al. Folic acid, homocysteine, and cardiovascular disease: judging causality in the face of inconclusive trial evidence. *BMJ* 2006;333(7578):1114-1117. (Editorial, Review)
- Wang HX, Wahlin A, Basun H, et al. Pyridoxine for nausea and vomiting: vitamin B(12) and folate in relation to the development of Alzheimer's disease. *Neurology* 2001;56(9):1188-1194.
- Wang TJ, Gona P, Larson MG, et al. Multiple biomarkers for the prediction of first major cardiovascular events and death. *N Engl J Med* 2006;355(25):2631-2639.
- Ware JH. The limitations of risk factors as diagnostic tools. *N Engl J Med* 2006;355(25):2615-2617. (Editorial)
- Warren CJ. What is homocysteine? *Am J Nurs* 1999;99(10):39-41.
- Webb JL. Nutritional effects of oral contraceptive use: a review. *J Reprod Med* 1980;25(4):150-156. (Review)
- Weber P. The role of vitamins in the prevention of osteoporosis: a brief status report. *Int J Vitam Nutr Res* 1999;69(3):194-197. (Review)
- Wei EK, Giovannucci E, Selhub J, et al. Plasma vitamin B6 and the risk of colorectal cancer and adenoma in women. *J Natl Cancer Inst* 2005;97(9):684-692.
- Weinstein BB, Wohl Z, Mitchell GJ, et al. Oral administration of B6 in the treatment of nausea and vomiting of pregnancy. *Am J Obstet Gynecol* 1944;47:389-394.
- Weir MR, Keniston RC, Enriquez JI Sr, et al. Depression of vitamin B6 levels due to gentamicin. *Vet Hum Toxicol* 1990;32(3):235-238.

Citations and Reference Literature: Vitamin B6

- Weir MR, Keniston RC, Enriquez JI, et al. Depression of vitamin B6 levels due to theophylline. *Ann Allergy* 1990;65(1):59-62.
- Welch GN, Upchurch GR Jr, Loscalzo J. Homocysteine, oxidative stress, and vascular disease. *Hosp Pract (Minneapolis)* 1997;32(6):81-82, 85, 88-92. (Review)
- Werbach MR. Foundations of nutritional medicine. Tarzana, CA: Third Line Press; 1997. (Review)
- Whyte MP, Mahuren JD, Vrabel LA, et al. Markedly increased circulating pyridoxal-5'-phosphate levels in hypophosphatasia: alkaline phosphatase acts in vitamin B6 metabolism. *J Clin Invest* 1985;76:752-756.
- Williams DG. Methods for the estimation of three vitamin dependent red cell enzymes. *Clin Biochem* 1976;9:252-255.
- Williams MJ, Harris RI, Dean BC. Controlled trial of pyridoxine in the premenstrual syndrome. *J Int Med Res* 1985;13(3):174-179.
- Willis R, Anthony M, Sun L, et al. Clinical implications of the correlation between coenzyme Q10 and vitamin B6 status. *Biofactors* 1999;9(2-4):359-363.
- Wilson JD. Vitamin deficiency and excess. In: Fauci AS, Braunwald E, Isselbacher KJ, et al, eds. *Harrison's principles of internal medicine*. 14th ed. New York: McGraw-Hill; 1998:483-485.
- Winston F. Oral contraceptives, pyridoxine, and depression. *Am J Psychiatry* 1973;130(11):1217-1221.
- Wiss O, Weber F. Biochemical pathology of vitamin B6 deficiency. *Vitam Horm* 1964;22:495-501.
- Witte KK, Clark AL, Cleland JG. Chronic heart failure and micronutrients. *J Am Coll Cardiol* 2001;37(7):1765-1774. (Review)
- Wohlrab J, Fischer M, Stoldt G, et al. [52-Year old patient with skin discoloration.] *Internist (Berl)* 2001;42(9):1256-1260. (Case Report) [German]
- Wong A, Mok V, Fan YH, et al. Hyperhomocysteinemia is associated with volumetric white matter change in patients with small vessel disease. *J Neurol* 2006;253(4):441-447.
- Worthington BS. Nutrition during pregnancy, lactation, and oral contraception. *Nurs Clin North Am* 1979;14(2):269-83.
- Wyatt KM, Dimmock PW, Jones PW, et al. Efficacy of vitamin B6 in the treatment of premenstrual syndrome: systematic review. *BMJ* 1999;318(7195):1375-1381. (Review)
- Wynn V. Vitamins and oral contraceptive use. *Lancet* 1975;1(7906):561-564.
- Wynn V, Adams PW, Folkard J, et al. Tryptophan, depression and steroidal contraception. *J Steroid Biochem* 1975;6(6):965-970. (Review)
- Yamashita J. Susceptibility to thiosemicarbazide (an antagonist of vitamin B6), and phylogenetic and ontogenetic development of brain. *J Nutr Sci Vitaminol (Tokyo)* 1974;20(2):113-119.
- Yen-Koo HC, Balazs T. Alteration of convulsive threshold and conditioned avoidance response in mice fed diets containing contraceptive steroids. *Drug Chem Toxicol* 1984;7(6):541-549.
- Yones SS, O'Donoghue NB, Palmer RA, et al. Persistent severe amiodarone-induced photosensitivity. *Clin Exp Dermatol* 2005;30(5):500-502. (Case report)
- Younes-Mhenni S, Derex L, Berruyer M, et al. Large-artery stroke in a young patient with Crohn's disease: role of vitamin B6 deficiency-induced hyperhomocysteinemia. *J Neurol Sci* 2004;221(1-2):113-115.
- Yxfeldt A, Wallberg-Jonsson S, Hultdin J, et al. Homocysteine in patients with rheumatoid arthritis in relation to inflammation and B-vitamin treatment. *Scand J Rheumatol* 2003;32(4):205-210.
- Zhang SM, Willett WC, Selhub J, et al. Plasma folate, vitamin B6, vitamin B12, homocysteine, and risk of breast cancer. *J Natl Cancer Inst* 2003;95(5):373-380.
- Zoccolella S, Lamberti P, Iliceto G, et al. Plasma homocysteine levels in L-dopa-treated Parkinson's disease patients with cognitive dysfunctions. *Clin Chem Lab Med* 2005;43(10):1107-1110.