

## Citations and Reference Literature: Vitamin D

### Citations

1. Tsuritani I, Brooke-Wavell KS, Mastana SS et al. Does vitamin D receptor polymorphism influence the response of bone to brisk walking in postmenopausal women? *Horm Res* 1998;50:315-319.
2. Blanchet C, Giguere Y, Prud'homme D et al. Association of physical activity and bone: influence of vitamin D receptor genotype. *Med Sci Sports Exerc* 2002;34:24-31.
3. Slatter ML, Yakumo K, Hoffman M, Neuhausen S. Variants of the VDR gene and risk of colon cancer (United States). *Cancer Causes Control* 2001;12:359-364.
4. Motohashi Y, Yamada S, Yanagawa T et al. Vitamin D receptor gene polymorphism affects onset pattern of type 1 diabetes. *J Clin Endocrinol Metab* 2003;88:3137-3140.
5. Marc J, Prezelj J, Komel R, Kocijancic A. Association of vitamin D receptor gene polymorphism with bone mineral density in Slovenian postmenopausal women. *Gynecol Endocrinol* 2000;14:60-64.
6. Heaney RP. Long-latency deficiency disease: insights from calcium and vitamin D. *Am J Clin Nutr* 2003;78:912-919.
7. Plotnikoff GA. Vitamin D: the steroid hormone prescription for every patient. *Minn Med* 2003;86:43-45.
8. Chapuy MC, Preziosi P, Maamer M et al. Prevalence of vitamin D insufficiency in an adult normal population. *Osteoporos Int* 1997;7:439-443.
9. Thomas MK, Lloyd-Jones DM, Thadhani RI et al. Hypovitaminosis D in medical inpatients. *N Engl J Med* 1998;338:777-783.
10. Holick MF. High prevalence of vitamin D inadequacy and implications for health. *Mayo Clin Proc* 2006;81:353-373.
11. Mezquita-Raya P, Munoz-Torres M, Luna JD et al. Relation between vitamin D insufficiency, bone density, and bone metabolism in healthy postmenopausal women. *J Bone Miner Res* 2001;16:1408-1415.
12. Tangpricha V, Pearce EN, Chen TC, Holick MF. Vitamin D insufficiency among free-living healthy young adults. *Am J Med* 2002;112:659-662.
13. Tuohimaa P, Lyakhovich A, Aksnenov N et al. Vitamin D and prostate cancer. *J Steroid Biochem Mol Biol* 2001;76:125-134.
14. Vieth R. Vitamin D supplementation, 25-hydroxyvitamin D concentrations, and safety. *Am J Clin Nutr* 1999;69:842-856.
15. Vieth R, Chan PC, MacFarlane GD. Efficacy and safety of vitamin D<sub>3</sub> intake exceeding the lowest observed adverse effect level. *Am J Clin Nutr* 2001;73:288-294.
16. Hewison M, O'Riordan JL. Hormone-nuclear receptor interactions in health and disease: vitamin D resistance. *Baillieres Clin Endocrinol Metab* 1994;8:305-315.
17. Binkley N. Assay variation confounds hypovitaminosis D diagnosis: a call for standardization. Abstract F482. 25th Annual Meeting of the American Society for Bone and Mineral Research. Minneapolis; 2003.
18. Malabanan A, Veronikis IE, Holick MF. Redefining vitamin D insufficiency. *Lancet* 1998;351:805-806.
19. Heaney RP, Davies KM, Chen TC et al. Human serum 25-hydroxycholecalciferol response to extended oral dosing with cholecalciferol. *Am J Clin Nutr* 2003;77:204-210.
20. Heaney RP, Dowell MS, Hale CA, Bendich A. Calcium absorption varies within the reference range for serum 25-hydroxyvitamin D. *J Am Coll Nutr* 2003;22:142-146.
21. Food and Nutrition Board, Institute of Medicine. Vitamin D. Dietary Reference Intakes: Calcium, Phosphorus, Magnesium, Vitamin D, and Fluoride. Washington, DC: National Academy Press; 1997.
22. Vieth R, Kimball S, Hu A, Walfish PG. Randomized comparison of the effects of the vitamin D<sub>3</sub> adequate intake versus 100 mcg (4000 IU) per day on biochemical responses and the wellbeing of patients. *Nutr J* 2004;3:8.
23. Dawson-Hughes B, Heaney RP, Holick MF et al. Estimates of optimal vitamin D status. *Osteoporos Int* 2005;16:713-716.
24. Holick MF. The vitamin D epidemic and its health consequences. *J Nutr* 2005;135:2739S-2748S.
25. Raloff J. Bread and chocolate, no longer D-Minimus. *Science News Online* 2005;167.
26. Mocanu V, Stitt PA, Costan AR et al. Long-term efficacy and safety of high vitamin D intakes as fortified bread. *FASEB J* 2005;19:A59.
27. Hollis BW. Circulating 25-hydroxyvitamin D levels indicative of vitamin D sufficiency: implications for establishing a new effective dietary intake recommendation for vitamin D. *J Nutr* 2005;135:317-322.
28. Holick MF. High prevalence and clinical implications of vitamin D inadequacy. *Mayo Clin Proc* 2006;81:353-373.
29. Holick MF. The role of vitamin D for bone health and fracture prevention. *Curr Osteoporos Rep* 2006;4:96-102.
30. Vieth R. Critique of the considerations for establishing the tolerable upper intake level for vitamin D: critical need for revision upwards. *J Nutr* 2006;136:1117-1122.
31. Whiting SJ, Calvo MS. Overview. Proceedings from Experimental Biology 2005 Symposium. Optimizing Vitamin D Intake for Populations with Special Needs: Barriers to Effective Food Fortification and Supplementation. *J Nutr* 2006;136:1114-1116.

## Citations and Reference Literature: Vitamin D

32. Lappe JM, Davies KM, Travers-Gustafson D, Heaney RP. Vitamin D status in a rural postmenopausal female population. *J Am Coll Nutr* 2006;25:395-402.
33. Hathcock JN, Shao A, Vieth R, Heaney R. Risk assessment for vitamin D. *Am J Clin Nutr* 2007;85:6-18.
34. Heaney RP. Barriers to optimizing vitamin D<sub>3</sub> intake for the elderly. *J Nutr* 2006;136:1123-1125.
35. Tuohimaa P, Tenkanen L, Ahonen M et al. Both high and low levels of blood vitamin D are associated with a higher prostate cancer risk: a longitudinal, nested case-control study in the Nordic countries. *Int J Cancer* 2004;108:104-108.
36. Semba RD, Garrett E, Johnson BA et al. Vitamin D deficiency among older women with and without disability. *Am J Clin Nutr* 2000;72:1529-1534.
37. Heaney RP. Vitamin D, nutritional deficiency, and the medical paradigm. *J Clin Endocrinol Metab* 2003;88:5107-5108.
38. Porthouse J, Cockayne S, King C et al. Randomised controlled trial of calcium and supplementation with cholecalciferol (vitamin D<sub>3</sub>) for prevention of fractures in primary care. *BMJ* 2005;330:1003.
39. Grant AM, Avenell A, Campbell MK et al. Oral vitamin D<sub>3</sub> and calcium for secondary prevention of low-trauma fractures in elderly people (Randomised Evaluation of Calcium or Vitamin D, RECORD): a randomised placebo-controlled trial. *Lancet* 2005;365:1621-1628.
40. Holick MF. Vitamin D: importance in the prevention of cancers, type 1 diabetes, heart disease, and osteoporosis. *Am J Clin Nutr* 2004;79:362-371.
41. Steingrimsdottir L, Gunnarsson O, Indridason OS et al. Relationship between serum parathyroid hormone levels, vitamin D sufficiency, and calcium intake. *JAMA* 2005;294:2336-2341.
42. Jackson RD, LaCroix AZ, Gass M et al. Calcium plus vitamin D supplementation and the risk of fractures. *N Engl J Med* 2006;354:669-683.
43. Kinjo M, Setoguchi S, Schneeweiss S, Solomon DH. Bone mineral density in subjects using central nervous system-active medications. *Am J Med* 2005;118:1414.
44. Liu RH, Albrecht J, Werth VP. Cross-sectional study of bisphosphonate use in dermatology patients receiving long-term oral corticosteroid therapy. *Arch Dermatol* 2006;142:37-41.
45. Takahashi S, Yamamoto T, Moriwaki Y et al. Decreased serum concentrations of 1,25(OH)<sub>2</sub>-vitamin D<sub>3</sub> in patients with gout. *Adv Exp Med Biol* 1998;431:57-60.
46. Wei JT, Gross M, Jaffe CA et al. Androgen deprivation therapy for prostate cancer results in significant loss of bone density. *Urology* 1999;54:607-611.
47. Kiratli BJ, Srinivas S, Perkash I, Terris MK. Progressive decrease in bone density over 10 years of androgen deprivation therapy in patients with prostate cancer. *Urology* 2001;57:127-132.
48. Daniell HW. Osteoporosis due to androgen deprivation therapy in men with prostate cancer. *Urology* 2001;58:101-107.
49. Basaria S, Lieb J 2nd, Tang AM et al. Long-term effects of androgen deprivation therapy in prostate cancer patients. *Clin Endocrinol (Oxf)* 2002;56:779-786.
50. Chen Z, Maricic M, Nguyen P et al. Low bone density and high percentage of body fat among men who were treated with androgen deprivation therapy for prostate carcinoma. *Cancer* 2002;95:2136-2144.
51. Smith MR. Osteoporosis during androgen deprivation therapy for prostate cancer. *Urology* 2002;60:79-85; discussion 86.
52. Mittan D, Lee S, Miller E et al. Bone loss following hypogonadism in men with prostate cancer treated with GnRH analogs. *J Clin Endocrinol Metab* 2002;87:3656-3661.
53. Diamond TH, Higano CS, Smith MR et al. Osteoporosis in men with prostate carcinoma receiving androgen-deprivation therapy: recommendations for diagnosis and therapies. *Cancer* 2004;100(5):892-899.
54. Ofelelein MG, Ricchuiti V, Conrad W et al. Skeletal fracture associated with androgen suppression induced osteoporosis: the clinical incidence and risk factors for patients with prostate cancer. *J Urol* 2001;166:1724-1728.
55. Hatano T, Oishi Y, Furuta A et al. Incidence of bone fracture in patients receiving luteinizing hormone-releasing hormone agonists for prostate cancer. *BJU Int* 2000;86:449-452.
56. Townsend MF, Sanders WH, Northway RO, Graham SD Jr. Bone fractures associated with luteinizing hormone-releasing hormone agonists used in the treatment of prostate carcinoma. *Cancer* 1997;79:545-550.
57. Eastell R. Treatment of postmenopausal osteoporosis. *N Engl J Med* 1998;338:736-746.
58. Smith MR, McGovern FJ, Fallon MA et al. Low bone mineral density in hormone-naive men with prostate carcinoma. *Cancer* 2001;91:2238-2245.
59. Smith MR, McGovern FJ, Zietman AL et al. Pamidronate to prevent bone loss during androgen-deprivation therapy for prostate cancer. *N Engl J Med* 2001;345:948-955.

## Citations and Reference Literature: Vitamin D

60. Smith MR. Bisphosphonates to prevent osteoporosis in men receiving androgen deprivation therapy for prostate cancer. *Drugs Aging* 2003;20:175-183.
61. Higano CS. Management of bone loss in men with prostate cancer. *J Urol* 2003;170:S59-S63; discussion S64.
62. Smith MR, Eastham J, Gleason DM et al. Randomized controlled trial of zoledronic acid to prevent bone loss in men receiving androgen deprivation therapy for nonmetastatic prostate cancer. *J Urol* 2003;169:2008-2012.
63. Winnacker JL, Yeager H, Saunders JA et al. Rickets in children receiving anticonvulsant drugs: biochemical and hormonal markers. *Am J Dis Child* 1977;131:286-290.
64. Adachi JD, Ioannidis G. Calcium and vitamin D therapy in corticosteroid-induced bone loss: what is the evidence? *Calcif Tissue Int* 1999;65:332-336.
65. Zerwekh JE, Homan R, Tindall R, Pak CY. Decreased serum 24,25-dihydroxyvitamin D concentration during long-term anticonvulsant therapy in adult epileptics. *Ann Neurol* 1982;12:184-186.
66. Williams C, Netzloff M, Folkerts L et al. Vitamin D metabolism and anticonvulsant therapy: effect of sunshine on incidence of osteomalacia. *South Med J* 1984;77:834-836, 842.
67. Riancho JA, del Arco C, Arteaga R et al. Influence of solar irradiation on vitamin D levels in children on anticonvulsant drugs. *Acta Neurol Scand* 1989;79:296-299.
68. Hunt PA, Wu-Chen ML, Handal NJ et al. Bone disease induced by anticonvulsant therapy and treatment with calcitriol (1,25-dihydroxyvitamin D3). *Am J Dis Child* 1986;140:715-718.
69. Jekovec-Vrhovsek M, Kocijancic A, Prezelj J. Effect of vitamin D and calcium on bone mineral density in children with CP and epilepsy in full-time care. *Dev Med Child Neurol* 2000;42:403-405.
70. Telci A, Cakatay U, Kurt BB et al. Changes in bone turnover and deoxypyridinoline levels in epileptic patients. *Clin Chem Lab Med* 2000;38:47-50.
71. Farhat G, Yamout B, Mikati MA et al. Effect of antiepileptic drugs on bone density in ambulatory patients. *Neurology* 2002;58:1348-1353.
72. Jetter GM, Moreno L, Rogers S et al. Changes in vitamin D levels associated with enzyme-inducing AEDs in male epilepsy patients. Abstract B.03. First North American Epilepsy Congress: 60th Annual Meeting of the American Epilepsy Society. San Diego; 2006.
73. Valmadrid C, Voorhees C, Litt B, Schneyer CR. Practice patterns of neurologists regarding bone and mineral effects of antiepileptic drug therapy. *Arch Neurol* 2001;58:1369-1374.
74. Mikati MA, Dib L, Yamout B et al. Two randomized vitamin D trials in ambulatory patients on anticonvulsants: impact on bone. *Neurology* 2006;67:2005-2014.
75. Duus BR. Fractures caused by epileptic seizures and epileptic osteomalacia. *Injury* 1986;17:31-33.
76. Shearer MJ. The roles of vitamins D and K in bone health and osteoporosis prevention. *Proc Nutr Soc* 1997;56:915-937.
77. Heaney RP. Constructive interactions among nutrients and bone-active pharmacologic agents with principal emphasis on calcium, phosphorus, vitamin D and protein. *J Am Coll Nutr* 2001;20:403S-409S; discussion 417S-420S.
78. Heaney RP, Weaver CM. Calcium and vitamin D. *Endocrinol Metab Clin North Am* 2003;32:181-194, vii-viii.
79. Greenspan SL, Resnick NM, Parker RA. Combination therapy with hormone replacement and alendronate for prevention of bone loss in elderly women: a randomized controlled trial. *JAMA* 2003;289:2525-2533.
80. Heckman GA, Papaioannou A, Sebaldt RJ et al. Effect of vitamin D on bone mineral density of elderly patients with osteoporosis responding poorly to bisphosphonates. *BMC Musculoskelet Disord* 2002;3:6.
81. Brazier M, Kamel S, Lorget F et al. Biological effects of supplementation with vitamin D and calcium in postmenopausal women with low bone mass receiving alendronate. *Clin Drug Invest* 2002;22:849-857.
82. Siffledeen JS, Fedorak RN, Siminoski K et al. Randomized trial of etidronate plus calcium and vitamin D for treatment of low bone mineral density in Crohn's disease. *Clin Gastroenterol Hepatol* 2005;3:122-132.
83. Bernstein CN. Limiting fracture risk in Crohn's disease: is there anything better than calcium and vitamin D? *Clin Gastroenterol Hepatol* 2005;3:110-112.
84. Nelson JB, Greenspan SL, Resnick NM et al. Once-weekly oral alendronate prevents bone loss in men on androgen deprivation therapy for prostate cancer. Abstract 139. American Society of Clinical Oncology Prostate Cancer Symposium. San Francisco; 2006.
85. Flicker L, Mead K, MacInnis RJ et al. Serum vitamin D and falls in older women in residential care in Australia. *J Am Geriatr Soc* 2003;51:1533-1538.
86. Janssen HC, Samson MM, Verhaar HJ. Vitamin D deficiency, muscle function, and falls in elderly people. *Am J Clin Nutr* 2002;75:611-615.
87. West RJ, Lloyd JK. The effect of cholestyramine on intestinal absorption. *Gut* 1975;16:93-98.
88. Hathcock JN. Metabolic mechanisms of drug-nutrient interactions. *Fed Proc* 1985;44:124-129.

## Citations and Reference Literature: Vitamin D

89. Roe DA. Drug-Induced Nutritional Deficiencies. 2nd ed. Westport, Conn: Avi Publishing; 1985.
90. Tonstad S, Sivertsen M, Aksnes L, Ose L. Low dose colestipol in adolescents with familial hypercholesterolaemia. *Arch Dis Child* 1996;74:157-160.
91. Watkins DW, Khalafi R, Cassidy MM, Vahouny GV. Alterations in calcium, magnesium, iron, and zinc metabolism by dietary cholestyramine. *Dig Dis Sci* 1985;30:477-482.
92. Anonymous. Cimetidine inhibits the hepatic hydroxylation of vitamin D. *Nutr Rev* 1985;43:184-185.
93. Odes HS, Fraser GM, Krugliak P et al. Effect of cimetidine on hepatic vitamin D metabolism in humans. *Digestion* 1990;46:61-64.
94. Hahn TJ, Halstead LR, Baran DT. Effects off short-term glucocorticoid administration on intestinal calcium absorption and circulating vitamin D metabolite concentrations in man. *J Clin Endocrinol Metab* 1981;52:111-115.
95. Hahn TJ, Hendin BA, Scharp CR, Haddad JG Jr. Effect of chronic anticonvulsant therapy on serum 25-hydroxycalciferol levels in adults. *N Engl J Med* 1972;287:900-904.
96. Hodges R. Drug-nutrient interaction. *Nutrition in Medical Practice*. Philadelphia: Saunders; 1980:323-331.
97. Avioli LV. Effects of chronic corticosteroid therapy on mineral metabolism and calcium absorption. *Adv Exp Med Biol* 1984;171:81-89.
98. Chesney RW, Mazess RB, Hamstra AJ et al. Reduction of serum 1,25-dihydroxyvitamin D<sub>3</sub> in children receiving glucocorticoids. *Lancet* 1978;2:1123-1125.
99. Nielsen HK, Eriksen EF, Storm T, Mosekilde L. The effects of short-term, high-dose treatment with prednisone on the nuclear uptake of 1,25-dihydroxyvitamin D<sub>3</sub> in monocytes from normal human subjects. *Metabolism* 1988;37:109-114.
100. Yeh JK, Aloia JF, Semla HM. Interrelation of cortisone and 1,25-dihydroxycholecalciferol on intestinal calcium and phosphate absorption. *Calcif Tissue Int* 1984;36:608-614.
101. Hahn TJ, Halstead LR, Haddad JG Jr. Serum 25-hydroxyvitamin D concentrations in patients receiving chronic corticosteroid therapy. *J Lab Clin Med* 1977;90:399-404.
102. Buckley LM, Leib ES, Cartularo KS et al. Calcium and vitamin D<sub>3</sub> supplementation prevents bone loss in the spine secondary to low-dose corticosteroids in patients with rheumatoid arthritis: a randomized, double-blind, placebo-controlled trial. *Ann Intern Med* 1996;125:961-968.
103. Lems WF, Van Veen GJ, Gerrits MI et al. Effect of low-dose prednisone (with calcium and calcitriol supplementation) on calcium and bone metabolism in healthy volunteers. *Br J Rheumatol* 1998;37:27-33.
104. Wissing KM, Broeders N, Moreno-Reyes R et al. A controlled study of vitamin D<sub>3</sub> to prevent bone loss in renal-transplant patients receiving low doses of steroids. *Transplantation* 2005;79:108-115.
105. Amin S, LaValley MP, Simms RW, Felson DT. The role of vitamin D in corticosteroid-induced osteoporosis: a meta-analytic approach. *Arthritis Rheum* 1999;42:1740-1751.
106. Leone FT, Fish JE, Szeffler SJ, West SL. Systematic review of the evidence regarding potential complications of inhaled corticosteroid use in asthma: collaboration of American College of Chest Physicians, American Academy of Allergy, Asthma, and Immunology, and American College of Allergy, Asthma, and Immunology. *Chest* 2003;124:2329-2340.
107. Elmstahl S, Ekstrom H, Galvard H et al. Is there an association between inhaled corticosteroids and bone density in postmenopausal women? *J Allergy Clin Immunol* 2003;111:91-96.
108. Suissa S, Baltzan M, Kremer R, Ernst P. Inhaled and nasal corticosteroid use and the risk of fracture. *Am J Respir Crit Care Med* 2004;169:83-88.
109. Lems WF, Jacobs JW, Netelenbos JC et al. [Pharmacological prevention of osteoporosis in patients on corticosteroid medication]. *Ned Tijdschr Geneeskd* 1998;142:1904-1908.
110. Lobo RA, Roy S, Shoupe D et al. Estrogen and progestin effects on urinary calcium and calciotropic hormones in surgically-induced postmenopausal women. *Horm Metab Res* 1985;17:370-373.
111. Bikle DD, Halloran BP, Harris ST, Portale AA. Progestin antagonism of estrogen stimulated 1,25-dihydroxyvitamin D levels. *J Clin Endocrinol Metab* 1992;75:519-523.
112. Komulainen M, Tuppurainen MT, Kroger H et al. Vitamin D and HRT: no benefit additional to that of HRT alone in prevention of bone loss in early postmenopausal women: a 2.5-year randomized placebo-controlled study. *Osteoporos Int* 1997;7:126-132.
113. Komulainen MH, Kroger H, Tuppurainen MT et al. HRT and vit D in prevention of non-vertebral fractures in postmenopausal women: a 5 year randomized trial. *Maturitas* 1998;31:45-54.
114. Komulainen M, Kroger H, Tuppurainen MT et al. Prevention of femoral and lumbar bone loss with hormone replacement therapy and vitamin D<sub>3</sub> in early postmenopausal women: a population-based 5-year randomized trial. *J Clin Endocrinol Metab* 1999;84:546-552.
115. Tuppurainen MT, Komulainen M, Kroger H et al. Does vitamin D strengthen the increase in femoral neck BMD in osteoporotic women treated with estrogen? *Osteoporos Int* 1998;8:32-38.

## Citations and Reference Literature: Vitamin D

116. Recker RR, Davies KM, Dowd RM, Heaney RP. The effect of low-dose continuous estrogen and progesterone therapy with calcium and vitamin D on bone in elderly women: a randomized, controlled trial. *Ann Intern Med* 1999;130:897-904.
117. Gallagher JC, Riggs BL, DeLuca HF. Effect of estrogen on calcium absorption and serum vitamin D metabolites in postmenopausal osteoporosis. *J Clin Endocrinol Metab* 1980;51:1359-1364.
118. Gallagher JC, Fowler SE, Detter JR, Sherman SS. Combination treatment with estrogen and calcitriol in the prevention of age-related bone loss. *J Clin Endocrinol Metab* 2001;86:3618-3628.
119. Heller HJ, Poindexter JR, Adams-Huet B. Effect of estrogen treatment and vitamin D status on differing bioavailabilities of calcium carbonate and calcium citrate. *J Clin Pharmacol* 2002;42:1251-1256.
120. Willing M, Sowers M, Aron D et al. Bone mineral density and its change in white women: estrogen and vitamin D receptor genotypes and their interaction. *J Bone Miner Res* 1998;13:695-705.
121. Deng HW, Li J, Li JL et al. Association of VDR and estrogen receptor genotypes with bone mass in postmenopausal Caucasian women: different conclusions with different analyses and the implications. *Osteoporos Int* 1999;9:499-507.
122. Myrup B, Jensen GF, McNair P. Cardiovascular risk factors during estrogen-norethindrone and cholecalciferol treatment. *Arch Intern Med* 1992;152:2265-2268.
123. Heikkinen AM, Tuppurainen MT, Niskanen L et al. Long-term vitamin D<sub>3</sub> supplementation may have adverse effects on serum lipids during postmenopausal hormone replacement therapy. *Eur J Endocrinol* 1997;137:495-502.
124. Going S, Lohman T, Houtkooper L et al. Effects of exercise on bone mineral density in calcium-replete postmenopausal women with and without hormone replacement therapy. *Osteoporos Int* 2003;14:637-643.
125. Milliken LA, Going SB, Houtkooper LB et al. Effects of exercise training on bone remodeling, insulin-like growth factors, and bone mineral density in postmenopausal women with and without hormone replacement therapy. *Calcif Tissue Int* 2003;72:478-484.
126. Aarskog D, Aksnes L, Markestad T et al. Heparin-induced inhibition of 1,25-dihydroxyvitamin D formation. *Am J Obstet Gynecol* 1984;148:1141-1142.
127. Majerus PW, Broze GJ Jr, Miletich JP, Tollesen DM. Anticoagulant, thrombolytic, and antiplatelet drugs. Goodman and Gilman's the Pharmacological Basis of Therapeutics. 9th ed. New York: McGraw-Hill; 1996:1346.
128. Wise PH, Hall AJ. Heparin-induced osteopenia in pregnancy. *BMJ* 1980;281:110-111.
129. Haram K, Hervig T, Thordarson H, Aksnes L. Osteopenia caused by heparin treatment in pregnancy. *Acta Obstet Gynecol Scand* 1993;72:674-675.
130. Ringe JD, Keller A. [Risk of osteoporosis in long-term heparin therapy of thromboembolic diseases in pregnancy: attempted prevention with ossein-hydroxyapatite]. *Geburtshilfe Frauenheilkd* 1992;52:426-429.
131. Brodie MJ, Boobis AR, Hillyard CJ et al. Effect of isoniazid on vitamin D metabolism and hepatic monooxygenase activity. *Clin Pharmacol Ther* 1981;30:363-367.
132. Bengoa JM, Bolt MJ, Rosenberg IH. Hepatic vitamin D 25-hydroxylase inhibition by cimetidine and isoniazid. *J Lab Clin Med* 1984;104:546-552.
133. Toppet M, Vainsel M, Vertongen F et al. [Sequential development of vitamin D metabolites under isoniazid and rifampicin therapy]. *Arch Fr Pediatr* 1988;45:145-148.
134. Morcos MM, Gabr AA, Samuel S et al. Vitamin D administration to tuberculous children and its value. *Boll Chim Farm* 1998;137:157-164.
135. Loose DS, Kan PB, Hirst MA et al. Ketoconazole blocks adrenal steroidogenesis by inhibiting cytochrome P450-dependent enzymes. *J Clin Invest* 1983;71:1495-1499.
136. Borgers M, Van den Bossche H, De Brabander M. The mechanism of action of the new antimycotic ketoconazole. *Am J Med* 1983;74:2-8.
137. Peehl DM, Seto E, Feldman D. Rationale for combination ketoconazole/vitamin D treatment of prostate cancer. *Urology* 2001;58:123-126.
138. Adams JS, Sharma OP, Diz MM, Endres DB. Ketoconazole decreases the serum 1,25-dihydroxyvitamin D and calcium concentration in sarcoidosis-associated hypercalcemia. *J Clin Endocrinol Metab* 1990;70:1090-1095.
139. Glass AR, Eil C. Ketoconazole-induced reduction in serum 1,25-dihydroxyvitamin D. *J Clin Endocrinol Metab* 1986;63:766-769.
140. Glass AR, Eil C. Ketoconazole-induced reduction in serum 1,25-dihydroxyvitamin D and total serum calcium in hypercalcemic patients. *J Clin Endocrinol Metab* 1988;66:934-938.
141. Glass AR, Cerletty JM, Elliott W et al. Ketoconazole reduces elevated serum levels of 1,25-dihydroxyvitamin D in hypercalcemic sarcoidosis. *J Endocrinol Invest* 1990;13:407-413.
142. Breslau NA, Preminger GM, Adams BV et al. Use of ketoconazole to probe the pathogenetic importance of 1,25-dihydroxyvitamin D in absorptive hypercalciuria. *J Clin Endocrinol Metab* 1992;75:1446-1452.

## Citations and Reference Literature: Vitamin D

143. James WP, Avenell A, Broom J, Whitehead J. A one-year trial to assess the value of orlistat in the management of obesity. *Int J Obes Relat Metab Disord* 1997;21 Suppl 3:S24-S30.
144. Van Gaal LF, Broom JI, Enzi G, Toplak H. Efficacy and tolerability of orlistat in the treatment of obesity: a 6-month dose-ranging study. Orlistat Dose-Ranging Study Group. *Eur J Clin Pharmacol* 1998;54:125-132.
145. McDuffie JR, Calis KA, Booth SL et al. Effects of orlistat on fat-soluble vitamins in obese adolescents. *Pharmacotherapy* 2002;22:814-822.
146. Boivin G, Lips P, Ott SM et al. Contribution of raloxifene and calcium and vitamin D3 supplementation to the increase of the degree of mineralization of bone in postmenopausal women. *J Clin Endocrinol Metab* 2003;88:4199-4205.
147. Brodie MJ, Boobis AR, Dollery CT et al. Rifampicin and vitamin D metabolism. *Clin Pharmacol Ther* 1980;27:810-814.
148. Riis B, Christiansen C. Actions of thiazide on vitamin D metabolism: a controlled therapeutic trial in normal women early in the postmenopause. *Metabolism* 1985;34:421-424.
149. Hartigan-Go K, Bateman DN, Nyberg G et al. Concentration-related pharmacodynamic effects of thioridazine and its metabolites in humans. *Clin Pharmacol Ther* 1996;60:543-553.
150. Novartis. Mellaryl [package insert]. East Hanover, NJ: Novartis Pharmaceuticals; 2000.
151. Lerner U, Gustafson GT. Inhibition of 1 alpha-hydroxy-vitamin D3 stimulated bone resorption in tissue culture by the calcium antagonist verapamil. *Eur J Clin Invest* 1982;12:185-190.
152. Fox J, Della-Santina CP. Oral verapamil and calcium and vitamin D metabolism in rats: effect of dietary calcium. *Am J Physiol* 1989;257:E632-E638.
153. Bar-Or D, Gasiel Y. Calcium and calciferol antagonise effect of verapamil in atrial fibrillation. *Br Med J Clin Res Ed* 1981;282:1585-1586.
154. Holick MF. Personal communication with MB Stargrove; Dec 8, 2004.
155. Stio M, Treves C, Celli A et al. Synergistic inhibitory effect of cyclosporin A and vitamin D derivatives on T-lymphocyte proliferation in active ulcerative colitis. *Am J Gastroenterol* 2002;97:679-689.
156. Sundaram S, Sea A, Feldman S et al. The combination of a potent vitamin D3 analog, EB 1089, with ionizing radiation reduces tumor growth and induces apoptosis of MCF-7 breast tumor xenografts in nude mice. *Clin Cancer Res* 2003;9:2350-2356.
157. Dunlap N, Schwartz GG, Eads D et al. 1 $\alpha$ ,25-Dihydroxyvitamin D(3) (calcitriol) and its analogue, 19-nor-1 $\alpha$ ,25(OH)(2)D(2), potentiate the effects of ionising radiation on human prostate cancer cells. *Br J Cancer* 2003;89:746-753.
158. Beer TM, Eilers KM, Garzotto M et al. Weekly high-dose calcitriol and docetaxel in metastatic androgen-independent prostate cancer. *J Clin Oncol* 2003;21:123-128.
159. Vella A, Gerber TC, Hayes DL, Reeder GS. Digoxin, hypercalcaemia, and cardiac conduction. *Postgrad Med J* 1999;75:554-556.
160. Ravid A, Rocker D, Machlenkin A et al. 1,25-Dihydroxyvitamin D3 enhances the susceptibility of breast cancer cells to doxorubicin-induced oxidative damage. *Cancer Res* 1999;59:862-867.
161. Buck AC, Brown RC, Davies CJ et al. The influence of flurbiprofen on calcium excretion and vitamin D3 in recurrent calcium lithiasis: a double blind study. Proceedings of the 5th International Symposium on Urolithiasis and Related Clinical Research. Garmisch; 1984.
162. Brown RC, Heyburn PJ, Littlewood TJ, Beck P. Prostaglandin synthetase inhibition in hypercalcaemia with sarcoidosis. *Lancet* 1984;2:37.
163. Barré PE, Gascon-Barré M, Meakins JL, Goltzman D. Hydroxychloroquine treatment of hypercalcemia in a patient with sarcoidosis undergoing hemodialysis. *Am J Med* 1987;82:1259-1262.
164. Diarrhea and constipation. In: Berkow R, Fletcher AJ, Beers MH et al, eds. *The Merck Manual of Diagnosis and Therapy*. 16th ed. Rahway, NJ: Merck Research Laboratories; 1992.
165. Kassem M, Mosekilde L, Eriksen EF. 1,25-Dihydroxyvitamin D3 potentiates fluoride-stimulated collagen type I production in cultures of human bone marrow stromal osteoblast-like cells. *J Bone Miner Res* 1993;8:1453-1458.
166. Patty I, Tarnok F, Simon L et al. A comparative dynamic study of the effectiveness of gastric cytoprotection by vitamin A, De-Nol, sucralfate and ulcer healing by pirenzepine in patients with chronic gastric ulcer (a multiclinical and randomized study). *Acta Physiol Hung* 1984;64:379-384.
167. Vucelic B, Hadzic N, Gragas J, Puretic Z. Changes in serum phosphorus, calcium and alkaline phosphatase due to sucralfate. *Int J Clin Pharmacol Ther Toxicol* 1986;24:93-96.
168. Schrogie JJ. Coagulopathy and fat-soluble vitamins [letter]. *JAMA* 1975;232:19.
169. Hunt CD. The biochemical effects of physiologic amounts of dietary boron in animal nutrition models. *Environ Health Perspect* 1994;102 Suppl 7:35-43.
170. Hunt CD, Herbel JL, Idso JP. Dietary boron modifies the effects of vitamin D3 nutrition on indices of energy substrate utilization and mineral metabolism in the chick. *J Bone Miner Res* 1994;9:171-182.

## Citations and Reference Literature: Vitamin D

171. Hunt CD. Dietary boron modified the effects of magnesium and molybdenum on mineral metabolism in the cholecalciferol-deficient chick. *Biol Trace Elem Res* 1989;22:201-220.
172. Dupre JN, Keenan MJ, Brudevold AM. Effects of dietary boron in rats fed a vitamin D-deficient diet. *Environ Health Perspect* 1994;102 Suppl 7:55-58.
173. Nielsen FH, Shuler TR, Gallagher SK. Effects of boron depletion and repletion on blood indicators of calcium status in humans fed a magnesium-low diet. *J Trace Elem Exp Med* 1990;3:45-54.
174. Rapuri PB, Gallagher JC, Kinyamu HK, Ryschon KL. Caffeine intake increases the rate of bone loss in elderly women and interacts with vitamin D receptor genotypes. *Am J Clin Nutr* 2001;74:694-700.
175. Dawson-Hughes B, Dallal GE, Krall EA et al. Effect of vitamin D supplementation on wintertime and overall bone loss in healthy postmenopausal women. *Ann Intern Med* 1991;115:505-512.
176. Dawson-Hughes B, Harris SS, Krall EA, Dallal GE. Effect of calcium and vitamin D supplementation on bone density in men and women 65 years of age or older. *N Engl J Med* 1997;337:670-676.
177. Baeksgaard L, Andersen KP, Hyldstrup L. Calcium and vitamin D supplementation increases spinal BMD in healthy, postmenopausal women. *Osteoporos Int* 1998;8:255-260.
178. Avenell A, Handoll HHG. Nutritional supplementation for hip fracture aftercare in older people. *Cochrane Database Syst Rev* 2005;CD001880.
179. Boonen S, Haentjens P, Vanderschueren D, Lips P. Fracture risk reduction with vitamin D supplementation requires additional calcium: evidence from a comparative meta-analysis. *Osteoporos Int* 2006;17:13.
180. Breslau NA, McGuire JL, Zerwekh JE, Pak CY. The role of dietary sodium on renal excretion and intestinal absorption of calcium and on vitamin D metabolism. *J Clin Endocrinol Metab* 1982;55:369-373.
181. Kummerow FA, Cho BH, Huang WY et al. Additive risk factors in atherosclerosis. *Am J Clin Nutr* 1976;29:579-584.
182. Kamio A, Kummerow FA, Imai H. Degeneration of aortic smooth muscle cells in swine fed excess vitamin D3. *Arch Pathol Lab Med* 1977;101:378-381.

## Reference Literature

- [No authors listed.] Nutrients and nutritional agents. In: Kastrup EK, Hines Burnham T, Short RM, et al, eds. *Drug facts and comparisons*. St Louis: Facts and Comparisons; 2000. (Review)
- [No authors listed.] Vitamins. In: Kastrup EK, Hines Burnham T, Short RM, et al, eds. *Drug facts and comparisons*. St Louis: Facts and Comparisons; 2000:6-33. (Review)
- Aaron JE, Gallagher JC, Anderson J, et al. Frequency of osteomalacia and osteoporosis in fractures of the proximal femur. *Lancet* 1974;1(7851):229-233.
- Aarskog D, Aksnes L, Lehmann V. Low 1,25-dihydroxyvitamin D in heparin-induced osteopenia. *Lancet* 1980;2(8195 Pt 1):650-651. (Letter)
- Adachi R, Shulman AI, Yamamoto K, et al. Structural determinants for vitamin D receptor response to endocrine and xenobiotic signals. *Mol Endocrinol* 2004;18(1):43-52.
- Adler RA, Funkhouser HL, Petkov VI, et al. Glucocorticoid-induced osteoporosis in patients with sarcoidosis. *Am J Med Sci* 2003;325(1):1-6.
- Agarwal KS, Mughal MZ, Upadhyay P, et al. The impact of atmospheric pollution on vitamin D status of infants and toddlers in Delhi, India. *Arch Dis Child* 2002;87(2):111-113.
- Al Faraj S, Al Mutairi K. Vitamin D deficiency and chronic low back pain in Saudi Arabia. *Spine* 2003;28(2):177-179.
- Albertazzi P, Steel SA, Purdie DW, et al. Hyperparathyroidism in elderly osteopenic women. *Maturitas* 2002;43(4):245-249.
- Aloia JF, Talwar SA, Pollack S, et al. A randomized controlled trial of vitamin D3 supplementation in African American women. *Arch Intern Med* 2005;165:1618-1623.
- American Academy of Sciences. *Dietary reference intakes: calcium phosphorus, magnesium, vitamin D, and fluoride*. Washington, DC: National Academy Press; 1997.
- Amin S, Zhang Y, Felson DT, et al. Estradiol, testosterone, and the risk for hip fractures in elderly men from the Framingham Study. *Am J Med* 2006;119(5):426-433.
- Andreassen H, Rix M, Brot C, et al. Regulators of calcium homeostasis and bone mineral density in patients with Crohn's disease. *Scand J Gastroenterol* 1998;33(10):1087-1093.
- Bao BY, Yao J, Lee YF. 1alpha, 25-dihydroxyvitamin D3 suppresses interleukin-8-mediated prostate cancer cell angiogenesis. *Carcinogenesis* 2006;27(9):1883-1893.

## Citations and Reference Literature: Vitamin D

- Bao BY, Yeh SD, Lee YF. 1alpha,25-dihydroxyvitamin D3 inhibits prostate cancer cell invasion via modulation of selective proteases. *Carcinogenesis* 2006;27(1):32-42.
- Barber K, Purnell-O'Neal M. The politics of vitamin D: questioning universal supplementation. *Mothering Magazine* 2003;117.
- Barger-Lux MJ, Heaney RP. Effects of above average summer sun exposure on serum 25-hydroxyvitamin D and calcium absorption. *J Clin Endocrinol Metab* 2002;87(11):4952-4956.
- Barnes MS, Robson PJ, Bonham MP, et al. Effect of vitamin D supplementation on vitamin D status and bone turnover markers in young adults. *Eur J Clin Nutr* 2006;60:727-733.
- Barrueto F, Wang-Flores HH, Howland MA, et al. Acute vitamin D intoxication in a child. *Pediatrics* 2005;116:453-456.
- Basha B, Rao S, Han ZH, et al. Osteomalacia due to vitamin D depletion: neglected consequence of intestinal malabsorption. *Am J Med* 2000;108:296-300.
- Bays HE, Dujoyne CA. Drug interactions of lipid-altering drugs. *Drug Saf* 1998;19(5):355-371. (Review)
- Bengoa JM, Bolt MJ, Rosenberg IH. Hepatic vitamin D 25-hydroxylase inhibition by cimetidine and isoniazid. *J Lab Clin Med* 1984;104(4):546-552.
- Bertone-Johnson ER, Hankinson SE, Bendich A, et al. Calcium and vitamin D intake and risk of incident premenstrual syndrome. *Arch Intern Med* 2005;165(11):1246-1252.
- Binkley N, et al. Assay variation confounds hypovitaminosis D diagnosis: a call for standardization. Abstract F482. 25th Annual Meeting of the American Society for Bone and Mineral Research. Minneapolis, Sep 2003.
- Bischoff HA, Stahelin HB, Dick W, et al. Effects of vitamin D and calcium supplementation on falls: a randomized controlled trial. *J Bone Miner Res* 2003;18(2):343-351.
- Bischoff-Ferrari HA, Conzelmann M, Dick W, et al. [Effect of vitamin D on muscle strength and relevance in regard to osteoporosis prevention.] *Z Rheumatol* 2003;62(6):518-521. [German]
- Bischoff-Ferrari HA, Dawson-Hughes B, Willett WC, et al. Effect of vitamin D on falls: a meta-analysis. *JAMA* 2004;291:1999-2006.
- Bischoff-Ferrari HA, Dietrich T, Orav EJ, et al. Higher 25-hydroxyvitamin D concentrations are associated with better lower-extremity function in both active and inactive persons aged > or =60 y. *Am J Clin Nutr* 2004;80(3):752-758.
- Bischoff-Ferrari HA, Giovannucci E, Willett WC, et al. Estimation of optimal serum concentrations of 25-hydroxyvitamin D for multiple health outcomes. *Am J Clin Nutr* 2006;84(1):18-28. (Review)
- Bischoff-Ferrari HA, Zhang Y, Kiel DP, et al. Positive association between serum 25-hydroxyvitamin D level and bone density in osteoarthritis. *Arthritis Rheum* 2005;53(6):821-826.
- Bischoff-Ferrari HA, Orav EJ, Dawson-Hughes B. Effect of cholecalciferol plus calcium on falling in ambulatory older men and women: a 3-year randomized controlled trial. *Arch Intern Med* 2006;166:424-430.
- Black PN, Scragg R. Relationship between serum 25-hydroxyvitamin D and pulmonary function in the Third National Health and Nutrition Examination Survey. *Chest* 2005;128:3792-3798.
- Blanchet C, Giguere Y, Prud'homme D, et al. Association of physical activity and bone: influence of vitamin D receptor genotype. *Med Sci Sports Exerc* 2002;34(1):24-31.
- Blank RD, Bockman RS. A review of clinical trials of therapies for osteoporosis using fracture as an end point. *J Clin Densitom* 1999;2(4):435-452.
- Blutt SE, Weigel NL. Vitamin D and prostate cancer. *Proc Soc Exp Biol Med* 1999;221(2):89-98.
- Bonjour J-P, Carrie AL, Ferrari S, et al. Calcium-enriched foods and bone mass growth in prepubertal girls: a randomized, double-blind, placebo-controlled trial. *J Clin Invest* 1997;99:1287-1294.
- Boonen S, Bischoff-Ferrari HA, Cooper C, et al. Addressing the musculoskeletal components of fracture risk with calcium and vitamin D: a review of the evidence. *Calcif Tissue Int* 2006;78(5):257-270. (Review)
- Boonen S, Haentjens P, Vanderschueren D, et al. Fracture risk reduction with vitamin D supplementation requires additional calcium: evidence from a comparative meta-analysis. *Osteoporos Int* 2006;17(Suppl 2):13. (Meta-analysis)
- Boonen S, Vanderschueren D, Haentjens P, et al. Calcium and vitamin D in the prevention and treatment of osteoporosis: a clinical update. *J Intern Med* 2006;259(6):539-552. (Review)
- Borissova AM, Tankova T, Kirilov G, et al. The effect of vitamin D3 on insulin secretion and peripheral insulin sensitivity in type 2 diabetic patients. *Int J Clin Pract* 2003;57(4):258-261.
- Bostick RM, Potter JD, Sellers TA, et al. Relation of calcium, vitamin D, and dairy food intake to incidence of colon cancer among older women: the Iowa Women's Health Study. *Am J Epidemiol* 1993;137(12):1302-1317.
- Bostick RM, Kushi LH, Wu Y, et al. Relation of calcium, vitamin D, and dairy food intake to ischemic heart disease mortality among postmenopausal women. *Am J Epidemiol* 1999;149(2):151-161.
- Boucher BJ. Inadequate vitamin D status: does it contribute to the disorders comprising syndrome 'X'? *Br J Nutr* 1998;79:315-327.

## Citations and Reference Literature: Vitamin D

- Braun J, Sieper J. [Glucocorticoid-induced osteoporosis.] Orthopade 2001;30(7):444-450. [German]
- Brawley OW, Parnes H. Prostate cancer prevention trials in the USA. Eur J Cancer 2000;36(10):1312-1315.
- Brazier M, Kamel S, Maamer M, et al. The markers of bone remodeling in the elderly subject: effects of vitamin D insufficiency and its correction. J Bone Miner Res 1995;10:1753-1761.
- Brenner RV, Shabahang M, Schumaker LM, et al. The antiproliferation effect of vitamin D analogs on MCF-7 human breast cancer cells. Cancer Lett 1995;92:77-82.
- Bretherton-Watt D, Given-Wilson R, Mansi JL, et al. Vitamin D receptor gene polymorphisms are associated with breast cancer risk in a UK Caucasian population. Br J Cancer 2001;85(2):171-175.
- Brodie MJ, Boobis AR, Hillyard CJ, et al. Effect of rifampicin and isoniazid on vitamin D metabolism. Clin Pharmacol Ther 1982;32(4): 525-530.
- Brody T. Nutritional biochemistry. 2nd ed. San Diego: Academic Press; 1999.
- Brookes GB. Vitamin D deficiency and deafness: 1984 update. Am J Otol 1985;6(1):102-107.
- Brot C, Vestergaard P, Kolthoff N, et al. Vitamin D status and its adequacy in healthy Danish perimenopausal women: relationships to dietary intake, sun exposure and serum parathyroid hormone. Br J Nutr 2001;86(Suppl 1):S97-103.
- Brown RC, Heyburn PJ, Littlewood TJ, et al. Prostaglandin synthetase inhibition in hypercalcaemia with sarcoidosis. Lancet 1984;2:37. (Letter)
- Brown SA, Ontjes DA, Lester GE, et al. Short-term calcitriol administration improves calcium homeostasis in adults with cystic fibrosis. Osteoporos Int 2003;14(5):442-449.
- Brown SJ. The role of vitamin D in multiple sclerosis. Ann Pharmacother 2006;40(6):1158-1161. (Review)
- Buist N. Vitamin D deficiency in Oregon: nutritional rickets resurgent. Doernbecher J 2000;6(2):13-17.
- Buist RA. Drug-nutrient interactions: an overview. Int Clin Nutr Rev 1984;4(3):114. (Review)
- Butler LM, Centenera MM, Neufing PJ, et al. Suppression of androgen receptor signaling in prostate cancer cells by an inhibitory receptor variant. Mol Endocrinol 2006;20(5):1009-1024.
- Caca-Biljanovska NG, Vlckova-Laskoska MT, Dervendi DV, et al. Treatment of generalized morphea with oral 1,25-dihydroxyvitamin D3. Adv Exp Med Biol 1999;455:299-304.
- Calvo MS. Dietary considerations to prevent loss of bone and renal function. Nutrition 2000;16(7-8):564-566.
- Calvo MS, Whiting SJ. Public health strategies to overcome barriers to optimal vitamin D status in populations with special needs. J Nutr 2006;136(4):1135-1139.
- Calvo MS, Whiting SJ, Barton CN. Vitamin D fortification in the United States and Canada: current status and data needs. Am J Clin Nutr 2004;80:1710S-1716S.
- Camici M. Dialysis-associated bone disease. JAMA 1986;256(11):1447. (Letter)
- Cannell JJ, Vieth R, Umhau JC, et al. Epidemic influenza and vitamin D. Epidemiol Infect 2006;134(6):1129-1140.
- Cantorna MT. Vitamin D and autoimmunity: is vitamin D status an environmental factor affecting autoimmune disease prevalence? Proc Soc Exp Biol Med 2000;223(3):230-233. (Review)
- Cantorna MT, Zhu Y, Froicu M, et al. Vitamin D status, 1,25-dihydroxyvitamin D3, and the immune system. Am J Clin Nutr 2004;80:1717S-1720S.
- Cardella CJ, Birkin BL, Rapoport A. Role of dialysis in the treatment of severe hypercalcemia: report of two cases successfully treated with hemodialysis and review of the literature. Clin Nephrol 1979;12(6):285-290.
- Castells S, Greig F, Fusi MA, et al. Severely deficient binding of 1,25-dihydroxyvitamin D to its receptors in a patient responsive to high doses of this hormone. J Clin Endocrinol Metab 1986;63:252-256.
- Cetaruk EW, Aaron CK. Hazards of nonprescription medications. Emerg Med Clin North Am 1994;12(2):483-510.
- Chan JM, Giovannucci E, Andresson SO, et al. Dairy products, calcium, phosphorous, vitamin D, and risk of prostate cancer (Sweden). Cancer Causes Control 1998;9(6):559-566.
- Chapuy MC, Arlot ME, Delmas PD, et al. Effect of calcium and cholecalciferol treatment for three years on hip fractures in elderly women. BMJ 1994;308(6936):1081-1082.
- Chapuy MC, Arlot ME, Duboeuf F, et al. Vitamin D3 and calcium to prevent hip fractures in the elderly women. N Engl J Med 1992;327:1637-1642.
- Chapuy MC, Pamphile R, Paris E, et al. Combined calcium and vitamin D3 supplementation in elderly women: confirmation of reversal of secondary hyperparathyroidism and hip fracture risk: the Decalyos II study. Osteoporos Int 2002;13(3):257-264.
- Chapuy MC, Preziosi P, Maamer M, et al. Prevalence of vitamin D insufficiency in an adult normal population. Osteoporosis Int 1997;7(5):439-443.
- Chen TC, Holick MF. Vitamin D and prostate cancer prevention and treatment. Trends Endocrinol Metab 2003;14(9):423-430.

## Citations and Reference Literature: Vitamin D

- Chen TC, Holick MF, Lokeshwar BL, et al. Evaluation of vitamin D analogs as therapeutic agents for prostate cancer. *Recent Results Cancer Res* 2003;164:273-288.
- Chiu KC, Chu A, Go VLW, et al. Hypovitaminosis D is associated with insulin resistance and beta cell dysfunction. *Am J Clin Nutr* 2004;79:820-825.
- Christiansen C, Rodbro P. [Anticonvulsant-induced osteomalacia: vitamin D metabolism disorders in epileptics on anticonvulsant therapy.] *Ugeskr Laeger* 1979;141(5):280-284. [Danish]
- Christiansen C, Rodbro P, Lund M. Incidence of anticonvulsant osteomalacia and effect of vitamin D: controlled therapeutic trial. *Br Med J* 1973;4(894):695-701.
- Chiu KC, Chu A, Go VL, et al. Hypovitaminosis D is associated with insulin resistance and beta cell dysfunction. *Am J Clin Nutr* 2004;79(5):820-825.
- Chung S, Ahn C. Effects of anti-epileptic drug therapy on bone mineral density in ambulatory epileptic children. *Brain Dev* 1994;16(5):382-385.
- Clemens TL, Adams JS, Henderson SL, et al. Increased skin pigment reduces the capacity of skin to synthesise vitamin D3. *Lancet* 1982;1(8263):74-76.
- Collins N, Maher J, Cole M, et al. A prospective study to evaluate the dose of vitamin D required to correct low 25-hydroxyvitamin D levels, calcium, and alkaline phosphatase in patients at risk of developing antiepileptic drug-induced osteomalacia. *Q J Med* 1991;78(286):113-122.
- Dahlman T, Lindvall N, Hellgren M. Osteopenia in pregnancy during long-term heparin treatment: a radiological study post partum. *Br J Obstet Gynaecol* 1990;97(3):221-228.
- Dawson-Hughes B. Calcium and vitamin D nutritional needs of elderly women. *J Nutr* 1996;126(4 Suppl):116S-117S.
- Dawson-Hughes B. Racial/ethnic considerations in making recommendations for vitamin D for adult and elderly men and women. *Am J Clin Nutr* 2004;80:1763S-1766S.
- Dawson-Hughes B, Dallal GE, Krall EA, et al. Effect of vitamin D supplementation on wintertime and overall bone loss in healthy postmenopausal women. *Ann Intern Med* 1991;115(7):505-512.
- Dawson-Hughes B, Harris SS, Dallal GE. Plasma calcidiol, season, and serum parathyroid hormone concentrations in healthy elderly men and women. *Am J Clin Nutr* 1997;65:67-71.
- Dawson-Hughes B, Harris SS, Krall EA, et al. Rates of bone loss in postmenopausal women randomly assigned to one of two dosages of vitamin D. *Am J Clin Nutr* 1995;61(5):1140-1145.
- Dawson-Hughes B, Harris SS, Krall EA, et al. Effect of calcium and vitamin D supplementation on bone density in men and women 65 years of age or older. *N Engl J Med* 1997;337(10):670-676.
- Dawson-Hughes B, Harris SS, Krall EA, et al. Effect of withdrawal of calcium and vitamin D supplements on bone mass in elderly men and women. *Am J Clin Nutr* 2000;72(3):745-750.
- Dawson-Hughes B, Heaney RP, Holick MF, et al. Estimates of optimal vitamin D status. *Osteoporos Int* 2005;16:713-716.
- Deal CL. Osteoporosis: prevention, diagnosis, and management. *Am J Med* 1997;102(1A):35S-39S. (Review)
- DeLuca HF. Overview of general physiologic features and functions of vitamin D. *Am J Clin Nutr* 2004;80:1689S-1696S.
- DeLuca HF, Cantorna MT. Vitamin D: its role and uses in immunology. *FASEB J* 2001;15(14):2579-2585.
- DeLuca HF, Zierold C. Mechanisms and functions of vitamin D. *Nutr Rev* 1998;56(2 Pt 2):S4-10.
- Deng HW, Li J, Li JL, et al. Change of bone mass in postmenopausal Caucasian women with and without hormone replacement therapy is associated with vitamin D receptor and estrogen receptor genotypes. *Hum Genet* 1998;103(5):576-585.
- Deng HW, Li J, Li JL, et al. Association of VDR and estrogen receptor genotypes with bone mass in postmenopausal Caucasian women: different conclusions with different analyses and the implications. *Osteoporos Int* 1999;9(6):499-507.
- D'Erasmo E, Ragno A, Raejntrup N, et al. [Drug-induced osteomalacia]. *Recenti Prog Med* 1998;89(10):529-533. [Italian] (Review)
- Dennison EM, Arden NK, Keen RW, et al. Birthweight, vitamin D receptor genotype and the programming of osteoporosis. *Paediatr Perinat Epidemiol* 2001;15(3):211-219.
- Devgun MS, Paterson CR, Johnson BE, et al. Vitamin D nutrition in relation to season and occupation. *Am J Clin Nutr* 1981;34(8):1501-1504.
- Dhesi JK, Bearne LM, Moniz C, et al. Neuromuscular and psychomotor function in elderly subjects who fall and the relationship with vitamin D status. *J Bone Miner Res* 2002;17(5):891-897.
- Dietrich T, Joshipura KJ, Dawson-Hughes B, et al. Association between serum concentrations of 25-hydroxyvitamin D3 and periodontal disease in the US population. *Am J Clin Nutr* 2004;80(1):108-113.
- Dodiuk-Gad RP, Rozen GS, Rennert G, et al. Sustained effect of short-term calcium supplementation on bone mass in adolescent girls with low calcium intake. *Am J Clin Nutr* 2005;81(1):168-174.

## Citations and Reference Literature: Vitamin D

- Donahue GJ, Waddell N, Plough AL, et al. The ABCDs of treating the most prevalent childhood disease. *Am J Public Health* 2005;95:1322-1324. (Editorial)
- Elder GJ, Mackun K. 25-Hydroxyvitamin D deficiency and diabetes predict reduced BMD in patients with chronic kidney disease. *J Bone Miner Res* 2006;21(11):1778-1784.
- Evio S, Tiitinen A, Laitinen K, et al. Effects of alendronate and hormone replacement therapy, alone and in combination, on bone mass and markers of bone turnover in elderly women with osteoporosis. *J Clin Endocrinol Metab* 2004;89(2):626-631.
- Fahrleitner A, Dobnig H, Obernosterer A, et al. Vitamin D deficiency and secondary hyperparathyroidism are common complications in patients with peripheral arterial disease. *J Gen Intern Med* 2002;17(9):663-669.
- Farmer JA, Gotto AM Jr. Antihyperlipidaemic agents: drug interactions of clinical significance. *Drug Saf* 1994;11(5):301-309.
- Farmer JA, Gotto AM Jr. Choosing the right lipid-regulating agent: a guide to selection. *Drugs* 1996;52(5):649-661.
- Fenech M. Micronutrients and genomic stability: a new paradigm for recommended dietary allowances (RDAs). *Food Chem Toxicol* 2002;40(8):1113-1117. (Review)
- Fenech M, Baghurst P, Luderer W, et al. Low intake of calcium, folate, nicotinic acid, vitamin E, retinol, beta-carotene and high intake of pantothenic acid, biotin and riboflavin are significantly associated with increased genome instability: results from a dietary intake and micronucleus index survey in South Australia. *Carcinogenesis* 2005;26(5):991-999.
- Fenech M, Ferguson LR. Vitamins/minerals and genomic stability in humans. *Mutat Res* 2001;475(1-2):1-6.
- Feskanich D, Willett WC, Colditz GA. Calcium, vitamin D, milk consumption, and hip fractures: a prospective study among postmenopausal women. *Am J Clin Nutr* 2003;77(2):504-511.
- Finkelstein JS. Calcium plus vitamin D for postmenopausal women: bone appetit? *N Engl J Med* 2006;354(7):750-752. (Editorial)
- Fleet JC. Genomic and proteomic approaches for probing the role of vitamin D in health. *Am J Clin Nutr* 2004;80:1730S-1734S.
- Flicker L, Mead K, MacInnis RJ, et al. Serum vitamin D and falls in older women in residential care in Australia. *J Am Geriatr Soc* 2003;51(11):1533-1538.
- Food and Nutrition Board, Institute of Medicine. Vitamin D: dietary reference intakes: calcium, phosphorus, magnesium, vitamin D, and fluoride. Washington, DC: National Academy Press; 1997:250-287. (National Academy Press)
- Forero MS, Klein RF, Nissensohn RA, et al. Effects of age on circulating immunoreactive and bioactive parathyroid hormone levels in women. *J Bone Miner Res* 1987;2:363-366.
- Forman MR, Levin B. Calcium plus vitamin D<sub>3</sub> supplementation and colorectal cancer in women. *N Engl J Med* 2006;354(7):752-754. (Editorial)
- Fox J. Verapamil induces PTH resistance but increases duodenal calcium absorption in rats. *Am J Physiol* 1988;255(5):E702-707.
- Gage BF, Birman-Deych E, Radford MJ, et al. Risk of osteoporotic fracture in elderly patients taking warfarin: results from the National Registry of Atrial Fibrillation. *Arch Intern Med* 2006;166:241-246.
- Gallagher JC, Riggs BL, DeLuca HF. Effect of estrogen on calcium absorption and serum vitamin D metabolites in postmenopausal osteoporosis. *J Clin Endocrinol Metab* 1980;51(6):1359-1364.
- Garland C, Shekelle RB, Barrett-Connor E, et al. Dietary vitamin D and calcium and risk of colorectal cancer: a 19-year prospective study in men. *Lancet* 1985;1(8424):307-309.
- Garland CF, Garland FC, Gorham ED. Calcium and vitamin D: their potential roles in colon and breast cancer prevention. *Ann N Y Acad Sci* 1999;889:107-119. (Review)
- Garland CF, Garland FC, Gorham ED, et al. The role of vitamin D in cancer prevention. *Am J Public Health* 2006;96(2):252-261.
- Garland CF, Gorham ED, Mohr SB, et al. Vitamin D and prevention of breast cancer: pooled analysis. *J Steroid Biochem Mol Biol* 2007;103(3-5):708-711.
- Garrel D. Burn scars: a new cause of vitamin D deficiency? *Lancet* 2004;363(9405):259-260.
- Gennari C. Calcium and vitamin D nutrition and bone disease of the elderly. *Public Health Nutr* 2001;4(2B):547-559. (Review)
- Gillespie WJ, Avenell A, Henry DA, et al. Vitamin D and vitamin D analogues for preventing fractures associated with involutional and post-menopausal osteoporosis (Cochrane Review): update software. Issue 1. Oxford: The Cochrane Library, 2001.
- Giovannucci E, Liu Y, Willett WC. Cancer incidence and mortality and vitamin D in black and white male health professionals. *Cancer Epidemiol Biomarkers Prev*. Epub ahead of print. 2006.
- Giovannucci E, Liu Y, Rimm EB, et al. Prospective study of predictors of vitamin D status and cancer incidence and mortality in men. *J Natl Cancer Inst* 2006;98(7):451-459.
- Giovannucci E, Rimm EB, Wolk A, et al. Calcium and fructose intake in relation to risk of prostate cancer. *Cancer Res* 1998;58(3):442-447.
- Glerup H, Mikkelsen K, Poulsen L, et al. Commonly recommended daily intake of vitamin D is not sufficient if sunlight exposure is limited. *J Intern Med* 2000;247:260-268.

## Citations and Reference Literature: Vitamin D

- Gloth FM, Alam W, Hollis B. Vitamin D vs broad spectrum phototherapy in the treatment of seasonal affective disorder. *J Nutr Health Aging* 1999;13(1):5-7.
- Godsall JW, Baron R, Insogna KL. Vitamin D metabolism and bone histomorphometry in a patient with antacid-induced osteomalacia. *Am J Med* 1984;77(4):747-750.
- Gong G, Johnson ML, Barger-Lux MJ, et al. Association of bone dimensions with a parathyroid hormone gene polymorphism in women. *Osteoporos Int* 1999;9(4):307-311.
- Gonzalez AJ, White E, Kristal A, et al. Calcium intake and 10-year weight change in middle-aged adults. *J Am Diet Assoc* 2006;106(7): 1066-1073.
- Gordon CM, DePeter KC, Feldman HA, et al. Prevalence of vitamin D deficiency among healthy adolescents. *Arch Pediatr Adolesc Med* 2004;158:531-537.
- Gorham ED, Garland CF, Garland FC, et al. Vitamin D and prevention of colorectal cancer. *J Steroid Biochem Mol Biol* 2005;97(1-2): 179-194.
- Gorres B, Hollis B, et al. Low vitamin D status in rural and older populations with high body fat. *Experimental Biology* 2005 Meeting: San Diego, Apr 2, 2005.
- Gough H, Goggin T, Bissessar A, et al. A comparative study of the relative influence of different anticonvulsant drugs, UV exposure and diet on vitamin D and calcium metabolism in out-patients with epilepsy. *Q J Med* 1986;59(230):569-577.
- Grados F, Brazier M, Kamel S, et al. Effects on bone mineral density of calcium and vitamin D supplementation in elderly women with vitamin D deficiency. *Joint Bone Spine* 2003;70(3):203-208.
- Grant AM, Avenell A, Campbell MK, et al. Oral vitamin D<sub>3</sub> and calcium for secondary prevention of low-trauma fractures in elderly people (randomised evaluation of calcium Or vitamin D, RECORD): a randomised placebo-controlled trial. *Lancet* 2005;365(9471): 1621-1628.
- Grant WB. An ecologic study of dietary and solar ultraviolet-B links to breast carcinoma mortality rates. *Cancer* 2002;94(1):272-281.
- Grant WB. An estimate of premature cancer mortality in the U.S. due to inadequate doses of solar ultraviolet-B radiation. *Cancer* 2002;94(6):1867-1875.
- Grant WB, Gorham ED. Commentary: time for public health action on vitamin D for cancer risk reduction. *Int J Epidemiol* 2006;35(2): 224-225. (Editorial)
- Grau MV, Baron JA, Sandler RS, et al. Vitamin D, calcium supplementation, and colorectal adenomas: results of a randomized trial. *J Natl Cancer Inst* 2003;95(23):1765-1771.
- Greenspan SL, Parker RA, Fergusson L, et al. Early changes in biochemical markers of bone turnover predict the long-term response to alendronate therapy in representative elderly women: a randomized clinical trial. *J Bone Miner Res* 1998;13:1431-1438.
- Greenspan SL, Rosen HN, Parker RA, et al. Early changes in serum N-telopeptide and C-telopeptide cross-linked collagen type 1 predict long-term response to alendronate therapy in elderly women. *J Clin Endocrinol Metab* 2000;85:3537-3540.
- Greer FR. Issues in establishing vitamin D recommendations for infants and children. *Am J Clin Nutr* 2004;80:1759S-1762S.
- Greer FR, Krebs NF; American Academy of Pediatrics Committee on nutrition. Optimizing bone health and calcium intakes of infants, children, and adolescents. *Pediatrics* 2006;117(2):578-585.
- Gross C, Stamey T, Hancock S, et al. Treatment of early recurrent prostate cancer with 1,25-dihydroxyvitamin D<sub>3</sub> (calcitriol). *J Urol* 1998;159(6):2035-2039.
- Gurkan F, Davutoglu M, Bosnak M, et al. Pamidronate treatment in acute vitamin D intoxication. *J Endocrinol Invest* 2004;27(7): 680-682.
- Hahn M, Lorez H, Fischer G. Effect of calcitriol in combination with corticosterone, interleukin-1 $\beta$ , and transforming growth factor- $\beta$ 1 on nerve growth factor secretion in an astroglial cell line. *J Neurochem* 1997;69(1):102-109.
- Hamdy RC, Chesnut CH III, Gass ML, et al. Review of treatment modalities for postmenopausal osteoporosis. *South Med J* 2005;98(10):1000-1014. (Review)
- Hamid Z, et al. Vitamin D deficiency in nursing home residents: need to adhere to current recommendations. Abstract C126. American Geriatrics Society 2005 Annual Meeting: Orlando, May 13, 2005.
- Harkness L, Cromer B. Low levels of 25-hydroxy vitamin D are associated with elevated parathyroid hormone in healthy adolescent females. *Osteoporos Int* 2005 Jan;16(1):109-113.
- Harrell CC, Kline SS. Vitamin K-supplemented snacks containing olestra: implication for patients taking warfarin. *JAMA* 1999;282(12): 1133-1134. (Letter)
- Harris SS, Dawson-Hughes B, Perrone GA. Plasma 25-hydroxyvitamin D responses of younger and older men to three weeks of supplementation with 1800 IU/day of vitamin D. *J Am Coll Nutr* 1999;18:470-474.
- Harris SS, Soteriades E, Coolidge JA, et al. Vitamin D insufficiency and hyperparathyroidism in a low income, multiracial, elderly population. *J Clin Endocrinol Metab* 2000;85(11):4125-4130.

## Citations and Reference Literature: Vitamin D

- Harwood RH, Sahota O, Gaynor K, et al. A randomised, controlled comparison of different calcium and vitamin D supplementation regimens in elderly women after hip fracture: the Nottingham Neck of Femur (NONOF) Study. *Age Ageing* 2004;33(1):45-51.
- Hathcock JN. Metabolic mechanisms of drug-nutrient interactions. *Fed Proc* 1985;44(1 Pt 1):124-129.
- Hathcock JN, Shao A, Vieth R, et al. Risk assessment for vitamin D. *Am J Clin Nutr* 2007;85(1):6-18. (Review)
- Hayes CE, Cantorna MT, Deluca HF. Vitamin D and multiple sclerosis. *Proc Soc Exp Biol Med* 1997;216:21-27. (Review)
- Heaney RP. Barriers to optimizing vitamin D<sub>3</sub> intake for the elderly. *J Nutr* 2006;136(4):1123-1125.
- Heaney RP. BMD: the problem. *Osteoporos Int* 2005;16:1013-1015.
- Heaney RP. Bone mineral content, not bone mineral density, is the correct bone measure for growth studies. *Am J Clin Nutr* 2003;78(2):350-352.
- Heaney RP. Constructive interactions among nutrients and bone-active pharmacologic agents with principal emphasis on calcium, phosphorus, vitamin D and protein. *J Am Coll Nutr* 2001;20(5 Suppl):403S-409S;417S-420S.
- Heaney RP. Design considerations for clinical investigations of osteoporosis. In: Marcus R, Feldman D, Nelson D, et al, eds. *Osteoporosis*. 3rd ed. San Diego: Elsevier, Inc; 2007. In press.
- Heaney RP. Functional indices of vitamin D status and ramifications of vitamin D deficiency. *Am J Clin Nutr* 2004;80:1706S-1709S.
- Heaney RP. Human serum 25-hydroxy-cholecalciferol response to extended oral dosing with cholecalciferol. *Am J Clin Nutr* 2003;77:204-210.
- Heaney RP. Long-latency deficiency disease: insights from calcium and vitamin D. *Am J Clin Nutr* 2003;78(5):912-919. (Review)
- Heaney RP. Phosphorus nutrition and the treatment of osteoporosis. *Mayo Clin Proc* 2004;79(1):91-97. (Review)
- Heaney RP. The vitamin D requirement in health and disease. *J Steroid Biochem Mol Biol* 2005;97(1-2):13-19. (Review)
- Heaney RP. Vitamin D, nutritional deficiency, and the medical paradigm. *J Clin Endocrinol Metab* 2003;88(11):5107-5108. (Review)
- Heaney RP, Bachmann GA. Interpreting studies of nutritional prevention: a perspective using calcium as a model. *J Womens Health* 2005;14:990-897.
- Heaney RP, Dowell MS, Hale CA, et al. Calcium absorption varies within the reference range for serum 25-hydroxyvitamin D. *J Am Coll Nutr* 2003;22(2):142-146.
- Heaney RP, Draper MW. Raloxifene and estrogen: comparative bone-remodeling kinetics. *J Clin Endocrinol Metab* 1997;82(10):3425-3429.
- Heaney RP, Magowan S, Zhous S. Prevalence of low calcium intake in postmenopausal osteoporotic women: the need for supplementation. Abstract M276. American Society of Bone and Mineral Research (ASBMR) 27th Annual Meeting: Nashville, Sep 26, 2005.
- Heaney RP, Rafferty K, Dowell MS, et al. Calcium fortification systems differ in bioavailability. *J Am Diet Assoc* 2005;105(5):807-809.
- Heaney RP, Weaver CM. Calcium and vitamin D. *Endocrinol Metab Clin North Am* 2003;32(1):181-94, vii-viii. (Review)
- Hendler SS, Rorvik DR, eds. *PDR for nutritional supplements*. Montvale, NJ: Medical Economics Company, Inc; 2001.
- Henning HV. Aluminum toxicity. *Klin Wochenschr* 1989;67(24):1221-1228. [German]
- Hewison M, O'Riordan JL. Hormone-nuclear receptor interactions in health and disease: vitamin D resistance. *Baillieres Clin Endocrinol Metab* 1994;8(2):305-315.
- Hiatt RA, Krieger N, Lobaugh B, et al. Prediagnostic serum vitamin D and breast cancer. *J Natl Cancer Inst* 1998;90(6):461-463.
- Hodges R. Drug-nutrient interaction. In: *Nutrition in medical practice*. Philadelphia: Saunders; 1980:323-331.
- Hodis HN, Mack WJ, LaBree L, et al. Serial coronary angiographic evidence that antioxidant vitamin intake reduces progression of coronary artery atherosclerosis. *JAMA* 1995;273(23):1849-1854.
- Holick MF. High prevalence and clinical implications of vitamin D inadequacy. *Mayo Clin Proc* 2006;81(3):353-373. (Review)
- Holick MF. PTH (1-34): a novel anabolic drug for the treatment of osteoporosis. *South Med J* 2005;98(11):1114-1117. (Review)
- Holick MF. Sunlight and vitamin D for bone health and prevention of autoimmune diseases, cancers, and cardiovascular disease. *Am J Clin Nutr* 2004;80:1678S-1688S.
- Holick MF. The parathyroid hormone D-lema. *J Clin Endocrinol Metab* 2003;88(8):3499-3500. (Comment)
- Holick MF. The vitamin D epidemic and its health consequences. *J Nutr* 2005;135(11):2739S-2748S.
- Holick MF. Vitamin D. In: Shils M, Olson JA, Shike M, et al, eds. *Nutrition in health and disease*. 9th ed. Baltimore: Williams & Wilkins; 1999:329-345.
- Holick MF. Vitamin D: a millenium perspective. *J Cell Biochem* 2003;88(2):296-307. (Review)
- Holick MF. Vitamin D: important for prevention of osteoporosis, cardiovascular heart disease, type 1 diabetes, autoimmune diseases, and some cancers. *South Med J* 2005;98(10):1024-1027. (Review)

## Citations and Reference Literature: Vitamin D

- Holick MF. Vitamin D: photobiology, metabolism, mechanism of action, and clinical applications. In: Favus M, ed. *Primer on the metabolic bone diseases and disorders of mineral metabolism*. 4th ed. Philadelphia: Lippincott Williams & Wilkins; 1999:92-98.
- Holick MF. Vitamin D: importance in the prevention of cancers, type 1 diabetes, heart disease, and osteoporosis. *Am J Clin Nutr* 2004;79:362-371. (Review)
- Holick MF. Vitamin D deficiency: what a pain it is. *Mayo Clin Proc* 2003;78(12):1457-1459. (Comment)
- Holick MF, Krane SM, Potts JT. Calcium, phosphorus, and bone metabolism: calcium-regulating hormones. In: Fauci AS, Braunwald E, Isselbacher KJ, et al, eds. *Harrison's principles of internal medicine*. 14th ed. New York: McGraw-Hill Companies Health Professional Division; 1998:2221-2222.
- Hollis BW. Circulating 25-hydroxyvitamin D levels indicative of vitamin D sufficiency: implications for establishing a new effective dietary intake recommendation for vitamin D. *J Nutr* 2005;135:317-322.
- Hollis BW, Wagner CL. Assessment of dietary vitamin D requirements during pregnancy and lactation. *Am J Clin Nutr* 2004;79:717-726.
- Hollis BW, Wagner CL. Vitamin D requirements during lactation: high-dose maternal supplementation as therapy to prevent hypovitaminosis D for both the mother and the nursing infant. *Am J Clin Nutr* 2004;80:1752S-1758S.
- Holmes RP, Kummerow FA. The relationship of adequate and excessive intake of vitamin D to health and disease. *J Am Coll Nutr* 1983;2(2):173-199. (Review)
- Holt PR, Arber N, Halmos B, et al. Colonic epithelial cell proliferation decreases with increasing levels of serum 25-hydroxy vitamin D. *Cancer Epidemiol Biomarkers Prev* 2002;11(1):113-119.
- Hoogwerf BJ, Hibbard DM, Hunninghake DB. Effects of long-term cholestyramine administration on vitamin D and parathormone levels in middle-aged men with hypercholesterolemia. *J Lab Clin Med* 1992;119(4):407-411.
- Huang SP, Huang CY, Wu WJ, et al. Association of vitamin D receptor FokI polymorphism with prostate cancer risk, clinicopathological features and recurrence of prostate specific antigen after radical prostatectomy. *Int J Cancer* 2006;119(8):1902-1907.
- Hudson JQ, Small RE, Buckley L. Perceptions of pharmacists about adverse effects of corticosteroid therapy: focus on osteoporosis. *J Am Pharm Assoc (Wash)* 1998;38(6):710-716.
- Humbert P, Dupond JL, Agache P, et al. Treatment of scleroderma with oral 1,25-dihydroxyvitamin D3: evaluation of skin involvement using non-invasive techniques: results of an open prospective trial. *Acta Derm Venereol* 1993;73(6):449-451.
- Hypponen E, Laara E, Reunanen A, et al. Intake of vitamin D and risk of type 1 diabetes: a birth-cohort study. *Lancet* 2001;358(9292):1500-1503.
- Iivanainen M, Savolainen H. Side effects of phenobarbital and phenytoin during long-term treatment of epilepsy. *Acta Neurol Scand Suppl* 1983;97:49-67.
- Ikeda Y, Takemoto F. [Serum calcium concentration and the safety of vitamin D therapy.] *Clin Calcium* 2004;14(9):79-82. [Japanese] (Review)
- Iqbal SJ, Taylor WH. Treatment of vitamin D2 poisoning by induction of hepatic enzymes. *Br Med J* 1982;285:541-542.
- Ismail F, Corder CN, Epstein S, et al. Effects of pravastatin and cholestyramine on circulating levels of parathyroid hormone and vitamin D metabolites. *Clin Ther* 1990;12(5):427-430.
- Jackson RD, LaCroix AZ, Gass M, et al. Calcium plus vitamin D supplementation and the risk of fractures. *N Engl J Med* 2006;354(7):669-683. Erratum in *N Engl J Med* 2006;354(10):1102.
- Jahnson J, Falch JA, Mowinckel P, et al. Vitamin D status, parathyroid hormone and bone mineral density in patients with inflammatory bowel disease. *Scand J Gastroenterol* 2002;37(2):192-199.
- Janeway CA, Travers P. *Immunobiology: the immune system in health and disease*. 3rd ed. New York: Garland Publishing Inc; 1997.
- Jänne PA, Mayer RJ. Chemoprevention of colorectal cancer. *N Engl J Med* 2000;342(26):1960-1968.
- Janssen HC, Samson MM, Verhaar HJ. Vitamin D deficiency, muscle function, and falls in elderly people. *Am J Clin Nutr* 2002;75(4):611-615.
- Janowsky EC, Lester GE, Weinberg CR, et al. Association between low levels of 1,25-dihydroxyvitamin D and breast cancer risk. *Public Health Nutr* 1999;2(3):283-291.
- Javaid MK, Crozier SR, Harvey NC, et al. Maternal vitamin D status during pregnancy and childhood bone mass at age 9 years: a longitudinal study. *Lancet* 2006;367:36-43.
- John EM, Dreon DM, Koo J, et al. Residential sunlight exposure is associated with a decreased risk of prostate cancer. *J Steroid Biochem Mol Biol* 2004;89-90(1-5):549-552.
- John EM, Schwartz GG, Dreon DM, et al. Vitamin D and breast cancer risk: the NHANES I Epidemiologic follow-up study, 1971-1975 to 1992: National Health and Nutrition Examination Survey. *Cancer Epidemiol Biomarkers Prev* 1999;8(5):399-406.
- John EM, Schwartz GG, Koo J, et al. Sun exposure, vitamin d receptor gene polymorphisms, and risk of advanced prostate cancer. *Cancer Res* 2005;65(12):5470-5479.

## Citations and Reference Literature: Vitamin D

- John WG, Noonan K, Mannan N, et al. Hypovitaminosis D is associated with reductions in serum apolipoprotein A-I but not with fasting lipids in British Bangladeshis. *Am J Clin Nutr* 2005;82:517-522.
- Jones G, Sambrook PN. Drug-induced disorders of bone metabolism: incidence, management and avoidance. *Drug Saf* 1994;10(6):480-489.
- Kamio A, Kummerow F, Imai H. Degeneration of aortic smooth muscle cells in swine fed excess vitamin D3. *Arch Pathol Lab Med* 1977;101:378-381.
- Kampman E, Slattery ML, Caan B, et al. Calcium, vitamin D, sunshine exposure, dairy products and colon cancer risk (United States). *Cancer Causes Control* 2000;11:459-466.
- Kamradt J, Rafi L, Mitschele T, et al. Analysis of the vitamin D system in cutaneous malignancies. *Recent Results Cancer Res* 2003;164:259-269.
- Kano K, Suda T. Serum 25(OH)D and 24,25(OH)2 levels in childhood nephrosis under different therapeutic regimens of steroid administration. *Eur J Pediatr* 1982;138(2):162-165.
- Keranen T, Sivenius J. Side effects of carbamazepine, valproate and clonazepam during long-term treatment of epilepsy. *Acta Neurol Scand Suppl* 1983;97:69-80.
- Kesse E, Boutron-Ruault MC, Norat T, et al. Dietary calcium, phosphorus, vitamin D, dairy products and the risk of colorectal adenoma and cancer among French women of the E3N-EPIC prospective study. *Int J Cancer* 2005;117(1):137-144.
- Kim JG, Lim KS, Kim EK, et al. Association of vitamin D receptor and estrogen receptor gene polymorphisms with bone mass in postmenopausal Korean women. *Menopause* 2001;8(3):222-228.
- Kinjo M, Setoguchi S, Schneeweiss S, et al. Bone mineral density in subjects using central nervous system-active medications. *Am J Med* 2005;118(12):1414.
- Klein GL, Chen TC, Holick ME, et al. Synthesis of vitamin D in skin after burns. *Lancet* 2004;363(9405):291-292.
- Knodel LC, Talbert RL. Adverse effects of hypolipidaemic drugs. *Med Toxicol* 1987;2(1):10-32.
- Kovacs CS, Jones G, Yendt ER. Primary hyperparathyroidism masked by antituberculous therapy-induced vitamin D deficiency. *Clin Endocrinol (Oxf)* 1994;41(6):831-836.
- Kragballe K. Treatment of psoriasis by the topical application of the novel cholecalciferol analogue calcipotriol. *Arch Dermatol* 1989;125(12):1647-1652.
- Krall EA, Wehler C, Garcia RI, et al. Calcium and vitamin D supplements reduce tooth loss in the elderly. *Am J Med* 2001;111(6):452-456.
- Kristjansson K, Rut AR, Hewison M, et al. Two mutations in the hormone binding domain of the vitamin D receptor cause tissue resistance to 1,25 dihydroxyvitamin D3. *J Clin Invest* 1993;92:12-16.
- Kristal AR, Cohen JH, Qu P, et al. Associations of energy, fat, calcium, and vitamin D with prostate cancer risk. *Cancer Epidemiol Biomarkers Prev* 2002;11(8):719-725.
- Kummerow FA, Cho BH, Huang WY, et al. Additive risk factors in atherosclerosis. *Am J Clin Nutr* 1976;29(5):579-584.
- Kyriakidou-Himonas M, Aloia JF, Yeh JK. Vitamin D supplementation in postmenopausal black women. *J Clin Endocrinol Metab* 1999;84:3988-3990.
- Labrijji-Mestaghanmi H, Billaudel B, Garnier PE, et al. Vitamin D and pancreatic islet function: I: time course for changes in insulin secretion and content during vitamin D deprivation and repletion. *J Endocrinol Invest* 1988;11(8):577-584.
- Labrijji-Mestaghanmi H, Billaudel B, Garnier PE, et al. Vitamin D and pancreatic islet function: 2: time course for changes in insulin secretion and content during vitamin D deprivation and repletion. *J Endocrinol Invest* 1988;11:584-587.
- Ladhani S, Srinivasan L, Buchanan C, et al. Presentation of vitamin D deficiency. *Arch Dis Child* 2004;89(8):781-784.
- Lane NE, Gore R, Cummings SR, et al. Serum vitamin D levels and incident changes of radiographic hip osteoarthritis: a longitudinal study. *Arthritis Rheum* 1999;42(5):854-860.
- Langman M, Boyle P, et al. Chemoprevention of colorectal cancer. *Gut* 1998;43:578-585.
- Lanou AJ, Berkow SE, Barnard ND. Calcium, dairy products, and bone health in children and young adults: a reevaluation of the evidence. *Pediatrics* 2005;115(3):736-743. (Review)
- Lansdowne AT, Provost SC. Vitamin D3 enhances mood in healthy subjects during winter. *Psychopharmacology (Berl)* 1998;135(4):319-323.
- Lappe JM, Davies KM, Travers-Gustafson D, et al. Vitamin D status in a rural postmenopausal female population. *J Am Coll Nutr* 2006;25(5):395-402.
- Lappe JM, Travers-Gustafson D, Davies KM, et al. Vitamin D and calcium supplementation reduces cancer risks: results of a randomized trial. *Am J Clin Nutr* 2007;85(6):1586-1591.

## Citations and Reference Literature: Vitamin D

- Latham NK, Anderson CS, Reid IR. Effects of vitamin D supplementation on strength, physical performance, and falls in older persons: a systematic review. *J Am Geriatr Soc* 2003;51(9):1219-1226.
- Lau KH, Baylink DJ. Vitamin D therapy of osteoporosis: plain vitamin D therapy versus active vitamin D analog (D-hormone) therapy. *Calcif Tissue Int* 1999;65(4):295-306.
- LeBoff MS, Kohlmeier L, Hurwitz S, et al. Occult vitamin D deficiency in postmenopausal US women with acute hip fracture. *JAMA* 1999;281:1505-1511.
- Lee C, Majka DS. Is calcium and vitamin D supplementation overrated? *J Am Diet Assoc* 2006;106(7):1032-1034.
- Lehmann B, Querings K, Reichrath J. Vitamin D and skin: new aspects for dermatology. *Exp Dermatol* 2004;13(s4):11-15. (Review)
- Lemaire V, Miravet L, Bordier P, et al. [Osteomalacy induced by anticonvulsants: one case with a study of vitamin D metabolism.] *Nouv Presse Med* 1975;4(44):3121-3124. [French]
- Leonard MB, Feldman HI, Shults J, et al. Long-term, high-dose glucocorticoids and bone mineral content in childhood glucocorticoid-sensitive nephrotic syndrome. *N Engl J Med* 2004;351(9):868-875.
- Letsou AP, Price LS. Health aging and nutrition: an overview. *Clin Geriatr Med* 1987;3(2):253-260.
- Lieberman DA, Prindiville S, Weiss DG, et al. Risk factors for advanced colonic neoplasia and hyperplastic polyps in asymptomatic individuals. *JAMA* 2003;290:2959-2967.
- Lilliu H, Pamphile R, Chapuy MC, et al. Calcium-vitamin D3 supplementation is cost-effective in hip fractures prevention. *Maturitas* 2003;44(4):299-305.
- Lind L, Skarfors E, Berglund L, et al. Serum calcium: a new, independent prospective risk factor for myocardial infarction in middle-aged men followed for 18 years. *J Clin Epidemiol* 1997;50(8):967-973.
- Lips P, Chapuy MC, Dawson-Hughes B, et al. An international comparison of serum 25-hydroxyvitamin D measurements. *Osteoporos Int* 1999;9(5):394-397.
- Lips P, Graafmans WC, Ooms ME, et al. Vitamin D supplementation and fracture incidence in elderly persons: a randomized, placebo-controlled clinical trial. *Ann Intern Med* 1996;124(4):400-406.
- Liu RH, Albrecht J, Werth VP. Cross-sectional study of bisphosphonate use in dermatology patients receiving long-term oral corticosteroid therapy. *Arch Dermatol* 2006;142:37-41.
- Livingston S, Berman W. Antiepileptic drugs and development of rickets. *J Pediatr* 1973;82(2):347-348.
- Livingston S, Berman W, Pauli LL. Letter: anticonvulsant drugs and vitamin D metabolism. *JAMA* 1973;226(7):787. (Letter)
- Livingston S, Berman W, Pauli LL. Anticonvulsant drugs and vitamin D metabolism. *JAMA* 1973;224(12):1634-1635.
- Livingston S, Pauli LL, Bowden AN. Letter: anticonvulsants and vitamin D metabolism. *Dev Med Child Neurol* 1974;16(5):683-684. (Letter)
- Lochner JD, Schneider DJ. The relationship between tuberculosis, vitamin D, potassium and AIDS: a message for South Africa? *S Afr Med J* 1994;84(2):79-82. [Afrikaans]
- Lokeshwar BL, Schwartz GG, Selzer MG, et al. Inhibition of prostate cancer metastasis in vivo: a comparison of ,23-dihydroxyvitamin D (calcitriol) and EB1089. *Cancer Epidemiol Biomarkers Rev* 1999;8(3):241-248.
- Lukaszewicz J. Vitamin D intoxication: a second view. *Pediatrics* 2006Feb 27. (Letter). Available at: <http://pediatrics.aappublications.org/cgi/eletters/116/3/e453#1707>. Accessed December 12, 2006.
- Lukaszewicz J, Prószyńska K, Lorenc RS, et al. Hepatic microsomal enzyme induction: treatment of vitamin D poisoning in a 7 month old baby. *Br Med J* 1987;295:1173.
- Lund B, Andersen RB, Friis T, et al. Effect of 1alpha-hydroxyvitamin D3 and 1,25-dihydroxyvitamin D3 on intestine and bone in glucocorticoid-treated patients. *Clin Endocrinol (Oxf)* 1977;7(Suppl):177s-181s.
- Macallan DC, Maxwell JD, Eastwood JB. Osteomalacia should be sought and treated before withdrawal of anticonvulsant therapy in UK Asians. *Postgrad Med J* 1992;68(796):134-136.
- Maclare N, Lifshitz F. Vitamin D-dependency rickets in institutionalized, mentally retarded children on long term anticonvulsant therapy: II: the response to 25-hydroxycholecalciferol and to vitamin D2. *Pediatr Res* 1973;7(11):914-922.
- Major GC, Alarie F, Dore J, et al. Supplementation with calcium + vitamin D enhances the beneficial effect of weight loss on plasma lipid and lipoprotein concentrations. *Am J Clin Nutr* 2007;85(1):54-60.
- Makishima M, Lu TT, Xie W, et al. Vitamin D receptor as an intestinal bile acid sensor. *Science* 2002;296(5571):1313-1316.
- Malabanan AO, Holick MF. Vitamin D and bone health in postmenopausal women. *J Womens Health (Larchmt)* 2003;12(2):151-156. (Review)
- Malabanan A, Veronikis IE, Holick MF. Redefining vitamin D insufficiency. *Lancet* 1998;351(9105):805-806.
- Malavolta N, Pratelli L, Frigato M, et al. The relationship of vitamin D status to bone mineral density in an Italian population of postmenopausal women. *Osteoporos Int* 2005;16(12):1691-1697.

## Citations and Reference Literature: Vitamin D

- Malloy PJ, Eccleshall TR, Gross C, et al. Hereditary vitamin D resistant rickets caused by a novel mutation in the vitamin D receptor that results in decreased affinity for hormone and cellular hyporesponsiveness. *J Clin Invest* 1997;99:297-304.
- Manolagas SC, Jilka RL. Emerging insights into the patho-physiology of osteoporosis. *N Engl J Med* 1995;332:305-311.
- Marc J, Prezelj J, Komel R, et al. Association of vitamin D receptor gene polymorphism with bone mineral density in Slovenian postmenopausal women. *Gynecol Endocrinol* 2000;14(1):60-64.
- Martinez ME, Giovannucci EL, Colditz GA, et al. Calcium, vitamin D, and the occurrence of colorectal cancer among women. *J Natl Cancer Inst* 1996;88(19):1375-1382.
- Matkovic V, Goel PK, Badenhop-Stevens NE, et al. Calcium supplementation and bone mineral density in females from childhood to young adulthood: a randomized controlled trial. *Am J Clin Nutr* 2005;81(1):175-188.
- Matsui MS, Rozovski SJ. Drug-nutrient interaction. *Clin Ther* 1982;4(6):423-440.
- Matsunaga S, Ito H, Sakou T. The effect of vitamin K and D supplementation on ovariectomy-induced bone loss. *Calcif Tissue Int* 1999;65(4):285-289.
- Mazess RB, Elangovan L. A review of intravenous versus oral vitamin D hormone therapy in hemodialysis patients. *Clin Nephrol* 2003;59(5):319-325. (Review)
- McAlindon TE, Felson DT, Zhang Y, et al. Relation of dietary intake of serum levels of vitamin D to progression of osteoarthritis of the knee among participants in the Framingham study. *Ann Intern Med* 1996;125:353-359.
- McClung MR, San Martin J, Miller PD, et al. Opposite bone remodeling effects of teriparatide and alendronate in increasing bone mass. *Arch Intern Med* 2005;165:1762-1768.
- McCullough ML, Robertson AS, Rodriguez C, et al. Calcium, vitamin D, dairy products, and risk of colorectal cancer in the Cancer Prevention Study II Nutrition Cohort (United States). *Cancer Causes Control* 2003;14(1):1-12.
- McMurray DN, Bartow RA, Mintzer CL, et al. Micronutrient status and immune function in tuberculosis. *Ann N Y Acad Sci* 1990;587:59-69.
- Meier C, Woitge HW, Witte K, et al. Supplementation with oral vitamin D<sub>3</sub> and calcium during winter prevents seasonal bone loss: a randomized controlled open-label prospective trial. *J Bone Miner Res* 2004;19(8):1221-1230.
- Merlino LA, Curtis J, Mikuls TR, et al. Vitamin D intake is inversely associated with rheumatoid arthritis: Results from the Iowa Women's Health Study. *Arthritis Rheum* 2004;50(1):72-77.
- Mezquita Raya P, Munoz Torres M, Lopez Rodriguez F, et al. Prevalence of vitamin D deficiency in populations at risk for osteoporosis: impact on bone integrity. *Med Clin (Barc)* 2002;119(3):85-89.
- Mezquita-Raya P, Munoz-Torres M, Luna JD, et al. Relation between vitamin D insufficiency, bone density, and bone metabolism in healthy postmenopausal women. *J Bone Miner Res* 2001;16(8):1408-1415.
- Meunier P. Prevention of hip fractures by correcting calcium and vitamin D insufficiencies in elderly people. *Scand J Rheumatol Suppl* 1996;103:75-80.
- Michaëlsson K, Melhus H, Bellocchio R, et al. Dietary calcium and vitamin D intake in relation to osteoporotic fracture risk. *Bone* 2003;32(6):694-703.
- Mimaki T, Walson PD, Haussler MR. Anticonvulsant therapy and vitamin D metabolism: evidence for different mechanisms for phenytoin and phenobarbital. *Pediatr Pharmacol (N Y)* 1980;1(2):105-112.
- Mohan HK, Groves AM, Fogelman I, et al. Thyroid hormone and parathyroid hormone competing to maintain calcium levels in the presence of vitamin D deficiency. *Thyroid* 2004 14(9):789-791.
- Mocanu V, Stitt PA, Costan AR, et al. Long term efficacy and safety of high vitamin D intakes as fortified bread. *FASEB J* 2005;19(4;Part 1;Suppl S):A59.
- Mocanu V, Stitt PA, Costan AR, et al. Long-term efficacy and safety of high vitamin D intakes as fortified bread. A59. Experimental Biology 2005 Meeting. San Diego, Apr 2, 2005.
- Moore CE, Murphy MM, Holick MF. Population-based study of vitamin D intake in the United States. Experimental Biology 2005 Meeting. San Diego, Apr 2, 2005.
- Moore C, Murphy MM, Keast DR, et al. Vitamin D intake in the United States. *J Am Diet Assoc* 2004;104(6):980-983.
- Morimoto S, Yoshikawa K, Fukuo K, et al. Inverse relation between severity of psoriasis and serum 1,25-dihydroxy-vitamin D level. *J Dermatol Sci* 1990;1(4):277-282.
- Motohashi Y, Yamada S, Yanagawa T, et al. Vitamin D receptor gene polymorphism affects onset pattern of type 1 diabetes. *J Clin Endocrinol Metab* 2003;88(7):3137-3140.
- Moyad MA. Osteoporosis. Part III: not just for bone loss: potential benefits of calcium and vitamin D for overall general health. *Urol Nurs* 2003;23(1):69-74.
- Munger KL, Levin LI, Hollis BW, et al. Serum 25-hydroxyvitamin D levels and risk of multiple sclerosis. *JAMA* 2006;296:2832-2838.

## Citations and Reference Literature: Vitamin D

- Munger KL, Zhang SM, O'Reilly E, et al. Vitamin D intake and incidence of multiple sclerosis. *Neurology* 2004;62:60-65.
- Myrianthopoulos M. Dietary treatment of hyperlipidemia in the elderly. *Clin Geriatr Med* 1987;3(2):343-359.
- National Institutes of Health, Office of Dietary Supplements. Facts about dietary supplements: vitamin D. 2002. Available at: <http://www.cc.nih.gov/ccc/supplements/vitd.html>. Accessed January 14, 2004.
- Nelson JB, et al. Once weekly oral alendronate prevents bone loss in men on androgen deprivation therapy for prostate cancer. Abstract 139. ASCO/ASTRO Prostate Cancer Symposium. San Francisco, Feb 28, 2006.
- Nelson-Piercy C. Heparin-induced osteoporosis in pregnancy. *Lupus* 1997;6(6):500-504. (Review)
- Nesbitt LT Jr. Minimizing complications from systemic glucocorticosteroid use. *Dermatol Clin* 1995;13(4):925-939. (Review)
- Nicar MJ, Pak CY. Calcium bioavailability from calcium carbonate and calcium citrate. *J Clin Endocrinol Metab* 1985;61(2):391-393.
- Nordin BEC, Need AG, Chatterton BE, et al. The relative contribution of age and years since menopause to post-menopausal bone loss. *J Clin Endocrinol Metab* 1990;70:83-88.
- Nowson CA, Sherwin AJ, McPhee JG, et al. Energy, protein, calcium, vitamin D and fibre intakes from meals in residential care establishments in Australia. *Asia Pac J Clin Nutr* 2003;12(2):172-177.
- Nutti R, Vattimo A, Turchetti V, et al. 25-Hydroxycholecalciferol as an antagonist of adverse corticosteroid effects on phosphate and calcium metabolism in man. *J Endocrinol Invest* 1984;7(5):445-448.
- O'Connell MB, Madden DM, Murray AM, et al. Effects of proton pump inhibitors on calcium carbonate absorption in women: a randomized crossover trial. *Am J Med* 2005;118(7):778-781.
- O'Neill S, MacLennan A, Bass S, et al. Guidelines for the management of postmenopausal osteoporosis for GPs. *Aust Fam Physician* 2004;33(11):910-919.
- O'Regan S, Chesney RW, Hamstra A, et al. Reduced serum 1,25-(OH)2 vitamin D3 levels in prednisone-treated adolescents with systemic lupus erythematosus. *Acta Paediatr Scand* 1979;68(1):109-111.
- Orwoll E, Meier D. Alterations in calcium, vitamin D and para-thyroid hormone physiology in normal men with aging: relationship to the development of senile osteoporosis. *J Clin Endocrinol Metab* 1986;63:1262-1269.
- Osborne JL, Schwartz GG, Smith DC, et al. Phase II trial of oral 1,25 dihydroxyvitamin D (calcitriol) in hormone refractory prostate cancer. *Urol Oncol* 1995;1:195.
- Outila TA, Karkkainen MU, Lamberg-Allardt CJ. Vitamin D status affects serum parathyroid hormone concentrations during winter in female adolescents: associations with forearm bone mineral density. *Am J Clin Nutr* 2001;74(2):206-210.
- Palmieri GM, Thompson JS, Eliel LP. Modifications of plasma magnesium by thyrocalcitonin, parathyroid extract and cortisone. *Endocrinology* 1969;84(6):1509-1511.
- Pappa HM, Gordon CM, Saslowsky TM, et al. Vitamin D status in children and young adults with inflammatory bowel disease. *Pediatrics* 2006;118(5):1950-1961.
- Parikh S. High prevalence of vitamin D insufficiency in obese African American subjects. Abstract P3-467. Endocrine Society's 85th Annual Meeting. Philadelphia, Jun 21, 2003.
- Pawley N, Bishop NJ. Prenatal and infant predictors of bone health: the influence of vitamin D. *Am J Clin Nutr* 2004;80:1748S-1751S.
- Peacey SR, Wright D, Harries MJ. Failure to normalize parathyroid hormone during treatment of vitamin D deficiency in Asian patients. *Clin Endocrinol (Oxf)* 2004;61(5):603-606.
- Pelton R, La Valle JB, Hawkins EB, et al. Drug-induced nutrient depletion handbook. Hudson, OH: Lexi-Comp, Inc; 1999-2000.
- Peters U, McGlynn KA, Chatterjee N, et al. Vitamin D, calcium, and vitamin D receptor polymorphism in colorectal adenomas. *Cancer Epidemiol Biomarkers Prev* 2001;10(12):1267-1274.
- Pettifor JM. Nutritional rickets: deficiency of vitamin D, calcium, or both? *Am J Clin Nutr* 2004;80:1725S-1729S.
- Pettifor JM, Bikle DD, Cavaleros M, et al. Serum levels of free 1,25-dihydroxyvitamin D in vitamin D toxicity. *Ann Intern Med* 1995;122(7):511-513.
- Pfeifer M, Begerow B, Minne HW, et al. Effects of a short-term vitamin D(3) and calcium supplementation on blood pressure and parathyroid hormone levels in elderly women. *J Clin Endocrinol Metab* 2001;86(4):1633-1637.
- Pittas A, et al. A prospective study of vitamin D Intake and risk of type 2 diabetes in women. Abstract 1772. Sixty-fifth Scientific Sessions of the American Diabetes Association: San Diego, Jun 13, 2005.
- Pittas A, Dawson-Hughes B, Li T, et al. Vitamin D and calcium intake in relation to type 2 diabetes in women. *Diabetes Care* 2006;29:650-656.
- Plotnikoff GA. Vitamin D: the steroid hormone prescription for every patient. *Minn Med* 2003;86(1):43-45. (Review)
- Plotnikoff GA, Quigley JM. Prevalence of severe hypovitaminosis D in patients with persistent, nonspecific musculoskeletal pain. *Mayo Clin Proc* 2003;78(12):1463-1470.

## Citations and Reference Literature: Vitamin D

- Pluskiewicz W, Nowakowska J. Bone status after long-term anticonvulsant therapy in epileptic patients: evaluation using quantitative ultrasound of calcaneus and phalanges. *Ultrasound Med Biol* 1997;23(4):553-558.
- Porthouse J, Cockayne S, King C, et al. Randomised controlled trial of vitamin supplementation with calcium and cholecalciferol (vitamin D) for prevention of fractures in primary care. *BMJ* 2005;330(7498):1003-1006.
- Potter JD. Nutrition and colorectal cancer. *Cancer Causes Control* 1996;7:127-146.
- Prentice A, Ginty F, Stear SJ, et al. Calcium supplementation increases stature and bone mineral mass of 16-18 year old boys. *J Clin Endocrinol Metab* 2005;90:3153-3161.
- Prentice A, Parsons TJ, Cole TJ. Uncritical use of bone mineral density in absorptiometry may lead to size-related artifacts in the identification of bone mineral determinants. *Am J Clin Nutr* 1994;60:837-842.
- Prince RL, Devine A, Dhaliwal SS, et al. Effects of calcium supplementation on clinical fracture and bone structure. results of a 5-year, double-blind, placebo-controlled trial in elderly women. *Arch Intern Med* 2006;166:869-875.
- Raiten DJ, Picciano MF. Vitamin D and health in the 21st century: bone and beyond: executive summary. *Am J Clin Nutr* 2004;80:1673S-1677S.
- Raloff J. Bread and chocolate, no longer D-minimus. *Sci News Online* 2005;167(19).
- Rao A, Woodruff RD, Wade WN, et al. Genistein and vitamin D synergistically inhibit human prostatic epithelial cell growth. *J Nutr* 2002;132(10):3191-3194.
- Rassouli A, Milanian I, Moslemi-Zadeh M. Determination of serum 25-hydroxyvitamin D(3) levels in early postmenopausal Iranian women: relationship with bone mineral density. *Bone* 2001;29(5):428-430.
- Recker RR, Hinders S, Davies KM, et al. Correcting calcium nutritional deficiency prevents spine fractures in elderly women. *J Bone Miner Res* 1996;11:1961-1966.
- Reichrath J. Will analogs of 1,25-dihydroxyvitamin D(3) (calcitriol) open a new era in cancer therapy? *Onkologie* 2001;24(2):128-133. (Review)
- Reid IR, Ames RW, Evans MC, et al. Long-term effects of calcium supplementation on bone loss and fractures in postmenopausal women: a randomized controlled trial. *Am J Med* 1995;98:331-335.
- Reid IR, Ibbertson HK. Calcium supplements in the prevention of steroid-induced osteoporosis. *Am J Clin Nutr* 1986;44(2):287-290.
- Reid IR, Ibbertson HK. Corticosteroids and osteoporosis. *Aust N Z J Med* 1987;17(6):611-612. (Letter)
- Riggs BL, Melton LJ. The prevention and treatment of osteoporosis. *N Engl J Med* 1992;327(9):620-627.
- Ringe JD, Becker K. [Osteoporosis caused by long term heparin therapy.] *Med Monatsschr Pharm* 1985;8(3):80-83. [German]
- Rodbro P, Christiansen C. Letter: prophylactic vitamin D supplement to epileptic children on anticonvulsant drugs. *N Engl J Med* 1975;293(6):306-307. (Letter)
- Roe DA. Diet and drug interactions. New York: Van Nostrand Reinhold; 1989. (Review)
- Roe DA. Drug-induced nutritional deficiencies. 2nd ed. Westport, CT: Avi Publishing; 1985:158-159. (Review)
- Roe DA. Risk factors in drug-induced nutritional deficiencies. In: Roe DA, Campbell T, eds. Drugs and nutrients: the interactive effects. New York: Marcel Decker; 1984:505-523. (Review)
- Rook GA, Steele J, Fraher L, et al. Vitamin D3, gamma interferon, and control of proliferation of *Mycobacterium tuberculosis* by human monocytes. *Immunology* 1986;57(1):159-163.
- Rucker D, Allan JA, Fick GH, et al. Vitamin D insufficiency in a population of healthy western Canadians. *CMAJ* 2002;166(12):1517-1524. Erratum in *CMAJ* 2002;167(8):850.
- Rude RK, Gruber HE, Oldham SB. Cortisone-induced osteoporosis: effects on bone adenylate cyclase. *Miner Electrolyte Metab* 1993;19(2):71-77.
- Rupp WM, McCarthy HB, Rohde TD, et al. Risk of osteoporosis in patients treated with long-term intravenous heparin therapy. *Curr Surg* 1982;39(6):419-422.
- Russell RM, Golner BB, Krasinski SD, et al. Effect of antacid and H2 receptor antagonists on the intestinal absorption of folic acid. *J Lab Clin Med* 1988;112(4):458-463.
- Sahota O, Mundey MK, San P, et al. The relationship between vitamin D and parathyroid hormone: calcium homeostasis, bone turnover, and bone mineral density in postmenopausal women with established osteoporosis. *Bone* 2004;35(1):312-319.
- Salamoun MM, Kizirian AS, Tannous RI, et al. Low calcium and vitamin D intake in healthy children and adolescents and their correlates. *Eur J Clin Nutr* 2005;59(2):177-184.
- Sambrook PN. Glucocorticoid osteoporosis. *Curr Pharm Des* 2002;8(21):1877-1883. (Review)
- Sambrook P. Vitamin D and fractures: quo vadis? *Lancet* 2005;365(9471):1599-1600. (Editorial)
- Sasidharan PK, Rajeev E, Vijayakumari V. Tuberculosis and vitamin D deficiency. *J Assoc Physicians India* 2002;50:554-558.

## Citations and Reference Literature: Vitamin D

- Sato Y, Kanoko T, Satoh K, et al. Menatetrenone and vitamin D2 with calcium supplements prevent nonvertebral fracture in elderly women with Alzheimer's disease. *Bone* 2005;36(1):61-68.
- Sato Y, Kanoko T, Satoh K, et al. The prevention of hip fracture with risedronate and ergocalciferol plus calcium supplementation in elderly women with Alzheimer disease: a randomized controlled trial. *Arch Intern Med* 2005;165:1737-1742.
- Saul AW. Vitamin D: deficiency, diversity and dosage. *J Orthomolecular Med* 2003;18(3-4):194-204
- Schacht E, Richy F, Reginster JY. The therapeutic effects of alfalcacidol on bone strength, muscle metabolism and prevention of falls and fractures. *J Musculoskeletal Neuronal Interact* 2005;5(3):273-284. (Review)
- Schaefer K, von Herrath D, Kraft D. Disordered calcium metabolism during anticonvulsant treatment. *Geriatr Med* 1973;3(3-4):140-144. (Review)
- Schlagheck TG, Riccardi KA, Zorich NL, et al. Olestra dose response on fat-soluble and water-soluble nutrients in humans. *J Nutr* 1997;127(8 Suppl):1646S-1665S.
- Schleithoff SS, Zittermann A, Tenderich G, et al. Vitamin D supplementation improves cytokine profiles in patients with congestive heart failure: a double-blind, randomized, placebo-controlled trial. *Am J Clin Nutr* 2006;83:754-759.
- Schousboe JT, Nyman JA, Kane RL, et al. Cost-effectiveness of alendronate therapy for osteopenic postmenopausal women. *Ann Intern Med* 2005;142(9):734-741.
- Schumann K. Interactions between drugs and vitamins at advanced age. *Int J Vitam Nutr Res* 1999;69(3):173-178.
- Schwartz GG, Blot WJ. Vitamin D status and cancer incidence and mortality: something new under the sun. *J Natl Cancer Inst* 2006;98(7):428-430. (Editorial)
- Schwartz GG, Eads D, Rao A, et al. Pancreatic cancer cells express 25-hydroxyvitamin D-1 alpha-hydroxylase and their proliferation is inhibited by the prohormone 25-hydroxyvitamin D3. *Carcinogenesis* 2004;25(6):1015-1026.
- Scragg R, Khaw K-T, Murphy S. Effect of winter oral vitamin D3 supplementation on cardiovascular risk factors in elderly adults. *Eur J Clin Nutr* 1995;49:640-646.
- Selby PL, Davies M, Marks JS. Vitamin D intoxication causes hypercalcaemia by increased bone resorption which responds to pamidronate. *Clin Endocrinol (Oxf)* 1995;43(5):531-536.
- Self TH, Chrisman CR, Baciewicz AM, et al. Isoniazid drug and food interactions. *Am J Med Sci* 1999;317(5):304-311.
- Seligmann H, Halkin H, Rauchfleisch S, et al. Thiamine deficiency in patients with congestive heart failure receiving long-term furosemide therapy: a pilot study. *Am J Med* 1991;91(2):151-155.
- Semba RD, Garrett E, Johnson BA, et al. Vitamin D deficiency among older women with and without disability. *Am J Clin Nutr* 2000;72:1529-1534.
- Service FJ. Idle thoughts from an addled mind. *Endocr Pract* 2002;8:135-136.
- Shafer RB, Nuttall FQ. Calcium and folic acid absorption in patients taking anticonvulsant drugs. *J Clin Endocrinol Metab* 1975;41(06):1125-1129.
- Shearer MJ. The roles of vitamins D and K in bone health and osteoporosis prevention. *Proc Nutr Soc* 1997;56(3):915-937. (Review)
- Shiota E, Tsuchiya K, Yamaoka K, et al. Effect of intermittent cyclical treatment with etidronate disodium (HEBP) and calcium plus alphacalcidol in postmenopausal osteoporosis. *J Orthop Sci* 2001;6(2):133-136.
- Silverberg SL, Shane E, Dempster DW, et al. The effects of vitamin D insufficiency in patients with primary hyperparathyroidism. *Am J Med* 1999;107:561-567.
- Siris ES. Utilization and correlates of osteoporosis treatment in postmenopausal women: observations from the National Osteoporosis Risk Assessment (NORA). Abstract M378. American Society for Bone and Mineral Research (ASBMR) 27th Annual Meeting. Nashville, Sep 26, 2005.
- Siwinska A, Opolski A, Chrobak A, et al. Potentiation of the antiproliferative effect in vitro of doxorubicin, cisplatin and genistein by new analogues of vitamin D. *Anticancer Res* 2001;21(3B):1925-1929.
- Skalska A, Gasowski J, Stepniewski M, et al. Antioxidative protection in hypertensive patients treated with diuretics. *Am J Hypertens* 2005;18(8):1130-1132.
- Slatter ML, Yakumo K, Hoffman M, et al. Variants of the VDR gene and risk of colon cancer (United States). *Cancer Causes Control* 2001;12(4):359-364.
- Souberbielle JC, Cormier C, Kindermans C, et al. Vitamin D status and redefining serum parathyroid hormone reference range in the elderly. *J Clin Endocrinol Metab* 2001;86(7):3086-3090.
- Sowers MF, Lachance L. Vitamins and arthritis: the roles of vitamins A, C, D, and E. *Rheum Dis Clin North Am* 1999;25(2):315-331.
- Specker B. Vitamin D requirements during pregnancy. *Am J Clin Nutr* 2004;80:1740S-1747S.
- Staberg B, Oxholm A, Klemp P, et al. Abnormal vitamin D metabolism in patients with psoriasis. *Acta Derm Venereol* 1987;67(1):65-68.

## Citations and Reference Literature: Vitamin D

- Standing Committee on the Scientific Evaluation of Dietary Reference Intakes, Food and Nutrition Board, Institute of Medicine. Dietary reference intakes for calcium, phosphorus, magnesium, vitamin D, and fluoride. Washington, DC: National Academy Press; 1999:282.
- Steinbuch M, Youket TE, Cohen S. Oral glucocorticoid use is associated with an increased risk of fracture. *Osteoporos Int* 2004;15(4):323-328.
- Steingrimsdottir L, Gunnarsson O, Indridason OS, et al. Relationship between serum parathyroid hormone levels, vitamin D sufficiency, and calcium intake. *JAMA* 2005;294:2336-2341.
- Stockley IH. Drug interactions. 6th ed. London: Pharmaceutical Press; 2002.
- Stogmann W. [Disorders of calcium metabolism and ossification caused by anticonvulsants.] *Padiatr Padol* 1983;18(2):119-121. [German]
- Summey BT, Yosipovitch G. Glucocorticoid-induced bone loss in dermatologic patients: an update. *Arch Dermatol* 2006;142:82-90. (Review)
- Takeda E, Yamamoto H, Taketani Y, et al. Vitamin D-dependent rickets type I and type II. *Acta Paediatr Jpn* 1997;39(4):508-513.
- Tam CS, Wilson DR, Hitchman AJ, et al. Protective effect on vitamin D<sub>2</sub> on bone apposition from the inhibitory action of hydrocortisone in rats. *Calcif Tissue Int* 1981;33(2):167-172.
- Tangpricha V, Pearce EN, Chen TC, et al. Vitamin D insufficiency among free-living healthy young adults. *Am J Med* 2002;112(8):659-662.
- Teegarden D, Legowski P, Gunther CW, et al. Dietary calcium intake protects women consuming oral contraceptives from spine and hip bone loss. *J Clin Endocrinol Metab* 2005;90(9):5127-5133.
- Teucher B, Majsaak-Newman G, Dainty JR, et al. Calcium absorption is not increased by caseinophosphopeptides. *Am J Clin Nutr* 2006;84:162-166.
- The North American Menopause Society. The role of calcium in peri- and postmenopausal women: 2006 position statement of The North American Menopause Society. *Menopause* 2006;13(6):859-862.
- Thomas MK, Lloyd-Jones DM, Thadhani RI, et al. Hypovitaminosis D in medical inpatients. *N Engl J Med* 1998;338(12):777-783.
- Thornquist MD, Kristal AR, Patterson RE, et al. Olestra consumption does not predict serum concentrations of carotenoids and fat-soluble vitamins in free-living humans: early results from the sentinel site of the olestra post-marketing surveillance study. *J Nutr* 2000;130(7):1711-1718.
- Threlkeld DS, ed. Blood modifiers, anticoagulants, heparin. In: Facts and comparisons drug information. St Louis: Facts and Comparisons; 1997.
- Threlkeld DS, ed. Diuretics and cardiovasculars, calcium channel blocking agents. In: Facts and comparisons drug information. St Louis: Facts and Comparisons; 1992.
- Threlkeld DS, ed. Hormones, adrenal cortical steroids, glucocorticoids. In: Facts and comparisons drug information. St Louis: Facts and Comparisons; 1991.
- Tjellesen L, Hummer L, Christiansen C, et al. Different metabolism of vitamin D<sub>2</sub>/D<sub>3</sub> in epileptic patients treated with phenobarbitone/phenytoin. *Bone* 1986;7(5):337-342.
- Tomita S, Ohnishi J, Nakano M, et al. The effects of anticonvulsant drugs on vitamin D<sub>3</sub>-activating cytochrome P-450-linked monooxygenase systems. *J Steroid Biochem Mol Biol* 1991;39(4A):479-485.
- Trivedi DP, Doll R, Khaw KT. Effect of four monthly oral vitamin D<sub>3</sub> (cholecalciferol) supplementation on fractures and mortality in men and women living in the community: randomised double blind controlled trial. *BMJ* 2003;326(7387):469-472.
- Trovato A, Nuhlicek DN, Midtling JE. Drug-nutrient interactions. *Am Fam Physician* 1991;44(5):1651-1658. (Review)
- Tsang RC, Roginsky MS, Mellies MJ, et al. Plasma 25-hydroxy-vitamin D in familial hypercholesterolemic children receiving colestipol resin. *Pediatr Res* 1978;12(10):980-982.
- Tsurugen H, Nakai M, Okamoto M, et al. Assessment of etidronic acid plus alfalcacitol for the treatment of osteopenia in steroid-dependent asthmatics: a pilot study of five cases. *Clin Drug Invest* 2003;23(2):99-105.
- Tsuritani I, Brooke-Wavell KS, Mastana SS, et al. Does vitamin D receptor polymorphism influence the response of bone to brisk walking in postmenopausal women? *Horm Res* 1998;50(6):315-319.
- Tuohimaa P, Lyakhovich A, Aksnenov N, et al. Vitamin D and prostate cancer. *J Steroid Biochem Mol Biol* 2001;76:125-134.
- Tuohimaa P, Tenkanen L, Ahonen M, et al. Both high and low levels of blood vitamin D are associated with a higher prostate cancer risk: a longitudinal, nested case-control study in the Nordic countries. *Int J Cancer* 2004;108(1):104-108.
- Turnquist J, Ornoy A, Eini D, et al. Effects of 1 alpha(OH)-vitamin D<sub>3</sub> and 24,25(OH)<sub>2</sub>-vitamin D<sub>3</sub> on long bones of glucocorticoid-treated rats. *Acta Anat (Basel)* 1992;145(1):61-67.
- USDA: Composition of foods: USDA handbook #8. Washington, DC: ARS, USDA; 1976-1986.

## Citations and Reference Literature: Vitamin D

- Uusi-Rasi K, Semanick LM, Zanchetta JR, et al. Effects of teriparatide [rhPTH (1-34)] treatment on structural geometry of the proximal femur in elderly osteoporotic women. *Bone* 2005;36(6):948-958.
- Vandevyver C, Wylin T, Cassiman JJ, et al. Influence of the vitamin D receptor gene alleles on bone mineral density in postmenopausal and osteoporotic women. *J Bone Miner Res* 1997;12(2):241-247.
- Van Veldhuizen PJ, Taylor SA, Williamson S, et al. Treatment of vitamin D deficiency in patients with metastatic prostate cancer may improve bone pain and muscle strength. *J Urol* 2000;163:187-190.
- Veeninga AT, Wielders JP, Oosterink J. [A pilot study of vitamin D in psychogeriatric patients: 82% is (severely) deficient.] *Tijdschr Gerontol Geriatr* 2004;35(5):203-206. [Dutch]
- Vieth R. Critique of the considerations for establishing the tolerable upper intake level for vitamin D: critical need for revision upwards. *J Nutr* 2006;136(4):1117-1122. (Review)
- Vieth R. Vitamin D supplementation, 25-hydroxyvitamin D concentrations, and safety. *Am J Clin Nutr* 1999;69(5):825-826. (Review)
- Vieth R, Chan PC, MacFarlane GD. Efficacy and safety of vitamin D<sub>3</sub> intake exceeding the lowest observed adverse effect level. *Am J Clin Nutr* 2001;73(2):288-294.
- Vieth R, Kimball S. Vitamin D in congestive heart failure. *Am J Clin Nutr* 2006;83:731-732. (Editorial)
- Vieth R, Kimball S, Hu A, et al. Randomized comparison of the effects of the vitamin D<sub>3</sub> adequate intake versus 100 mcg (4000 IU) per day on biochemical responses and the wellbeing of patients. *Nutr J* 2004;3(1):8.
- Viljakainen HT, Natri AM, Karkkainen M, et al. A positive dose-response effect of vitamin D supplementation on site-specific bone mineral augmentation in adolescent girls: a double-blinded randomized placebo-controlled 1-year intervention. *J Bone Miner Res* 2006;21(6):836-844.
- Villar J, Abdel-Aleem H, Merialdi M, et al. World Health Organization randomized trial of calcium supplementation among low calcium intake pregnant women. *Am J Obstet Gynecol* 2006;194(3):639-649.
- Villareal DT, et al. Subclinical vitamin D deficiency in postmenopausal women with low vertebral bone mass. *J Clin Endocrinol Metab* 1991;72(3):628-634.
- Wactawski-Wende J, Kotchen JM, Anderson GL, et al. Calcium plus vitamin D supplementation and the risk of colorectal cancer. *N Engl J Med* 2006;354(7):684-696.
- Wang JT, Lin CJ, Burridge SM, et al. Genetics of vitamin D 1-hydroxylase deficiency in 17 families. *Am J Hum Genet* 1998;63:1694-1702.
- Wang L, Whitlatch LW, Flanagan JN, et al. Vitamin D autocrine system and prostate cancer. *Recent Results Cancer Res* 2003;164:223-237. (Review)
- Watson KE, Abrolat ML, Malone LL, et al. Active serum vitamin D levels are inversely correlated with coronary calcification. *Circulation* 1997;96(6):1755-1760.
- Weaver CM. 2003 W. O. Atwater Memorial Lecture: defining nutrient requirements from a perspective of bone-related nutrients. *J Nutr* 2003;133(12):4063-4066.
- Weaver CM, Fleet JC. Vitamin D requirements: current and future. *Am J Clin Nutr* 2004;80:1735S-1739S.
- Weisman Y, Schen RJ, Eisenberg Z, et al. Inadequate status and impaired metabolism of vitamin D in the elderly. *Isr J Med Sci* 1981;17(1):19-21.
- Weisberg P, Scanlon KS, Li R, et al. Nutritional rickets among children in the United States: review of cases reported between 1986 and 2003. *Am J Clin Nutr* 2004;80:1697S-1705S.
- Werbach MR. Foundations of nutritional medicine. Tarzana, CA: Third Line Press; 1997. (Review)
- Whitfield GK, Selznick SH, Haussler CA, et al. Vitamin D receptors from patients with resistance to 1,25-dihydroxyvitamin D<sub>3</sub>: point mutations confer reduced transactivation in response to ligand and impaired interaction with the retinoid X receptor heterodimeric partner. *Mol Endocrinol* 1996;10:1617-1631.
- Whiting SJ, Calvo MS. Overview of the proceedings from Experimental Biology 2005 Symposium: optimizing vitamin D intake for populations with special needs: barriers to effective food fortification and supplementation. *J Nutr* 2006;136(4):1114-1116.
- Wilkinson RJ, Llewelyn M, Toossi Z, et al. Influence of vitamin D deficiency and vitamin D receptor polymorphisms on tuberculosis among Gujarati Asians in west London: a case-control study. *Lancet* 2000;355(9204):618-621.
- Willing M, Sowers M, Aron D, et al. Bone mineral density and its change in white women: estrogen and vitamin D receptor genotypes and their interaction. *J Bone Miner Res* 1998;13(4):695-705.
- Willis CM, Laing EM, Hall DB, et al. A prospective analysis of plasma 25-hydroxyvitamin D concentrations in white and black prepubertal females in the southeastern United States. *Am J Clin Nutr* 2007;85(1):124-130.
- Winzenberg TM, Shaw K, Fryer J, et al. Calcium supplementation for improving bone mineral density in children. *Cochrane Database Syst Rev* 2006;(2):CD005119. (Review)

## Citations and Reference Literature: Vitamin D

- Winzenberg T, Shaw K, Fryer J, et al. Effects of calcium supplementation on bone density in healthy children: meta-analysis of randomised controlled trials. *BMJ* 2006;333(7572):775. (Review)
- Wootton AM. Improving the measurement of 25-hydroxyvitamin D. *Clin Biochem Rev* 2005;26:33-36.
- Wortsman J, Matsuoka LY, Chen TC, et al. Decreased bioavailability of vitamin D in obesity. *Am J Clin Nutr* 2000;72(3):690-693.
- Wright RJ. Make no bones about it: increasing epidemiologic evidence links vitamin D to pulmonary function and COPD. *Chest* 2005;128(6):3781-3783. (Editorial)
- Yamashita H, Noguchi S, Takatsu K, et al. High prevalence of vitamin D deficiency in Japanese female patients with Graves' disease. *Endocr J* 2001;48(6):63-69.
- Yanase T, Suzuki S, Goto K, et al. Aromatase in bone: roles of vitamin D(3) and androgens. *J Steroid Biochem Mol Biol* 2003;86(3-5):393-397.
- Yang Y-X, Lewis JD, Epstein S, et al. Long-term proton pump inhibitor therapy and risk of hip fracture. *JAMA* 2006;296:2947-2953.
- Yeh JK, Aloia JF, Semla HM. Interrelation of cortisone and 1,25 dihydroxycholecalciferol on intestinal calcium and phosphate absorption. *Calcif Tissue Int* 1984;36(5):608-614.
- Young MV, Schwartz GG, Wang L, et al. The prostate 25-hydroxyvitamin D-1-alpha-hydroxylase is not influenced by parathyroid hormone and calcium: implications for prostate cancer chemoprevention by vitamin D. *Carcinogenesis* 2004;25:967-971.
- Yu JW, Pekeles G, Legault L, et al. Milk allergy and vitamin D deficiency rickets: a common disorder associated with an uncommon disease. *Ann Allergy Asthma Immunol* 2006;96(4):615-619. (Case report)
- Zeghoud F, Ben-Mekhbi H, Djeghri N, et al. Vitamin D prophylaxis during infancy: comparison of the long-term effects of three intermittent doses (15, 5, or 2.5 mg) on 25-hydroxyvitamin D concentrations. *Am J Clin Nutr* 1994;60(3):393-396.
- Zeghoud F, Vervel C, Guillozo H, et al. Subclinical vitamin D deficiency in neonates: definition and response to vitamin D supplements. *Am J Clin Nutr* 1997;65(3):771-778.
- Zhang YY, Long JR, Liu PY, et al. Estrogen receptor alpha and vitamin D receptor gene polymorphisms and bone mineral density: association study of healthy pre- and postmenopausal Chinese women. *Biochem Biophys Res Commun* 2003;308(4):777-783.
- Zittermann A. Vitamin D in preventive medicine: are we ignoring the evidence? *Br J Nutr* 2003;89(5):552-572. (Review)
- Zittermann A, Schleithoff SS, Tenderich G, et al. Low vitamin D status: a contributing factor in the pathogenesis of congestive heart failure? *J Am Coll Cardiol* 2003;41(1):105-112.
- Zittermann A. Serum 25-hydroxyvitamin D response to oral vitamin D intake in children. *Am J Clin Nutr* 2003;78(3):496-497.